

# FRAME HEIGHT AND RAMP ANGLE DATA

## S/T TRUCK

<b>S/T 10003 Pickup</b> .....	<b>1</b>
Heights (To Ground) .....	1
Angle .....	2
Approach Angle(s) (Bottom of) .....	2
Departure Angle(s) (Bottom of) .....	2
S 10603 108.0" Wheelbase .....	3
S 10653 123.0" Wheelbase .....	3
S 10803 118.0" Wheelbase .....	4
T 10643 122.9" Wheelbase .....	4
T 10653 123.0" Wheelbase .....	5
<b>S/T 10506 4-Door Utility</b> .....	<b>6</b>
Heights (To Ground) .....	6
Angle .....	7
Approach Angle(s) (Bottom of) .....	7
Departure Angle(s) (Bottom of) .....	7
S 10506 107.0" Wheelbase .....	8
T 10506 107.0" Wheelbase .....	8
<b>S/T 10516 2-Door Utility</b> .....	<b>9</b>
Heights (To Ground) .....	9
Angle .....	10
Approach Angle(s) (Bottom of) .....	10
Departure Angle(s) (Bottom of) .....	10
S 10516 100.5" Wheelbase .....	11
T 10516 100.5" Wheelbase .....	11

# FRAME HEIGHT AND RAMP ANGLE DATA

## C/K TRUCK (CURRENT)

C/K Truck (Current) .....	12
Heights (To Ground) .....	12
Angle .....	13
Approach Angle(s) (Bottom of) .....	13
Departure Angles(s) (Bottom of) .....	13
C 31003 135.5" Wheelbase .....	14
C 31403 159.5" Wheelbase .....	14
C 31803 183.5" Wheelbase .....	14

## C/K TRUCK (NEW)

C/K Truck (New) .....	15
Heights (To Ground) .....	15
Angle .....	15
Approach Angle(s) (Bottom of) .....	16
Departure Angles(s) (Bottom of) .....	16
C 15703 119.0" Wheelbase .....	17
C 15706 116.0" Wheelbase .....	17
C 15743 143.5" Wheelbase .....	18
C 15753 143.5" Wheelbase .....	18
C 15903 133.0" Wheelbase .....	18
C 15906 130.0" Wheelbase .....	19
C 15936 130.0" Wheelbase .....	19
C 15953 157.5" Wheelbase .....	20
K 15703 119.0" Wheelbase .....	20
K 15706 133.0" Wheelbase .....	21
K 15743 153.0" Wheelbase .....	22

# FRAME HEIGHT AND RAMP ANGLE DATA

## C/K TRUCK (NEW) – *Continued*

K 15753 143.5" Wheelbase .....	22
K 15903 133.0" Wheelbase .....	23
K 15906 130.0" Wheelbase .....	23
K 15936 130.0" Wheelbase .....	24
K 15953 157.5" Wheelbase .....	24
C 25743 143.5" Wheelbase .....	25
C 25753 143.5" Wheelbase .....	25
C 25903 133.0" Wheelbase .....	26
C 25906 130.0" Wheelbase .....	26
C 25943 157.5" Wheelbase .....	27
C 25953 157.5" Wheelbase .....	27
K 25743 153.0" Wheelbase .....	28
K 25753 143.5" Wheelbase .....	28
K 25903 133.0" Wheelbase .....	29
K 25906 130.0" Wheelbase .....	29
K 25943 167.0" Wheelbase .....	30
K 25953 157.5" Wheelbase .....	30
C 35903 133.0" Wheelbase .....	31
C 35943 167.0" Wheelbase .....	31
C 35953 157.5" Wheelbase .....	31
C 36003 137.0" Wheelbase .....	32
C 36053 161.5" Wheelbase .....	32
C 36403 161.5" Wheelbase .....	32
C 36453 185.5" Wheelbase .....	33
K 35903 133.0" Wheelbase .....	33

# FRAME HEIGHT AND RAMP ANGLE DATA

## C/K TRUCK (NEW) – *Continued*

K 35943 167.0" Wheelbase .....	34
K 35953 157.5" Wheelbase .....	34
K 36003 137.0" Wheelbase .....	34
K 36053 161.5" Wheelbase .....	35
K 36403 161.5" Wheelbase .....	35
K 36453 185.5" Wheelbase .....	35

## L/M VAN

L/M 110(05, 06) .....	36
Heights (To Ground) .....	36
Angle .....	36
Approach Angle(s) (Bottom of) .....	36
Departure Angle(s) (Bottom of) .....	37
L 11005 111.2" Wheelbase .....	38
L 11006 111.2" Wheelbase .....	38
M 11005 111.2" Wheelbase .....	39
M 11006 111.2" Wheelbase .....	39

## G VAN (GMT 600)

G Van (GMT 600) .....	40
Heights (To Ground) .....	40
Angle .....	40
Approach Angle(s) (Bottom of) .....	41
Departure Angle(s) (Bottom of) .....	41
G 11405 135.0" Wheelbase .....	42
G 11406 135.0" Wheelbase .....	42
G 21405 135.0" Wheelbase .....	43

# FRAME HEIGHT AND RAMP ANGLE DATA

## G VAN (GMT 600) – *Continued*

G 21406 135.0" Wheelbase .....	43
G 21705 155.0" Wheelbase .....	44
G 21706 155.0" Wheelbase .....	44
G 31405 135.0" Wheelbase .....	44
G 31406 135.0" Wheelbase .....	45
G 31503 139.0" Wheelbase .....	45
G 31532 139.0" Wheelbase .....	46
G 31705 155.0" Wheelbase .....	46
G 31706 155.0" Wheelbase .....	46
G 31803 159.0" Wheelbase .....	47
G 31832 159.0" Wheelbase .....	47
G 31903 177.0" Wheelbase .....	48
G 31932 177.0" Wheelbase .....	48