

FRAME HEIGHT AND RAMP ANGLE DATA

S/T TRUCK

S/T 10003 Pickup	1
Heights (To Ground)	1
Angle	2
Approach Angle(s) (Bottom of)	2
Departure Angle(s) (Bottom of)	2
S 10603 108.0" Wheelbase	3
S 10653 123.0" Wheelbase	3
S 10803 118.0" Wheelbase	4
T 10643 122.9" Wheelbase	4
T 10653 123.0" Wheelbase	5
S/T 10506 4-Door Utility	6
Heights (To Ground)	6
Angle	7
Approach Angle(s) (Bottom of)	7
Departure Angle(s) (Bottom of)	7
S 10506 107.0" Wheelbase	8
T 10506 107.0" Wheelbase	8
S/T 10516 2-Door Utility	9
Heights (To Ground)	9
Angle	10
Approach Angle(s) (Bottom of)	10
Departure Angle(s) (Bottom of)	10
S 10516 100.5" Wheelbase	11
T 10516 100.5" Wheelbase	11

FRAME HEIGHT AND RAMP ANGLE DATA

C/K TRUCK (CURRENT)

C/K Truck (Current)	12
Heights (To Ground)	12
Angle	13
Approach Angle(s) (Bottom of)	13
Departure Angles(s) (Bottom of)	13
C 31003 135.5" Wheelbase	14
C 31403 159.5" Wheelbase	14
C 31803 183.5" Wheelbase	14

C/K TRUCK (NEW)

C/K Truck (New)	15
Heights (To Ground)	15
Angle	15
Approach Angle(s) (Bottom of)	16
Departure Angles(s) (Bottom of)	16
C 15703 119.0" Wheelbase	17
C 15706 116.0" Wheelbase	17
C 15743 143.5" Wheelbase	18
C 15753 143.5" Wheelbase	18
C 15903 133.0" Wheelbase	18
C 15906 130.0" Wheelbase	19
C 15936 130.0" Wheelbase	19
C 15953 157.5" Wheelbase	20
K 15703 119.0" Wheelbase	20
K 15706 133.0" Wheelbase	21
K 15743 153.0" Wheelbase	22

FRAME HEIGHT AND RAMP ANGLE DATA

C/K TRUCK (NEW) – *Continued*

K 15753 143.5" Wheelbase	22
K 15903 133.0" Wheelbase	23
K 15906 130.0" Wheelbase	23
K 15936 130.0" Wheelbase	24
K 15953 157.5" Wheelbase	24
C 25743 143.5" Wheelbase	25
C 25753 143.5" Wheelbase	25
C 25903 133.0" Wheelbase	26
C 25906 130.0" Wheelbase	26
C 25943 157.5" Wheelbase	27
C 25953 157.5" Wheelbase	27
K 25743 153.0" Wheelbase	28
K 25753 143.5" Wheelbase	28
K 25903 133.0" Wheelbase	29
K 25906 130.0" Wheelbase	29
K 25943 167.0" Wheelbase	30
K 25953 157.5" Wheelbase	30
C 35903 133.0" Wheelbase	31
C 35943 167.0" Wheelbase	31
C 35953 157.5" Wheelbase	31
C 36003 137.0" Wheelbase	32
C 36053 161.5" Wheelbase	32
C 36403 161.5" Wheelbase	32
C 36453 185.5" Wheelbase	33
K 35903 133.0" Wheelbase	33

FRAME HEIGHT AND RAMP ANGLE DATA

C/K TRUCK (NEW) – *Continued*

K 35943 167.0" Wheelbase	34
K 35953 157.5" Wheelbase	34
K 36003 137.0" Wheelbase	34
K 36053 161.5" Wheelbase	35
K 36403 161.5" Wheelbase	35
K 36453 185.5" Wheelbase	35

L/M VAN

L/M 110(05, 06)	36
Heights (To Ground)	36
Angle	36
Approach Angle(s) (Bottom of)	36
Departure Angle(s) (Bottom of)	37
L 11005 111.2" Wheelbase	38
L 11006 111.2" Wheelbase	38
M 11005 111.2" Wheelbase	39
M 11006 111.2" Wheelbase	39

G VAN (GMT 600)

G Van (GMT 600)	40
Heights (To Ground)	40
Angle	40
Approach Angle(s) (Bottom of)	41
Departure Angle(s) (Bottom of)	41
G 11405 135.0" Wheelbase	42
G 11406 135.0" Wheelbase	42
G 21405 135.0" Wheelbase	43

FRAME HEIGHT AND RAMP ANGLE DATA

G VAN (GMT 600) – *Continued*

G 21406 135.0" Wheelbase	43
G 21705 155.0" Wheelbase	44
G 21706 155.0" Wheelbase	44
G 31405 135.0" Wheelbase	44
G 31406 135.0" Wheelbase	45
G 31503 139.0" Wheelbase	45
G 31532 139.0" Wheelbase	46
G 31705 155.0" Wheelbase	46
G 31706 155.0" Wheelbase	46
G 31803 159.0" Wheelbase	47
G 31832 159.0" Wheelbase	47
G 31903 177.0" Wheelbase	48
G 31932 177.0" Wheelbase	48