PROCEDURE FOR HANDLING CHASSIS/DEALER CLAIMS	
General	1
Shipments Received from Truckaway or Driveaway Company	
If Received from Railroad	
Filing a Claim	
Disposition of Damaged Parts	2
GOVERNMENT REGULATIONS	2
Introduction	2
Responsibility for Complete Vehicle Performance	2
Noise Emission Standards for Transportation Equipment – Medium and Heavy Trucks	3
40 CFR Part 205	3
METHOD OF CERTIFICATION	4
Incomplete Vehicles	4
VEHICLE CLASSIFICATION AND GM APPLICATION	5
FEDERAL REGULATIONS — TIRES	6
GM FLEET & COMMERCIAL OPERATIONS	7
WEIGHTS AND MEASURES	8
Standard Weights and Measures	8
Metric Weights and Measures	9
Equivalent Weights and Measures	9
Decimal Equivalents of Parts of an Inch	10
Approximate Weight of Materials	11
METRIC/U.S. CUSTOMARY CONVERSION TABLE	20
MEDILIM DUTY TOUCK MODEL IDENTIFICATION SYSTEM	21

PROCEDURE FOR HANDLING CHASSIS/DEALER CLAIMS

General

All chassis tendered for delivery by the Transportation Company are to be accepted by the Body Company. If a chassis has been damaged or is short certain parts when received by the Body Company, they will repair or replace missing parts, if possible, with their own or other local facilities and promptly forward the claim to the dealer.

If the Body Company or other local facilities are not adequate for replacing missing or damaged parts, the Body Company will promptly notify the Dealer and hold damaged chassis awaiting his instructions. The Dealer must be notified promptly upon receipt of a chassis on which a claim is in order giving the "model," "engine number," and "serial number" and what the damage or shortage consisted of. This is important since Chevrolet/GMC Truck cannot accept claims from the Dealer unless filed within thirty days from date of delivery or unless, within the thirty-day period, the Dealer has advised Chevrolet/GMC Truck that a claim will be filed. Delivery to the Body Company constitutes delivery to the Dealer, since the Body Company is the Dealer's agent.

Completed vehicles that are to be driven to the Dealer or the Dealer's customer must first be serviced by the Body Company at the Body Company's location in accordance with Chevrolet/GMC Truck new vehicle conditioning procedures. Expenses incurred for this condition are the responsibility of the selling Dealer.

Shipments Received from Truckaway or Driveaway Company

The Body Company will inspect condition of chassis and call driver's attention to damage or missing parts and make a detailed notation of both copies of Transportation Company's delivery receipt of the nature and extent of the existing damage and/or shortage and have driver sign such notation on the Dealer's copy. If chassis are received after business hours and cannot, therefore, be adequately inspected, the delivery receipt (both copies) is to carry notation "Received subject to inspection" and show the time and date. On such chassis, a detailed inspection must be made within 24 hours or on the first working day after receipt of chassis and immediately furnish to the Dealer. Any exceptions are to be noted on both copies of the delivery receipt by the Body Company.

If Received from Railroad

Freight car should be opened and contents inspected in presence of railroad representative before starting to unload, and any existing damage or shortage recorded by the railroad representative on his standard inspection report. Body Company must secure from railroad agent, a copy of his inspection report detailing nature and extent of the damage and/or shortage.

If the railroad representative does not comply with consignee's request to make an inspection, then the Body Company will immediately confirm his request (in writing) to the railroad agent, outlining the nature and extent of damage and/or shortage disclosed by consignee's inspection, prior to starting any unloading operations, sending a copy of his letter to the Dealer.

(Procedures continued on next page)

(Procedures continued from previous page)

Filing a Claim

Upon completion of repairs or replacements of missing parts, the Body Company will promptly bill the Dealer for the cost involved, supporting such debit with a detailed statement showing how the amount is arrived at and either the original delivery receipt with notation if received from a truckaway company or the carrier's inspection report if received from a railroad.

Disposition of Damaged Parts

Damaged parts removed from chassis by the Body Company must be held for disposition orders from the Dealer.

Dealer claims will not be allowed unless above instructions are fully complied with.

GOVERNMENT REGULATIONS

Introduction

The Federal Government has established Motor Vehicle Safety Standards for various categories of motor vehicles and motor vehicle equipment under the provisions of the National Traffic and Motor Vehicle Safety Act of 1966. The Act imposes important legal responsibilities on manufacturers, dealers, body builders and others engaged in the manufacturing and marketing of motor vehicles and motor vehicle equipment.

Questions dealing with the specific application of the Act or the standards to your business should be discussed with your legal counsel. This is particularly so because the standards and other requirements or interpretations are subject to change by the government agency in charge, the National Highway Traffic Safety Administration.

New standards and amendments issued by the National Highway Traffic Safety Administration will appear in the Federal Register from time to time. You may obtain the Federal Register, through the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

Responsibility for Complete Vehicle Performance

General Motors performs extensive testing on all trucks described in this book. Major changes to a complete vehicle or the installation of a body on an incomplete truck chassis will, however, affect vehicle performance.

(Government Regulations continued on next page)

(Government Regulations continued from previous page)

It is the responsibility of the body and equipment manufacturers to validate final completed vehicle performance. Total vehicle system performance tests may be required. The test schedule must reflect the type of vehicle system loading to which the completed vehicle will be subjected, and must also include consideration of all aspects of performance, e.g., durability, ride, handling, etc.

Noise Emission Standards for Transportation Equipment – Medium and Heavy Trucks

40 CFR Part 205

The U.S. Environmental Protection Agency (EPA) has established noise emission standards applicable to vehicles (in general vehicles in excess of 10,000 pounds GVWR capable of transportation of property on a street or highway) manufactured after January 1, 1978, under the provisions of the Noise Control Act of 1972. The standards provide that vehicles manufactured after January 1, 1978, when tested pursuant to EPA's prescribed test procedure, must conform to an 83 dBA level and vehicles manufactured after January 1, 1988 must conform to an 80 dBA level.

The Act and the standards impose legal obligations on vehicle manufacturers and subsequent manufacturers. Questions dealing with what is covered under the definition of a "vehicle" in the standards and the specific application of the Act or the standards to your business should be discussed with your legal counsel. This is particularly so in light of EPA's broad definition of a "vehicle."

The standards or interpretations of such standards are subject to change by EPA. New standards or amendments issued by the Environmental Protection Agency appear in the Federal Register from time to time. You may obtain the Federal Register through the Superintendent of Documents, U.S. Government Building Office, Washington, D.C. 20402.

NOTE: Model and option weight information is available in the GM Medium Duty Data Book. Contact your local GM dealer for assistance.

METHOD OF CERTIFICATION

Incomplete Vehicles

Will have a label affixed to the Document for Incomplete Vehicles. This is placed in a clear container and shipped with the incomplete vehicle from the factory.

DOCUMENT FOR INCOMPLETE VEHICLE					
Г		٦			
	PLACE LABEL HERE				
L					
This document is turnished as required by gover conformity to applicable Federal Motor Vehicle S assure that Environmental Protection Agency (E Regulations are met. As a result of certifying Hes Standards, Part II of this document – U.S. EPA Economy Regulations—has been significantly rev understanding of the requirements of these stand with all Federal Motor Vehicle Satety Standar manufacturers. Any manufacturer making material alterations to should be constantly vigilant to recognize all the e by each such alteration. No alteration should b component, assembly or system being in noncor Regulation.	afely Standards. Also included a PA) and California emission certi any Duty Vehicles with GWWs up and California Exhaust & Evapc ised and should be reviewed. Th ards and regulations. Intermediat ds and Emission Regulations to this incomplete vehicle during the flects, either direct or indirect, on e made to the incomplete vehicle on e made to the incomplete vehicle.	re instructions which must be followed in order to fication requirements and NHTSA Fuel Economy to 10,000 pounds by Federal Light Duty Emission rative Emission Requirements and NHTSA Fuel is document is not a substitute for knowledge and e and final stage manufacturers should be familiar to be aware of their specific responsibilities as eprocess of manufacturing the complete vehicle other components, assemblies or systems caused which either directly resulted in any			
CANADA MOTOR VEHICLE SAF The following statement, which is required by Se tor Vehicle Safety Regulations is applicable only tured in or imported to Canada: THIS INCOMPLETE VEHICLE CONFORMS I MOTOR VEHICLE SAFETY STANDARDS IN I MANUFACTURE SHOWN ABOVE. THE STA COMPLETE VEHICLE CONFORMS IN FULL I OF FEDERAL MOTOR VEHICLE SAFETY ST ASTERISK (*) IN THE COLUMN FOR THE BA VEHICLE.	ection 6.(4) (a) of the Canada Mo- to incomplete vehicles manufac- TO THE APPLICABLE CANADA EFFECT ON THE DATE OF ITS INDARDS TO WHICH THIS IN- ARE DESIGNATED IN THE LIST TANDARDS ON PAGE 3 BY AN	<u>GM</u>			

VEHICLE CLASSIFICATION AND GM APPLICATION

	A 11 11	Vehicle Classification		
Model	el Application	MPV	Truck**	
W3S042	All models		Х	
W4S042	All models		X	
W5R042	All models		X	
(C6H-C7H)042	All models		X	
C7H064	All models		X	
(F6B-F7B)042	All models		X	
F7B064	All models		Х	

^{*} MPV is a vehicle with 2 or 3 rows of seats.

[^] MPV Classification may apply only when unit is completed as a Recreation Vehicle (Camper).

^{**} It is assumed that Cab and Chassis only will be completed as a truck. Chassis only with RPO B3D or B3M will be completed into a school bus.

FEDERAL REGULATIONS — TIRES

The National Highway Traffic Safety Administration has issued regulations dealing with tire identification and record keeping which became effective May 22, 1971. Under these regulations important legal responsibilities are imposed upon tire manufacturers, brand name owners, retreaders, distributors and dealers, and motor vehicle manufacturers and dealers, to maintain and/or report certain information concerning tires. This information will be used to facilitate interest of safety. If you have any questions concerning the application of these regulations to your business, we suggest you consult with your attorney.

In order for GM to meet its responsibility under these tire regulations we have a record of the tires on each vehicle we shipped to you. If you do not change a tire on a GM vehicle, it is important that you make sure that it is reshipped with the same tires that were on it when the vehicle was received by you. This will mean that any tires which you remove from a vehicle during the course of your work should be put back on the same vehicle.

If you do change a tire on a GM vehicle, it is necessary that you furnish us with such information on vehicles which are returned to us after you have completed your work. It is important that you report to us the full tire identification number (TIN) for each tire you install and the full vehicle identification number (VIN) of the vehicle on which the tire is installed.

If you change a tire on a GM vehicle which is not returned to us, you may be responsible for maintaining records of the vehicle identification number (VIN) and the vehicle owner to allow notification, through your records, if tire problems are found.

In case you should receive a defect notification from a tire manufacturer concerning tires which you installed on a vehicle returned to us, you may forward it to us so that we can send it to the vehicle owner whose name will appear on our records.

GM FLEET & COMMERCIAL OPERATIONS

NOTE: For general customer assistance, please call the following toll-free number:

GMC and Chevrolet Medium Duty Truck Business Center 1-800-862-4389 (prompt #3)

or go to the Web sites listed below.

www.gmfleet.com

GMC: www.gmc.com Chevrolet: www.chevrolet.com

Mail:

GMICT Medium Duty P.O. Box 44947 Detroit, MI 48244

WEIGHTS AND MEASURES

Standard Weights and Measures			
Length			
12 inches	=	1 foot	
3 feet	=	1 yard	
5 1/2 yards	=	16 1/2 feet	
5 1/2 yalus	=	1 rod	
1760 yards	=	5820 feet	
1700 yalus	=	1 mile	
		Area	
144 square inches	=	1 square foot	
9 square feet	=	1 square yard	
30 1/2 sq. yards	=	1 square rod	
160 sq. rods	=	43,560 sq. feet or 1 acre	
640 acres	=	27,878,400 sq. feet or 1 sq. mile	
1 circular inch	=	Area of circle 1 in diameter	
1 square inch	=	1.2732 circular inches	
		Volume	
1728 cubic inches	=	1 cubic foot	
27 cubic feet	=	1 cubic yard	
1 cord wood	=	128 cubic feet. One cord is 8 feet long, 4 feet wide and 4 feet high	
1 board foot	=	144 cubic inches or volume of board 1 foot square and 1 inch thick	
1 cylindrical inch	=	Volume of cylinder 1 inch in diameter and 1 inch long or 0.7854 cubic inch	
1 cubic inch	=	1.2732 cylindrical inches	

Liquid or Fluid Measures				
4 gills (16 fluid ounces)	=	1 pint		
2 pints	=	1 quart		
4 quarts	=	1 gallon		
31 11/32 gallons	=	1 barrel (there is no standard liquid 'barrel')		
1 U.S. gallon	=	231 cubic inches or 0.13373 cubic feet		
7.4805 gallons	=	1 cubic foot		
When water is at its maximun 1 gallon weighs 8.345 pounds equals 7 1/2 gallons.	When water is at its maximum density, 1 cubic foot weighs 62.428 pounds and 1 gallon weighs 8.345 pounds. For approximations, 1 cubic foot of water equals 7 1/2 gallons.			
	D	ry Measure		
2 pints	=	1 quart		
8 quarts	=	1 peck		
4 pecks	=	1 bushel		
1 U.S. bushel		2150.42 cubic inches		
		1.2445 cubic feet		
1 cubic yard	=	21.7 U.S. bushels (approximate)		
Meas	Measures of Angles or Arcs			
60 seconds (")	=	1 minute (')		
60 minutes (')	=	1 degree (°)		
90 degrees (°)	=	1 right angle or quadrant		
360 degrees (°)	=	1 circle		
Avoirdupois Weight (U.S.)				
437.5 grains (16 drams)	=	1 ounce		
16 ounces	=	1 pound		
100 pounds	=	1 hundred weight		

2000 pounds	П	1 ton
2240 pounds	=	1 long ton

Metric Weights and Measures				
Length				
10 millimeters (mm.)	=	1 centimeter		
10 centimeters (cm.)	=	1 decimeter		
10 decimeters (dm.)	=	100 centimeters		
To declineters (diff.)	=	1 meter		
1000 meters (m.)	=	1 kilometer (km.)		
	Α	rea		
100 square millimeters (sq. mm.)	=	1 square centimeter		
100 square centimeter (sq. cm.)	=	1 square decimeter		
100 square decimeters (sq. dm.)	=	1 square meter		
Volume				
1000 cubic millimeters (cu. mm.)	=	1 cubic centimeter		
1000 cubic centimeters (cu. cm.)	=	1 cubic decimeter		
1000 cubic decimeters (cu. dm.)	=	1 cubic meter		
	Cap	pacity		
10 milliliters (ml.)	=	1 centiliter		
10 centiliters (cl.)	=	1 deciliter		
10 deciliters (dl.)	=	100 centiliter or 1 liter		
1000 liters (l.)	=	1 kiloliter		
Weight				
10 milligrams (mg.)	=	1 centigram		
10 centigrams (cg.)	=	1 decigram		
10 decigrams (dg.)	=	100 centigrams or 1 gram		
1000 grams (g.)	=	1 kilogram		

1000 kilograms (kg.)	=	1 ton (metric)
1000 cubic centimeters (cu. cm.)	=	1 cubic decimeter
1000 cubic decimeters (cu. dm.)	=	1 cubic meter

Equivalent Weights and Measures				
Length				
1 inch	=	2.54 centimeters		
1 foot	=	30.48 centimeters		
1 yard	=	0.9144 meters		
1 mile	=	1.609 kilometers		
1 centimeter	=	0.3937 inches		
1 meter	=	39.37 inches or 3.281 feet		
1 kilometer	=	0.6214 mile or 1093.3 yards		
		Area		
1 square inch	=	6.452 square centimeters		
1 square foot	=	0.093 square meters		
1 square yard	=	0.836 square meters		
1 acre	=	4047 square meters		
1 square mile	=	2.59 square kilometers		
1 square centimeter	=	0.155 square inches		
1 square meter	=	10.76 square feet		
1 square kilometer	=	0.3861 square miles		
Volume				
1 cubic inch	=	16.39 cubic centimeters		
1 cubic foot	=	0.0283 cubic meters		
1 cubic yard	=	0.7646 cubic meters		
1 (U.S.) gallon	=	3.785 liters		
1 cubic centimeter	=	0.061 cubic inches		

1 cubic meter	=	35.31 cubic feet		
1 liter	=	61.02 cubic inches or 0.2642 gallons		
Weight				
1 ounce	=	28.35 grams		
1 pound	=	0.4536 kilograms		
1 ton	=	907.2 kilograms		
1 gram	=	15.43 grains		
1 kilogram	=	2.205 pounds		
1 metric ton	=	2205 pounds		

Decimal Equivalents of Parts of an Inch					
1/64	0.015625	33/64	0.515625		
1/32	0.03125	17/32	0.53125		
3/64	0.046875	35/64	0.546875		
1/16	0.0625	9/16	0.5625		
5/64	0.078125	37/64	0.578125		
3/32	0.09375	19/32	0.59375		
7/64	0.109375	39/64	0.609375		
1/8	0.125	5/8	0.625		
9/64	0.140625	41/64	0.640625		
5/32	0.15625	21/32	0.65626		
11/64	0.171875	43/64	0.671875		
3/16	0.1875	11/16	0.6875		
13/64	0.203125	45/64	0.703125		
7/32	0.21875	23/32	0.71875		
15/64	0.234375	47/64	0.734375		
1/4	0.25	3/4	0.75		
17/64	0.265625	49/64	0.765625		

9/32	0.28125	25/32	0.781255
19/64	0.296875	51/64	0.796875
5/16	0.3125	13/16	0.8125
21/64	0.328125	53/64	0.828125
11/32	0.34375	27/32	0.84375
23/64	0.359375	55/64	0.859375
3/8	0.375	7/8	0.875
25/64	0.309625	57/64	0.890625
13/32	0.40625	29/32	0.90625
27/64	0.421875	59/64	0.921875
7/16	0.4375	15/16	0.9375
29/64	0.453125	61/64	0.953125
15/32	0.46875	31/32	0.96875
31/64	0.484375	63/64	0.984375
1/2	0.5	1	1.0

Approximate Weight of Materials

Most materials and commodities vary in weight and containers vary in shape and size. Therefore it is impossible to list any but average weights per cubic foot or per unit of measurement and the following weights should be used only for approximation purposes. When it is necessary to figure weights accurately for recommendation of truck or tractor-trailer equipment, exact weights and dimensions should be obtained from local sources. This is particularly true of fruits and vegetables, containers for which vary widely in type, size and shape according to commodity and locality.

	Pounds per	
	Cu. Ft.	Cu. Yd.
Asbestos	153	4130
Asphalt Brick Lumps Paving	125 85 100	3375 2300 2700
Cinders Clay (dry lumps) Wet lumps Wet packed Fire	50 85 110 135 125	1350 2300 2970 3650 3375
Concrete Cinder or slag Gravel or stone Ave. wet mix	120 150 138	3250 4050 3730
Crushed stone, ave.	100	2700
Earth (loam), Loose Shaken Packed Moist Wet	76 87 95 100 125	2050 2350 2565 2700 3375
Gravel, Dry Wet	95 125	2565 3375

	Pound	ds per
	Cu. Ft.	Cu. Yd.
Motor-lime Rubble-dry Wet	110 138 154	2970 3730 4160
Pitch	70	1900
Plaster of Paris (gypsum)	150	4050
Quicklime, Solid Ground-loose Shaken	95 55 75	2550 1485 2030
Rock crushed, ave.	100	2700
Sand, Fine-dry Wet Course-dry Wet	110 125 95 120	2970 3735 2565 3240
Tar	65	1755
Terra Cotta	110	2970
Tile, Solid Construction	115 40	3100 1080
Brick Soft, 2.5 x 4 x 8.25 Common, 2.25 x 4 x 8.25 Hard, 2.25 x 4.25 x 8.5 Pressed, 2.375 x 4 x 8.375 Paving, 2.5 x 4 x 8.5 Paving block, 3.5 x 4.5 x 8.5 Fire, 2.5 x 4.5 x 9		Thousand 4320 5400 6480 7500 6750 8750 7000
Cement block 8 x 8 x 16 8 x 12 x 16	42 58	each each
Cinder block 8 x 8 x 16 8 x 12 x 16	35 45	each each

	Pound	ds per
	Cu. Ft.	Cu. Yd.
Glass Common window Plate, 1/4" thick	162 3.3	cu. ft. sq. ft.
Lime Small barrel Large barrel	210 320	barrel barrel
Farm and Dairy Products, except Fru	<u> </u>	oles
	Pounds	Per
Alfalfa seed	60	bushel
Barley	48	bushel
Bran	20	bushel
Buckwheat	49	bushel
Butter, 15 dia. x 15 15 dia. x 15 10.25 x 8.75 x 10.5 (30 lb.) bricks 9 lb. pail	25 70 32 10	tub tub case each
Calf, Live (avg.)	150	head
Cheese, 15 dia. x 5.25 15 dia. x 7.5 15 dia. x 15	25 35 70	box box box
Chickens Live broilers (20 avg.) Fowl (12 avg.) Std. crate, empty 24 x 35 x 13	58 78 18	crate crate each
Clover seed	60	bushel
Corn, Ear Shelled Sweet corn (green)	35 56 43	bushel bushel bushel

	Pounds	Per
Corn Meal	44	bushel
Cotton Gin bale, 20 x 48 x 54 Std. bale, 24 x 28 x 56 Comp bale, 20 x 24 x 56	515 515 515	each each each
Cotton seed	32	bushel
Cow, Live, Feeder (avg.) Butcher (avg.) Heavy steer (avg.)	600 800 1000	head head head
Eggs, 30 doz. 12 x 12 x 26	55	crate
Flax seed	56	bushel
Flour, 19 1/8 head, 30 stave	215	barrel
Hay, Baled 17 x 22 x 40 14 x 16 x 43	60 85	bale bale
Hemp seed	44	bushel
Hog, Live (avg.)	235	head
Horse, Live (avg.)	1350	head
Ice Cream 2.5 gal., 9 dia. x 11 5 gal., 9 dia. x 21	18 35	can can
Lamb, Live (avg.)	80	head
Malt, Barley Rye Brewer's grain	28 32 40	bushel bushel bushel
Millet	50	bushel
Oats	32	bushel
Popcorn, Ear Shelled	35 56	bushel bushel

	Pounds	Per
Rice, Unhulled	43	bushel
Rye	56	bushel
Sheep, Live (avg.)	138	each
Shorts	20	bushel
Soy beans	60	bushel
Straw, Baled 17 x 22 x 40	45	bale
Tallow	60	cu. ft.
Timothy seed	45	bushel
Vetch seed	60	bushel
Wheat, Bulk Bag	60 90	bushel 1.5 bushel
Wool, Pressed	82	cu. ft.

Fruits, Vegetables and Nuts (in bulk, unless container specified)		
	Size Container	Lbs. Per Bushel or Container
Apples, Fresh Western box New England box Standard barrel	bushel 11.5 x 12 x 20 11.25 x 14.25 x 17.5 17hc. 28.5 stone	48 50 56 160
Apricots, Fresh Western box	bushel 5.5 x 12 x 20	48 23
Artichokes, Box	10 x 11.5 x 22	44
Asparagus, Pr. Crate Loose Bunches	11.5 high 19.375 long, 9.75 wide top, 11 bottom	38 31
Avocados, Box	5.75 x 11.25 x 17.5	16

	Size Container	Lbs. Per Bushel or Container
Bananas, Carton Single stem	4.25 x 14.25 x 30 bunch	38 55
Beans, Dry castor White Lima Fresh lima String (Hamper) string	bushel bushel bushel bushel bushel 5 peck	46 60 56 39 36 45
Beets (avg.) Small crate Western crate	bushel 9.75 x 13.25 x 24 14 x 19 x 24.5	55 50 95
Berries, Crate 24 pt. 24 qt. 32 at.	9.75 x 9.75 x 20 11.75 x 11.75 x 24 15.5 x 11.75 x 24	25 48 63
Broccoli, Bushel Crate	12.75 x 12.75 x 17	30
Brussels sprouts, Crate	7.75 x 10.75 x 21.375	26
Cabbage, Hamper Crate Western crate Bbl. crate	1.5 bushel 12.75 x 18.5 x 19 14 x 19 x 24.5 12.75 x 18.75 x 37.375	58 60 85 110
Cantaloupe, Crate Pony Standard Jumbo Pony flat Standard flat Jumbo flat	11.75 x 11.75 x 23.5 12.75 x 12.75 x 23.5 13.75 x 13.75 x 23.5 4.75 x 12.75 x 23.5 5.25 x 14.25 x 23.5 5.75 x 15.25 x 23.5	58 68 78 26 28 32
Carrots, Topped With tops Crate	bushel bushel 11.75 x 14.125 x 24	55 40 60

	Size Container	Lbs. Per Bushel or Container
Cauliflower	bushel	30
Crate	9.375 x 19 x 24	50
Celery, Std. Crate	11.625 x 22 x 22.625	70
1/2 crate	10.75 x 13 x 20.375	35
Northern crate	16.5 x 21.25 x 22	85
Cherries, Unstemmed	bushel	56
Stemmed	bushel	64
Lug box	5.625 x 11.875 x 19.75	17
Chestnuts	bushel	50
Cranberries 1/4 bbl. box 1/2 bbl. box	9.5 x 11 x 14 12.5 x 14.75 x 22	28 60
Cucumbers	bushel	55
Crate	9.75 x 13.75 x 24	75
Case	5 x 13.25 x 19	26
Eggplant, Hamper	bushel	40
Crate	14 x 11.75 x 24	54
Endive, Basket	bushel	25
Hamper	1.5 bushel	36
Grapefruit, Western box	11.5 x 11.5 x 24	68
Southern box	12.75 x 12.75 x 27	90
Grapes, Basket	bushel	48
Lug box	5.375 x 16.375 x 17.5	30
Western box	15.5 x dia. x 14	45
Basket	12 quarts	18
Greens	bushel	25
Hickory nuts	bushel	45
Horseradish roots	bushel	35
Kale	bushel	25

	Size Container	Lbs. Per Bushel or Container
Lemons, Limes, Western box Southern box	10 x 13 x 25 12.75 x 12.75 x 27	80 90
Lentils	bushel	60
Lettuce, Hamper Hamper Basket Crate 1/2 crate	bushel 1.5 bushel 8.5 x 11.75 x 21.375 13.75 x 17.5 x 24.5 9.5 x 13.5 x 24.5	25 38 17 75 40
Okra, Hamper Hamper	.5 bushel bushel	18 34
Onions, Dry, Basket Bag Crate Green with tops	bushel 17 x 32 20.5 x 11.5 x 10.5 bushel	55 50 58 32
Oranges, Western box Southern box Bushel box	11.5 x 11.5 x 24 12.75 x 12.75 x 27 10.75 x 10.75 x 23.5	80 90 65
Parsley, Bushel Crate	12.75 x 12.75 x 17	30
Parsnips	bushel	48
Peaches, Basket Basket Crate Western box	bushel .5 bushel 10.5 x 11.25 x 24 5.5 x 11.25 x 24	48 25 50 22
Peanuts, Unshelled Bag	bushel	22 100
Pears, Basket Western box	bushel 9.625 x 12.125 x 19.75	50 51
Peas, Dry Fresh hamper Hamper	bushel bushel 40 quarts	60 35 45

	Size Container	Lbs. Per Bushel or Container
Pecans, Large bag Small bag		100 50
Peppers, Basket Crate	bushel 14.125 x 11.75 x 24	25 45
Pineapples, Crate	11 x 12.5 x 36	85
Plums, Basket Western box	bushel 5.625 x 16.375 x 17.5	56 25
Potatoes, Sweet White or Irish Bag Barrel	bushel bushel 1 2/3 bushel barrel	55 60 102 185
Prunes, Box	5.625 x 16.375 x 17.5	25
Quinces	bushel	50
Radishes, Basket Crate	bushel 9.75 x 13.75 x 24	34 40
Rhubarb, Box	5.125 x 11.5 x 22	24
Romaine, Crate Crate	13.875 x 18.875 x 24.5 12.25 x 13 x 15.25	64 27
Rutabagas	bushel	56
Spinach	bushel	27
Squash	bushel	46
Sweet Corn, Basket Crate	bushel 13 x 13 x 24	45 60
Tomatoes, Basket Lug box Crate Basket	bushel 7.25 x 14 x 17.5 10.5 x 11.25 x 24 8.5 x 8.75 x 20	55 35 48 18
Turnips	bushel	54

	Size Container	Lbs. Per Bushel or Container
Walnuts, Bulk	bushel	50
Bag		100

Liquids			
	Poun	Pounds per	
	Cu. Ft.	Gallon	
Acetone	50	6.6	
Alcohol, commercial	51	6.8	
Asphalt, hot oil	71	9.5	
Carbolic acid	60	8.0	
Castor oil	61	8.1	
Chloroform	95	12.7	
Coconut oil	58	7.8	
Corn oil	58	7.8	
Corn syrup	86	11.5	
Cotton seed oil	58	7.8	
Cream	64	8.5	
Creosote	69	9.2	
Crude oil	56	7.5	
Ether	46	6.2	
Fuel oil-Diesel	52	7.0	
Fuel oil-Furnace	56	7.5	
Gasoline	45	6.0	
Glycerine	79	10.5	
Honey	90	12.0	
Kerosene	50	6.6	

	Poun	Pounds per	
	Cu. Ft.	Gallon	
Linseed oil	59	7.9	
Lubricating	52	7.0	
Maple syrup	82	11.0	
Milk, bulk	64	8.6	
Molasses	90	12.0	
Muriatic acid, 40%	40	10.0	
Naphtha, petroleum	42	5.6	
Nitric acid, 91%	94	12.5	
Olive oil	58	7.7	
Peanut oil	57	7.6	
Petroleum	56	7.5	
Sorghum syrup	86	11.5	
Soybean oil	58	7.7	
Sugar cane syrup	85	11.3	
Sulfuric acid, 87%	112	15.0	
Turpentine	54	7.3	
Vinegar	64	8.5	
Water, fresh	63	8.4	

	Size Container	Lbs. Per Container
Beer, Wood barrel	.25 barrel	
Steel barrel	.25 barrel	
Wood barrel	.25 barrel	
Steel barrel	.25 barrel	
Carton, 24 12oz.		
Regular bottles	17.25 x 11.5 x 9.875	
Steinie bottles	18.375 x 12.125 x 7.375	

	Size Container	Lbs. Per Container
Tin cans Wood case, 24 12oz.	16.25 x 11 x 5.125	
Regular bottles Steinie bottles	21 x 13.5 x 10 22 x 13.75 x 7.5	

Note: Beer cases are of many types with variable size and weight. Cases shown are average for popular full depth type with partitions.

	Size Container	Lbs. Per Container
Milk, 5 gal. can	10.25 dia. x 19	62
10 gal. can	13 dia. x 23	115
Crate, 21.5 pt. bottles		33
20 pt. bottles		54
12 qt. bottles		64

Note: Milk bottle crates vary widely in dimensions and weights. Those shown are average weights.

	Size Container	Lbs. Per Container
Molasses, 50 gal. bbl.	20.25 hd. 34 stave	675
Soft drinks Half depth bottle box		
24, 6 to 8 oz. bottles Full depth bottle box	12.25 x 18.75 x 8.5	39
12, 24 to 32 oz. bottles	13.375 x 18.5 x 12.25	60

Lumber, Air Dried Kiln dried lumber averages 10% to 15% lighter, and green lumber 40% to 50% heavier than air dried.		
	Cu. Ft.	Thousand Board Ft.
Ash, Black or Red White	40 46	3330 3830
Bamboo	22	
Basswood	30	2500
Beech	30	2500
Birch	48	4000
Butternut	30	2500
Cedar	30	2500
Cherry	44	3670
Chestnut	37	3080
Cottonwood	37	3080
Cypress	30	2500
Elm, Soft Rock	38 45	3170 3750
Fir, Douglas Eastern	32 25	2670 2080
Gum	40	3330
Hemlock	29	2420
Hickory	54	4500
Locust	42	3500
Mahogany	42	3500
Maple, Hard Soft	44 34	3670 2830

	Pounds per	
	Cu. Ft.	Thousand Board Ft.
Oak, Black Red White	42 42 48	3500 3500 4080
Pine, Long Leaf North Carolina Oregon Red White Yellow, Northern Southern Short leaf Long leaf	44 36 32 30 26 34 45 38 44	3670 3000 2670 2500 2170 2830 3750 3170 3670
Poplar	27	2250
Redwood	30	2500
Spruce	28	2330
Sycamore	37	3080
Walnut	43	3580
Willow	31	2580
Lath, Standard length 29 in. Put up in bundles of 50. Avg. bundle; dia. 9 in., weight 25 lbs.		
Shingles, Bundles contains the equivalent of 250 shingles, measures 24 x 20 x 10, avg. weight 50 lbs.		

Metals, Minerals, Ores, Rock, Stone, Coal			
	Pounds Per		
	Cu. Ft.	Cu. Yd.	
Alabaster, gypseous	160	4320	
Aluminum, pure	165	4450	

	Pound	Pounds Per	
	Cu. Ft.	Cu. Yd.	
Andesita stone	180	4850	
Antimony	420	11650	
Asbestos	153	4130	
Babbit	440	11900	
Barytes, mineral	280	7560	
Basalt rock	185	5000	
Bauxite	160	4320	
Bluestone	120	3240	
Borax	110	2970	
Brass, Cast Rolled Drawn	525 534 542	14175 14420 14635	
Bronze	550	14850	
Chalk	137	3700	
Charcoal, oak pine	33 23	890 620	
Coal, broken Anthracite Bituminous Pocahontas Cannel	60 45 50 50	1600 1200 1350 1350	
Coke	27	730	
Copper, Cast Rolled	550 560	14850 15120	
Diabase	185	5000	
Dolomite	181	4890	
Emery	250	6750	
Feldspar	160	4320	

	Pounds Per	
	Cu. Ft.	Cu. Yd.
Flint	185	5000
Gneiss, Solid Crushed	160 95	4320 2565
Granite, Solid Crushed	175 96	4725 2590
Graphite	170	4590
Greenstone, Solid Crushed	187 107	5050 2900
Gypsum	150	4050
Iron, Cast Wrought	450 485	12150 13100
Hornblende	187	5050
Lead, Cast	710	19170
Limestone, Solid Crushed	166 95	4480 2565
Magnesite	187	5050
Manganese	475	12825
Marble, Solid Crushed	165 95	4455 2565
Marl	140	3800
Mercury	850	
Mica	185	5000
Nickel	537	14500
Ore: Most ores are 15% to 20% heavier than the the ore.	rock which forn	ns the bulk of
Peat	50	1350
Phosphate rock	200	5400
Porcelain	150	4050

	Poun	Pounds Per	
	Cu. Ft.	Cu. Yd.	
Porphyry	172	4645	
Pumice	40	1080	
Pyrites	315	8500	
Quartz	165	4455	
Rip-rap stone	65	1750	
Salt, Rock, Solid Very coarse Coarse Fine Barrel	136 35 45 50 280	3670 950 1215 1350 per bbl.	
Saltpeter	69	1860	
Sandstone, Solid Crushed	147 86	3970 2325	
Shale, Solid Crushed	172 92	4645 2485	
Silica	135	3650	
Slag, Solid Crushed Screenings	175 75 100	4750 2025 2700	
Slate	175	4725	
Soapstone	169	4565	
Steel, Cast Rolled	490 495	13250 13365	
Stone, Crushed, avg.	100	2700	
Sulphur	125	3375	
Talc	170	4600	
Tin	460	12400	
Trap rock	187	5050	

	Pounds Per	
	Cu. Ft.	Cu. Yd.
Zinc	440	11880
Miscellaneous		
	Pounds Per	
	Cu. Ft.	Cu. Yd.
Ashes, cool (packed)	45	1215
Bone	115	3110
Cork	15	405
Furniture	6	160
Garbage Dry, paper wrapped Wet	15-30 50	400-800 1240
Groceries, misc.	30	810
Ice	57	1540
Paper, Solid, avg.	58	1565
Rubber goods	94	2540
Snow, moist-packed	50	1350
Street sweepings	32	865

METRIC/U.S. CUSTOMARY CONVERSION TABLE

	Multiply	Ву	To Get/Multiply	Ву	To Get
Linear	inches inches feet	x 25.4 x 2.54 x 0.3048	millimeters (mm) centimeters (cm) meters (m)	x 0.03937 x 0.3937 x 3.281	inches inches feet
Area	square inches	x 645.16	square millimeters (sq. mm)	x 0.00155	square inches
	square inches	x 6.452	square centimeters (sq. cm)	x 0.155	square inches
	square feet	x 0.0929	square meters (sq. m)	x 10.764	square feet
Volume	cubic inches cubic inches cubic inches quarts quarts gallons cubic feet cubic feet fluid oz.	x 16387.0 x 16.387 x 0.01639 x 0.94635 x 3.7854 x 28.317 x 0.02832 x 29.57	cubic millimeters (cu. mm) cubic centimeters (cu. cm) liters (l) liters (l) liters (l) ilters (l) cubic meters (cu. m) milliliters (ml)	x 0.000061 x 0.06102 x 61.024 x 1.0567 x 0.2642 x 0.03531 x 35.315 x 0.03381	cubic inches cubic inches cubic inches quarts quarts gallons cubic feet cubic feet fluid oz.
Mass	ounces (av) pounds (av) tons (2000 lb) tons (2000 lb)	x 28.35 x 0.4536 x 907.18 x 0.90718	grams (g) kilograms (kg) kilograms (kg) tonne (t)	x 0.03527 x 2.2046 x 0.001102 x 1.1023	ounces (av) pounds (av) tons (2000 lb) tons (2000 lb)
Fuel Economy	miles/gal	x 0.42514	kilometers/liters (km/l)	x 2.3522	miles/gal
	gal/mile	x 2.3522	liters/kilometer (l/km)	x 0.42514	gal/mile
	gal/mlle	x 235.22	liters/100 kilometers (1/100 km)	x 0.004251	gal/mile
Power	horsepower	x 0.746	kilowatts (kW)	x 1.34	horsepower
	ftlb./min	x 0.0226	watts (W)	x 44.25	ftlb./min
Torque	pound-inches	x 0.11298	newton-meters (N-m)	x 8.851	pound-inches
	pound-feet	x 1.3558	newton-meters (N-m)	x 0.7376	pound-feet
Velocity	miles/hour	x 1.6093	kilometers/hour (km/h)	x 0.6214	miles/hour
	kilometers/hour	x 0.27778	meters/sec (m/s)	x 3.600	kilometers/hour
	miles/hours	x 0.4470	meters/sec (m/s)	x 2.237	miles/hour

Common Metric Prefixes

mega (M) = 1,000,000kilo (k) = 1,000 centi (c) = 0.01 milli (m) = 0.001 hecto (h) = 100 micro (μ) = 0.000001 U.S. Imperial Gallon Comparison

1 U.S. Gallon = 0.833 Imperial Gallon 1 Imperial Gallon = 1.201 U.S. Gallon

MEDIUM DUTY TRUCK MODEL IDENTIFICATION SYSTEM

All Medium Duty models are identified by this model designation system. Basically the designation consists of 7 characters. Definition of characters and an example for a TC7H064 are as follows:

1.	2.	3.	4.	5.	6. & 7.
Division	Model Line	GVW Range	Cab Style	Constant	Chassis Type
C or T	С	7	Н	0	

1. Selling Division Line

C - Chevrolet

T - GMC

2. Model Line

C - C-Series (Conventional Cab)

F - T-Series (Tilt Cab)

W - W-Series (Tilt Cab LCF)

3. Load Capacity (GVW Range)

Truck Model	Load Capacity Ranges (In Pounds)*		
GVW	4x2	6x4	
RANGE	GVW	GVW	
4			
6	16,850 – 25,950		
7	21,200 – 42,440		
7		36,500 – 61,000	

^{*} This chart is to be used as general reference for GVW ratings only, refer to Data Book Selector Guides for proper equipment combinations.

4. Cab Style

H - C-Series

R - W-Series Tilt

B - T-Series Tilt

5. Constant 0 Line

0 - Constant for Future Expansion

6. & 7. Chassis Type		
Designation	Description	
42	4 x 2	
64	6 x 4	

^{**} AT542 limited to 22,050 max. GVW/GCW.