

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE i

| | |
|--------------------------------|---|
| Model Symbol Chart..... | 1 |
| General Information..... | See Light Duty BBM "General Information" section |
| General Instructions..... | See Light Duty BBM "General Instructions" section |
| Camper Loading | See Online Order/Ref. Guide – "2008 GM Consumer Info. Truck-Camper Loading" |
| Pickup Box Removal | See Light Duty BBM "Special Applications – Pickup Box Removal Program" section |
| Snow Plow Prep. Pkg. | See Light Duty BBM "Special Applications – Snow Plow Prep Package" section |
| Trailering Information..... | See Light Duty Online Order/Ref. Guide – Light Duty "Trailering Specs" |
| Model and Option Weights | See Light Duty Online Order/Ref. Guide "Model & Opt. Weights" & "Weight Calculator" |

VEHICLE

GENERAL ARRANGEMENT

| | |
|--|----|
| Regular Cab..... | 3 |
| Extended Cab..... | 4 |
| Crew Cab | 5 |
| Regular Cab Dually | 6 |
| Chassis-Cab | 7 |
| Body/Cargo Weight Distribution – Pickups – 6' 6" | 8 |
| Body/Cargo Weight Distribution – Pickups – 8' | 9 |
| Body/Cargo Weight Distribution – Chassis-Cabs | 10 |

BODY – EXTERIOR

GENERAL ARRANGEMENT

| | |
|---|----|
| Regular Cab, 8' Box – C/K 20/30 (903)..... | 11 |
| Extended Cab, 6' 6" Box – C/K 20753..... | 12 |
| Extended Cab, 8' Box – C/K 20/30 (953)..... | 13 |
| Crew Cab, 6' 6" Box – C/K 20743 | 14 |
| Crew Cab, 8' Box – C/K 20/30 (943)..... | 15 |
| Regular Cab, 8' Box DRW – C/K 30903 | 16 |
| Extended Cab, 8' Box DRW – C/K 30953 | 17 |
| Crew Cab, 8' Box DRW – C/K 30943..... | 18 |

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE ii

BODY – EXTERIOR – *Continued*

FRONT END CLIPS

| | |
|------------------------------|----|
| C/K 200/300 (03/53/43) | 19 |
|------------------------------|----|

HOOD OPENINGS

| | |
|------------------------------|----|
| C/K 200/300 (03/53/43) | 20 |
|------------------------------|----|

HOOD PROFILES

| | |
|--------------------------------------|----|
| Chevy – C/K 200/300 (03/53/43) | 21 |
|--------------------------------------|----|

| | |
|--|----|
| GMC – C/K 100/200/300 (03/53/43) | 22 |
|--|----|

REAR BACK OF CAB SILHOUETTE

| | |
|--------------|----|
| Pickups..... | 23 |
|--------------|----|

SIGN AREA

| | |
|---|----|
| Regular Cab Pickup – C/K 100/200/300 (03) | 24 |
|---|----|

| | |
|--|----|
| Extended Cab Pickup – C/K 100/200/300 (53) | 25 |
|--|----|

| | |
|---|----|
| Crew Cab Pickup – C/K 100/200/300 (43)..... | 26 |
|---|----|

CAB STEP IN HEIGHTS

| | |
|------------------------|----|
| Regular Cab (03) | 27 |
|------------------------|----|

| | |
|-------------------------|----|
| Extended Cab (53) | 28 |
|-------------------------|----|

| | |
|--------------------|----|
| Crew Cab (43)..... | 29 |
|--------------------|----|

MIRRORS, OUTSIDE REARVIEW

| | |
|--|----|
| C/K 1000, Option DL8 and C/K 2000/3000, Option DE2 | 30 |
|--|----|

| | |
|---------------------------------|----|
| C/K 2000/3000, Option DF2 | 31 |
|---------------------------------|----|

| | |
|---------------------------------|----|
| C/K 2000/3000, Option DL8 | 32 |
|---------------------------------|----|

| | |
|---|----|
| C/K 3000, Option DG5, West Coast Type | 33 |
|---|----|

CAB CLEARANCE LAMPS, CHMSL AND REAR CAB WINDOW

| | |
|-------------------------|----|
| Fixed and Sliding | 34 |
|-------------------------|----|

CAB PRESSURE VALVE ASSEMBLY

| | |
|-------------------------------|----|
| Rear Quarter Body Panel | 35 |
|-------------------------------|----|

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE iii

BODY – EXTERIOR – *Continued*

PICKUP BOX

| | |
|---|----|
| Side Rail Load Points/Paths – Structural Members..... | 36 |
| Side Rail Load Points/Paths – Primary/Secondary Load Points | 37 |
| Side Rail Load Points/Paths – Stake Pocket Openings & Front Structure | 38 |
| Side Rail Load Points/Paths – Stake Pocket Openings & Rear Structure | 39 |
| Length and Width Dimension for 5' 8", 6' 6" and 8' | 40 |
| Inside Panel, 6' 6" Box | 41 |
| Cross Sills Location, 6' 6" Box..... | 42 |
| Inside Panel, 8' Box | 43 |
| Cross Sills Location, 8' Box..... | 44 |

CAB – INTERIOR

SEATING ARRANGEMENT

| | |
|---|----|
| Seating Positions and H Points 1st Row Front View, Pickups – C/K 100/200/300 (03/53/43) | 45 |
| Seating Positions and H Points 2nd Row Front View, Pickups – C/K 100/200/300 (03/53/43) | 46 |
| Seating Positions and H Points Side View, Pickups – C/K 100/200/300 (03/53/43) | 47 |

SEAT MOUNTING HOLES LOCATIONS – FLOOR

| | |
|----------------------------------|----|
| C/K 100/200/300 (03/53/43) | 48 |
| C/K 10743 | 49 |
| C/K 20743 | 50 |

CHASSIS

DATUM HOLE LOCATION – FRAME

| | |
|--|----|
| C/K 100 (00) and C/K 200/300 (00)..... | 51 |
|--|----|

FRAME RAIL AND CROSSMEMBER LOCATION

| | |
|-----------------------|----|
| K 207307 43..... | 52 |
| C/K 209/309 (03)..... | 53 |
| C/K 31003..... | 54 |

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE iv

CHASSIS – FRAME RAIL AND CROSMEMBER LOCATION – *Continued*

| | |
|-----------------------|----|
| C/K 31403..... | 55 |
| C/K 31043..... | 56 |
| C/K 20753..... | 57 |
| C/K 209/309 (53)..... | 58 |
| C/K 20743..... | 59 |
| C/K 209/309 (43)..... | 60 |

SPARE TIRE LOCATION

| | |
|------------------------------------|----|
| C/K 2000 Series Pickups | 61 |
| C/K 3000 Series Pickups | 62 |
| C/K 3000 Series Chassis-Cabs | 63 |

PLATFORM HITCH

| | |
|-------------------------------------|----|
| Pickups C/K 209/309 (03/53/43)..... | 64 |
| Pickups C/K 207 (53/43)..... | 65 |

FRONT AXLE/TIRE DATA

| | |
|--|----|
| Front Axle/Tire Data Drawing – C/K 20/30(000) Pickups and C/K 31(000) Chassis-Cabs | 66 |
| Front Axle/Tire Data Drawing – C/K 20(000) Pickups | 67 |
| Front Axle/Tire Data Drawing – C/K 30(000) Pickups and C/K 31(000) Chassis-Cabs | 68 |

REAR AXLE/TIRE DATA

| | |
|---|----|
| Rear Axle/Tire Data Drawing – C/K 20/30(000) Pickups..... | 69 |
| Rear Axle/Tire Data Chart – C/K 20/30(000) Pickups..... | 70 |
| Rear Axle/Tire Data Drawing – C/K 31(000) Chassis-Cabs..... | 71 |
| Rear Axle/Tire Data Chart – C/K 31(000) Chassis-Cabs..... | 72 |

FUEL SYSTEMS

| | |
|--|----|
| C/K 209309/3 L96 (Gas)..... | 73 |
| C/K 209309/03 LGH/LML (Diesel)..... | 74 |
| C/K 207307/43/53 LY6/L96 (Gas)..... | 75 |
| C/K 207307/43/53 LY6/L96 (Diesel)..... | 76 |

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE V

CHASSIS – FUEL SYSTEMS – *Continued*

| | |
|------------------------------------|----|
| C/K 310314/03/43 LMM (Gas)..... | 77 |
| C/K 310314/03/43 LGH (Diesel)..... | 78 |

EXHAUST SYSTEMS

| | |
|--|----|
| C/K 207307209309 (03/043/53) w/LML Diesel..... | 79 |
| C/K 209/309 (03/43/53) w/LGH Diesel..... | 80 |
| C/K 310/314/03 CK 310/314/43 w/LGH Diesel..... | 81 |
| C/K 207/53 CK 207209307309/43 CK 209/309/03 w/L96..... | 82 |
| C/K 310/314/03 CK 310/314/43 w/L96..... | 83 |
| C/K 209309 (03/43/53) w/L96..... | 84 |
| C/K 310 (03) w/LY6 (6.0L V8) and ZW9 | 85 |
| C/K 31403 w/LY6 (6.0L V8) and ZW9 | 86 |
| C/K 310 (03/53) w/LMM and ZW9..... | 87 |
| C/K 31403 w/LMM and YF2 (-YF2) | 88 |
| C/K 31402 w/LMM and YF2..... | 89 |

PTO

| | |
|---------------|----|
| Muncie..... | 90 |
| Chelsea | 91 |

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 1

Model Symbol Chart

| MARKETS (Optional) | ENGINEERING MODEL | REGULAR CABS (03) 2 DOOR CHEVROLET / GMC | | EXTENDED CABS (53) 4 DOOR CHEVROLET / GMC | | CREW CABS (43) 4 DOOR CHEVROLET / GMC | | GVWR (kg/lbs) GAS | GVWR (kg/lbs) DIESEL | WHEELBASE (mm/in) | CAB-TO-AXLE (mm/in) |
|-----------------------|----------------------|--|-----|---|------|---|-----|----------------------|-------------------------|----------------------|------------------------|
| | C207 - SRW | | | E63, 6.5" BOX | | | | 4309/9500 | 4536/10,000 | 3663/144.2 | 1067/42 |
| | | | | | | E63, 6.5" BOX | | 4309/9500 | 4536/10,000 | 3904/153.7 | 1067/42 |
| | C209 - SRW | E63, 8.0" BOX | ZW9 | | | | | 4218/9300 | 4491/9900 | 3396/133.7 | 1422/56 |
| | | | | E63, 8.0" BOX | ZW9 | | | 4218/9300 | 4536/10,000 | 4018/158.2 | 1422/56 |
| | | | | | | E63, 8.0" BOX | ZW9 | 4309/9500 | 4536/10000 | 4260/167.7 | 1422/56 |
| | C307 - SRW | | | | | E63, 6.5" BOX | | 4763/10,500 | 5035/11,100 | 3904/153.7 | 1067/42 |
| | | | | | | | | | | | |
| | C309 - SRW | E63, 8.0" BOX | ZW9 | | | | | 4717/10,400 | 5035/11100 & ZW9 | 3396/133.7 | 1422/56 |
| | | | | | | | | | | | |
| | | | | E63, 8.0" BOX | ZW9 | | | 4854/10,700 | 5080/11200 & ZW9 | 4018/158.2 | 1422/56 |
| | | | | | | | | | | | |
| | | | | | | E63, 8.0" BOX | ZW9 | 4854/10,700 | 5171/11400 & ZW9 | 4260/167.7 | 1422/56 |
| | | | | | | | | | | | |
| | C309 - DRW | E63, 8.0" BOX | ZW9 | | | | | 5806/12,800 | 5897/13,000 | 3396/133.7 | 1422/56 |
| | | | | E63, 8.0" BOX | ZW9 | | | 5897/13,000 | 5897/13,000 | 4018/158.2 | 1422/56 |
| | | | | | | E63, 8.0" BOX | ZW9 | 5897/13,000 | 5897/13,000 | 4260/167.7 | 1422/56 |
| | C310 - DRW | | ZW9 | | N.A. | | | 5988/13,200 | 5988/13,200 | 3492/137.5 | 1524/60 |
| | | | | | N.A. | | ZW9 | 5988/13,200 | 5988/13,200 | 4356/171.5 | 1524/60 |
| | C314 - DRW | | ZW9 | | N.A. | | | 5988/13,200 | 5988/13,200 | 4115/162 | 2134/84 |
| | | | | | | | | | | | |

E63 – Fleetside / Wideside Box (5' 8", 6.5' and 8' Boxes)

ZW9 – Chassis Cab

EXAMPLE: C10903 = 2 DOOR REGULAR CAB / FLEETSIDE/WIDESIDE / 8' BOX

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 2

Model Symbol Chart (continued)

| MARKETS (Optional) | ENGINEERING MODEL | REGULAR CABS (03) 2 DOOR CHEVROLET / GMC | | EXTENDED CABS (53) 4 DOOR CHEVROLET / GMC | | CREW CABS (43) 4 DOOR CHEVROLET / GMC | | GVWR (kg/lbs) GAS | GVWR (kg/lbs) DIESEL | WHEELBASE (mm/in) | CAB-TO-AXLE (mm/in) |
|-----------------------|----------------------|--|-----|---|-----|---|-----|----------------------|-------------------------|----------------------|------------------------|
| | K207 - SRW | | | E63, 6.5" BOX | | | | 4309/9500 | 4536/10,000 | 3663/144.2 | 1067/42 |
| | | | | | | E63, 6.5" BOX | | 4309/9500 | 4536/10,000 | 3904/153.7 | 1067/42 |
| | K209 - SRW | | ZW9 | | | | | 4309/9500 | 4491/9900 & ZW9 | 3396/133.7 | 1422/56 |
| | | | | E63, 8.0" BOX | ZW9 | | | 4309/9500 | 4491/10,000 & ZW9 | 4018/158.2 | 1422/56 |
| | | | | | | E63, 8.0" BOX | ZW9 | 4309/9500 | 4491/10,000 & ZW9 | 4260/167.7 | 1422/56 |
| | K307 - SRW | | | | | E63, 6.5" BOX | | 4763/10,500 | 5035/11,100 | 3904/153.7 | 1067/42 |
| | | | | | | | | | | | |
| | K309 - SRW | | ZW9 | | | | | 4854/10,700 | 5171/11,400 | 3396/133.7 | 1422/56 |
| | | | | | | | | | | | |
| | | | | E63, 8.0" BOX | ZW9 | | | 4581/10,100 | 5262/11,600 | 4018/158.2 | 1422/56 |
| | | | | | | | | | | | |
| | | | | | | E63, 8.0" BOX | ZW9 | 4990/11,000 | 5262/11,600 | 4260/167.7 | 1422/56 |
| | | | | | | | | | | | |
| | K309 - DRW | E63, 8.0" BOX | ZW9 | | | | | 5806/12,800 | 5897/13,000 & ZW9 | 3396/133.7 | 1422/56 |
| | | | | E63, 8.0" BOX | ZW9 | | | 5897/13,000 | 5897/13,000 & ZW9 | 4018/158.2 | 1422/56 |
| | | | | | | E63, 8.0" BOX | ZW9 | 5897/13,000 | 5897/13,000 & ZW9 | 4260/167.7 | 1422/56 |
| | K310 - DRW | | ZW9 | | | | | 5988/13,200 | 5988/13,200 | 3492/137.5 | 1524/60 |
| | | | | | | | ZW9 | 5988/13,200 | 5988/13,200 | 4356/171.5 | 1524/60 |
| | K314 - DRW | | ZW9 | | | | | 5988/13,200 | 5988/13,200 | 4115/162 | 2134/84 |
| | | | | | | | | | | | |

E63 – Fleetside / Wideside Box (5' 8", 6.5' and 8' Boxes)


ZW9 – Chassis Cab

EXAMPLE: C10903 = 2 DOOR REGULAR CAB / FLEETSIDE/WIDESIDE / 8' BOX

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 3


Regular Cab – General Arrangement



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 4


Extended Cab – General Arrangement



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 5


Crew Cab – General Arrangement



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 6

Regular Cab Dually – General Arrangement



GENERAL ARRANGEMENT GMT900 C/K30953, 8.0' BOX DUALLY, CHEVY


[] = INCHES

ANB32122.9

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 7

Chassis-Cab – General Arrangement




ANB32122.10

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 8

Body/Cargo Weight Distribution 6'6" Box



BODY/CARGO WEIGHT DISTRIBUTION

| MODEL | A (WB) | CA | CB | BL | % FRONT AXLE | % REAR AXLE |
|---------|---------------------|---------------------|-----------------|--------------------|--------------|-------------|
| CK20753 | 3645.0 [143.5] | 1063.4 [41.86] | 25.4 [1.0] | 2062.3 [81.2] | 1 | 99 |
| CK20743 | 3886.0 [153.0] | 1072.8 [42.23] | 25.4 [1.0] | 2062.3 [81.2] | 1 | 99 |

NOTE: DIMENSIONS SHOWN ARE NOMINAL.
CA=CAB TO REAR AXLE DIMENSION
CB=BODY CLEARANCE BETWEEN BODY AND CAB
BL=BOX LENGTH
A (WB)=WHEELBASE


CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE
WHEELBASE X100 = % BODY PAYLOAD AT FRONT AXLE

$\frac{CA - CB - (BL/2)}{A (WB)}$ X100 = % BODY PAYLOAD AT FRONT AXLE

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 9

Body/Cargo Weight Distribution 8' Box



BODY/CARGO WEIGHT DISTRIBUTION

| MODEL | A (WB) | CA | CB | BL | % FRONT AXLE | % REAR AXLE |
|--------------------|-------------------|-------------------|---------------|--------------------|--------------|-------------|
| CK20903 CK30903 | 3378.0 [133.0] | 1430.7 [56.32] | 25.4 [1.0] | 2616.8 [103.02] | 3 | 97 |
| CK20943 CK30943 | 4242.0 [167.0] | 1430.7 [56.32] | 25.4 [1.0] | 2616.8 [103.02] | 3 | 97 |
| CK20953 CK30953 | 4000.5 [157.5] | 1430.7 [56.32] | 25.4 [1.0] | 2616.8 [103.02] | 3 | 97 |

NOTE: DIMENSIONS SHOWN ARE NOMINAL.
 CA=CAB TO REAR AXLE DIMENSION
 CB=BODY CLEARANCE BETWEEN BODY AND CAB
 BL=BOX LENGTH
 A (WB)=WHEELBASE


CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE
 WHEELBASE X100 = % BODY PAYLOAD AT FRONT AXLE

$\frac{CA - CB - (BL/2)}{A (WB)}$ X100 = % BODY PAYLOAD AT FRONT AXLE

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 10

Body/Cargo Weight Distribution Chassis Cab



| | | | | BODY PAYLOAD DISTRIBUTION %FRONT/REAR | | | | | | | | | |
|---------|-------------------|-------------------|---------------|---------------------------------------|-------|-------|-------|------|------|----|----|----|--|
| | | | | BODY LENGTHS-FEET | | | | | | | | | |
| MODEL | A (WB) | CA | CB | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | |
| CK31003 | 3495.0 [137.5] | 1531.9 [60.31] | 76.2 [3.0] | 7/93 | 2/98 | | | | | | | | |
| CK31043 | 4358.0 [171.5] | 1533.1 [60.36] | 76.2 [3.0] | 6/94 | 2/98 | | | | | | | | |
| CK31403 | 4117.0 [162.0] | 2153.9 [84.90] | 76.2 [3.0] | 21/79 | 17/83 | 14/86 | 10/90 | 6/94 | 2/98 | | | | |

| WITH 24 INCH COMPARTMENT BEHIND CAB | | | | | | | | | | | | | |
|-------------------------------------|-------------------|-------------------|---------------|-------|-------|-------|------|------|------|--|--|--|--|
| CK31003 | 3495.0 [137.5] | 1531.9 [60.31] | 76.2 [3.0] | 6/94 | 1/99 | | | | | | | | |
| CK31043 | 4358.0 [171.5] | 1533.1 [60.36] | 76.2 [3.0] | 5/95 | 1/99 | | | | | | | | |
| CK31403 | 4117.0 [162.0] | 2153.9 [84.90] | 76.2 [3.0] | 20/80 | 16/84 | 12/88 | 9/91 | 5/95 | 1/99 | | | | |

CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE

WHEELBASE

X100 = % BODY PAYLOAD AT FRONT AXLE

NOTE: DIMENSIONS SHOWN ARE NOMINAL.

CA=CAB TO REAR AXLE DIMENSION

CB=3" (BODY CLEARANCE BETWEEN BODY AND CAB)

BL=BODY LENGTH

A (WB)=WHEELBASE

CA-CB-(BL/2)


X100 = % BODY PAYLOAD AT FRONT AXLE

A (WB)

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 11


C/K 20/30 (903), Regular Cab 8' Box – Body General Arrangement



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 12


C/K 20753, Extended Cab 6' 6" Box – Body General Arrangement



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE
13

C/K 20/30 (953), Extended Cab 8' Box – Body General Arrangement



GMT900-GENERAL ARRANGEMENT CHEVY (EXT CAB 8'0" PUBX)
CK20953HD/K30953HD 157.5" WHEELBASE 2011

25MAY2010 FM


[] = INCHES

ANF74274 .5

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 14


C/K 20/30(743), Crew Cab 6' 6" Box – Body General Arrangement



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 15


C/K 20/30 (943), Crew Cab 8' Box - Body General Arrangement



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 16


C/K 30903, Regular Cab 8' Box DRW – Body General Arrangement



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 17


C/K 30953, Extended Cab 8' Box DRW – Body General Arrangement



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 18


C/K 30943, Crew Cab 8' Box DRW – Body General Arrangement



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 19


C/K 200/300 (03/53/43) – Front End Clips



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE
20


C/K 200/300 (03/53/43) Hood – Openings



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 21

Chevy - C/K 200/300 (03/53/43) - Hood Profiles



| PT. # | LENGTH | WIDTH |
|-------|--------|-------|
| 1 | 1343.3 | 851.1 |
| 2 | 1300.0 | 850.7 |
| 3 | 1200.0 | 848.7 |
| 4 | 1100.0 | 846.6 |
| 5 | 1000.0 | 844.2 |
| 6 | 900.0 | 841.4 |
| 7 | 800.0 | 838.2 |
| 8 | 700.0 | 834.4 |
| 9 | 600.0 | 829.6 |
| 10 | 500.0 | 823.6 |
| 11 | 400.0 | 815.7 |
| 12 | 350.0 | 811.3 |
| 13 | 300.0 | 801.7 |
| 14 | 281.0 | 796.4 |
| 15 | 276.2 | 792.8 |
| 16 | 261.1 | 775.0 |
| 17 | 241.2 | 750.0 |
| 18 | 222.9 | 725.4 |
| 19 | 212.9 | 713.0 |
| 20 | 200.2 | 700.0 |
| 21 | 181.2 | 675.0 |
| 22 | 168.6 | 650.0 |
| 23 | 160.2 | 625.0 |
| 24 | 154.2 | 600.0 |
| 25 | 137.1 | 500.0 |
| 26 | 123.6 | 400.0 |
| 27 | 112.5 | 300.0 |
| 28 | 103.3 | 200.0 |
| 29 | 96.0 | 100.0 |
| 30 | 91.1 | 0.0 |

DRIVER SIDE COORDINATES


GMT900 HOOD PROFILE X88 (CHEV) 2011 C/K 200/300 034353

ANB49774.5

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 22

GMC - C/K 100/200/300 (03/53/43) – Hood Profiles



| PT. # | LENGTH | WIDTH |
|-------|--------|-------|
| 1 | 1343.2 | 850.7 |
| 2 | 1300.0 | 850.6 |
| 3 | 1200.0 | 849.1 |
| 4 | 1100.0 | 847.2 |
| 5 | 1000.0 | 845.0 |
| 6 | 900.0 | 842.2 |
| 7 | 800.0 | 838.8 |
| 8 | 700.0 | 834.8 |
| 9 | 600.0 | 829.9 |
| 10 | 500.0 | 823.9 |
| 11 | 400.0 | 816.7 |
| 12 | 300.0 | 809.4 |
| 13 | 284.0 | 808.0 |
| 14 | 280.0 | 803.7 |
| 15 | 277.7 | 800.0 |
| 16 | 234.2 | 700.0 |
| 17 | 199.3 | 600.0 |
| 18 | 191.9 | 576.3 |
| 19 | 188.4 | 572.1 |
| 20 | 158.8 | 533.4 |
| 21 | 150.0 | 500.0 |
| 22 | 128.3 | 400.0 |
| 23 | 111.5 | 300.0 |
| 24 | 99.6 | 200.0 |
| 25 | 92.4 | 100.0 |
| 26 | 90.0 | 0.0 |

DRIVER SIDE COORDINATES


GMT900 HOOD PROFILE Z88 (GMC) 2011 C/K 100/200/300 034353

ANB49774.6

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 23


Rear Back of Cabs Silhouette - Pickups



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 24


Regular Cab Pickup – C/K 100/200/300 (03) – Sign Area



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 25


Extended Cab Pickup – C/K 100/200/300 (53) – Sign Area



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 26


Crew Cab Pickup – C/K 100/200/300 (43) – Sign Area



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 27

Regular Cab (03) – Cab Step in Heights




ALL MATH DATA FOR CK10003, ABOVE THE FRAME ARE MOVED UP 51 MM TO OBTAIN THE DATA FOR CK200300 03 MODELS.

| MODEL | A (WB) | B |
|---------|---------------------|-------------------|
| CK20903 | 3396.0 [133.7] | 225.8 [8.90] |
| CK30903 | 3396.0 [133.7] | 225.8 [8.90] |
| CK31003 | 3495.0 [137.5] | 225.8 [8.90] |
| CK31403 | 4117.0 [162.0] | 225.8 [8.90] |

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 28

Extended Cab (53) – Cab Step in Heights




ALL MATH DATA FOR CK100 53, ABOVE THE FRAME ARE MOVED UP 51 MM TO OBTAIN THE DATA FOR CK200300 53 MODELS.

| MODEL | A (WB) | B |
|---------|-------------------|-----------------|
| CK20753 | 3663.0 [144.2] | 225.8 [8.90] |
| CK20953 | 4018.0 [158.2] | 225.8 [8.90] |
| CK30953 | 4018.0 [158.2] | 225.8 [8.90] |

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 29

Crew Cab (43) – Cab Step in Heights




ALL MATH DATA FOR CK100 43, ABOVE THE FRAME ARE MOVED UP 51 MM TO OBTAIN THE DATA FOR CK200300 43 MODELS.

| MODEL | A (WB) | B | B1 |
|---------|-------------------|-----------------|-----------------|
| CK20743 | 3904.0 [153.7] | 225.8 [8.90] | 225.6 [8.90] |
| CK20943 | 4260.0 [167.7] | 225.8 [8.90] | 225.6 [8.90] |
| CK30943 | 4260.0 [167.7] | 225.8 [8.90] | 225.6 [8.90] |
| CK31043 | 4358.0 [171.5] | 225.8 [8.90] | 225.6 [8.90] |


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 30

C/K 1000, Option DL8 and C/K 2000/3000, Option DE2 – Mirrors, Outside Rearview



*DL8 TRUCK 1000 SERIES




*DE2 TRUCK 2000/3000 SERIES

ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 31

C/K 2000/3000, Option DF2 – Mirrors, Outside Rearview



*DF2 TRUCK 2000/3000 SERIES



*DL3 TRUCK 2000/3000 SERIES

ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED

GMT910 2000 3000 SERIES TRUCK

26MAY10 FM


() = INCHES

ANC22057.6


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 32

C/K 2000/3000, Option DL8 – Mirrors, Outside Rearview



*DL8 TRUCK 2000/3000 SERIES




*DPN TRUCK 2000/3000 SERIES

ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 33

C/K 3000 (past Option DG5) West Coast Type - Mirrors, Outside Rearview



Mirror Assemblies - available via GM Parts

Option DG5 (2007-2011)

LH 25918060

RH 25918061

Option 9F8/DG5 (1999-2007)

LH 19120887, 12474087

RH 19120888, 12474088

ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED

GMT910 3000 SERIES TRUCK

28MAY10 FM


() = INCHES

ANC22057.8

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 34

Cab Clearance Lamps, CHMSL & Rear Cab Window



1000/2000/3000/ SERIES CHEVY CK

26MAY10 FM


[] = INCHES

ANC26550

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 35

Rear Quarter Body Panel – Cab Pressure Valve Assembly




CK 100 03 SHOWN
FOR HD INCREASE
HEIGHT 51MM

CK 100200300 034353
CK 200300 034353

() = INCHES

ANC27961.3

GMT900 Pickup Box Side Rail Load Points/Paths




- The GMT900 Pickup Box has been designed with side-rail mounted accessories in mind.
- Specific structural members have been added to provide load paths directly to the platform cross-sills and into the vehicle frame.
- Aftermarket accessories should take advantage of these intended load paths.

GMT900 Pickup Box Side Rail Load Points/Paths

Top View – Structural Members

Primary Load Points




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 38

GMT900 Pickup Box Side Rail Load Points/Paths

Top View – Front Structure




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 39

GMT900 Pickup Box Side Rail Load Points /Paths


Top View – Rear Structure



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 40


Length and Width Dimension for 5' 8", 6' 6" and 8' – Pickup Box



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 41


Inside Panel, 6' 6" Box - Pickup Box



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 42

Cross Sills Location, 6' 6" Box – Pickup Box



GMT900 PLATFORM SILLS, BOX 6'6", CK10703/53, CK20743/53, 2007/08

SHOWN CK10703


() = INCHES

ANB86203.4

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 43


Inside Panel, 8" Box – Pickup Box



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 44


Cross Sills Location, 8' Box - Pickup Box



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 45


Seating Positions and H Points 1st Row Front View, Pickups – C/K 100/200/300 (03/53/43)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 46


Seating Positions and H Points 2nd Row Front View, Pickups – C/K 100/200/300 (03/53/43)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 47

Seating Positions and H Points Side View, Pickups – C/K 100/200/300 (03/53/43)




ANC32358.5

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 48


C/K 100/200/300 (03/53) – Seat Mounting Holes Locations – Floor



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 49


C/K 10743 – Seat Mounting Holes Locations – Floor



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


PAGE 50

C/K 20743 – Seat Mounting Holes Locations – Floor



702

SECT A-A
2X SIZE



[] = INCHES


GMT900 C/K 207 43 SEAT MOUNT LOCATIONS 2011 HD

ANB46371.4

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 51

C/K 100 (00) and C/K 200/300 (00) – Datum Hole Location



GMT 900 CK100200300 00 FRAME DATUM LOCATIONS 2011


[] = INCHES

ANC30752.3

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 52


Frame Rail & C/Member Locations K207307 43



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 53

C/K 209/309 (03) – Frame Rail and Crossmember Locations



GMT910 FRAME RAIL & C/MEMBER LOC
CK209309 03 (L96, LML, LGH) 2011

26MAY10 FM


[] = INCHES

ANE53109.3

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 54


C/K 31003 - Frame Rail and Crossmember Locations



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 55


C/K 31403 - Frame Rail and Crossmember Locations



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE
56


C/K 31043 – Frame Rail and Crossmember Locations



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 57


C/K 20753 - Frame Rail and Crossmember Locations



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE
58


C/K 209/309 (53) – Frame Rail and Crossmember Locations



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 59


C/K 20743 - Frame Rail and Crossmember Locations



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 60


C/K 209/309 (43) – Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 61

C/K 2000 Series Pickups – Spare Tire Location



| MODEL | TIRE | A | B | C | D | E | F |
|---------|-------------|---------------------|--------------------|-------|-------------------|---------------------|-------------------|
| CK20753 | P265/75R-17 | 947.7 [37.31] | 264.5 [10.41] | 20.4° | 216.3 [8.52] | 1022.3 [40.25] | 202.0 [8.00] |
| CK20743 | P265/70R-17 | 901.3 [35.50] | 135.0 [5.32] | 20.4° | 216.3 [8.52] | 1072.3 [42.22] | 202.0 [8.00] |
| CK20903 | P265/70R-17 | 1194.0 [47.00] | 135.0 [5.32] | 17.4° | 216.3 [8.52] | 1197.0 [47.12] | 202.0 [8.00] |
| CK20953 | P265/70R-17 | 947.7 [37.31] | 133.0 [5.24] | 15.6° | 216.3 [8.52] | 1197.0 [47.12] | 202.0 [8.00] |
| CK20943 | P265/70R-17 | 1197.0 [47.12] | 101.5 [4.00] | 15.6° | 216.3 [8.52] | 1197.0 [47.12] | 202.0 [8.00] |
| | | | | | | | |




GMT910 2011 SPARE TIRE TRUCKS 2000 SERIES

26MAY10 FM


310C05 SW []= INCHES

ANC39360.5

C/K 3000 Series Pickups – Spare Tire Location



| MODEL | TIRE | A | B | C | D | E | F |
|---------|--------------|-------------------|------------------|-------|-----------------|-------------------|-----------------|
| K30903 | LT215/85R-16 | 962.0 [37.88] | 133.0 [5.24] | 17.4° | 215.5 [8.50] | 1194.0 [47.00] | 202.0 [8.00] |
| CK30953 | LT215/85R-16 | 947.7 [37.31] | 133.0 [5.24] | 15.6° | 215.5 [8.50] | 1196.9 [47.12] | 202.0 [8.00] |
| CK30943 | LT215/85R-16 | 1197.0 [47.12] | 151.45 [6.00] | 15.6° | 215.5 [8.50] | 1196.9 [47.12] | 202.0 [8.00] |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |



GMT900 2011 SPARE TIRE TRUCKS 3000 SERIES



[] = INCHES

ANC39360.6

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 63

C/K 3000 Series Chassis-Cabs – Spare Tire Location



NOTE: If the Chassis-Cab is ordered with a spare wheel and tire, the wheel and tire are band tied to the top of the frame rail for shipping. The service body installer is responsible for mounting the spare wheel and tire.

GMT900 2011 SPARE TIRE TRUCKS 3000 SERIES CHASSIS CAB


[] = INCHES

ANC39360.7

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 64


Pickups C/K 209/309 (03/53/43) – Platform Hitch



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 65

Pickups C/K 207/309 (53/43) – Platform Hitch



GMT910 C/K 200 43/53HD 2011

17 JUNE 10 FM


[] = INCHES

ANB60845.6

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 66

Front Axle/Tire Data Drawing – C/K 20/30(000) Pickups and C/K 31(000) Chassis-Cabs



VYU = SNOW PLOW

ZW9 = BODY EQUIPMENT BASE BODY OR CHASSIS

Z85 = CHASSIS PACKAGE INCREASED CAPACITY

Z83 = CHASSIS PACKAGE SMOOTH RIDE

E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX

Z71 = CHASSIS PACKAGE OFF ROAD

GTY = AXLE WIDE TRACK

*MINIMUM GROUND CLEARANCE TO BE
CALCULATED BY USING GROSS
AXLE WEIGHT AND RECOMMENDED TIRE PRESSURE

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 67

Front Axle/Tire Data Drawing – C/K 20(000) Pickups

| 20000 SERIES | OPT | SLR | FRONT TIRES 17", 18" & 20" | GVW RATING | REAR WHEEL | TRACK | WHEEL OFFSET | MAX TIRE WIDTH | GROUND CLEARANCE |
|--------------|-----------------|-------|----------------------------|--------------|------------|--------|--------------|----------------|------------------|
| C20903 | Z85/Z71/ZW9 | 379.0 | LT245/75R17 | 9300/9900* | SINGLE | 1738.0 | 44.0 | 256.0 | 227.3 |
| K20903 | Z85/Z71/ZW9/VYU | 379.0 | LT245/75R17 | 9500/9900* | SINGLE | 1738.0 | 44.0 | 256.0 | 227.3 |
| C20903 | Z85/Z71/ZW9 | 393.0 | LT265/70R18 | 9300/9900* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| K20903 | Z85/Z71/ZW9/VYU | 393.0 | LT265/70R18 | 9500/9900* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| C20903 | Z85/Z71/ZW9 | 394.0 | LT265/60R20 | 9300/9900* | SINGLE | 1738.0 | 44.0 | 281.0 | 242.3 |
| K20903 | Z85/Z71/ZW9/VYU | 394.0 | LT265/60R20 | 9500/9900* | SINGLE | 1738.0 | 44.0 | 281.0 | 242.3 |
| C20753 | Z85/Z71 | 379.0 | LT245/75R17 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 256.0 | 227.3 |
| K20753 | Z85/Z71/VYU | 379.0 | LT245/75R17 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 256.0 | 227.3 |
| C20753 | Z85/Z71 | 393.0 | LT265/70R18 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| K20753 | Z85/Z71/VYU | 393.0 | LT265/70R18 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| C20753 | Z85/Z71 | 394.0 | LT265/60R20 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 242.3 |
| K20753 | Z85/Z71/VYU | 394.0 | LT265/60R20 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 242.3 |
| C20953 | Z85/Z71/ZW9 | 379.0 | LT245/75R17 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 256.0 | 227.3 |
| K20953 | Z85/Z71/ZW9/VYU | 379.0 | LT245/75R17 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 256.0 | 227.3 |
| C20953 | Z85/Z71/ZW9 | 393.0 | LT265/70R18 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| K20953 | Z85/Z71/ZW9/VYU | 393.0 | LT265/70R18 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| C20953 | Z85/Z71/ZW9 | 394.0 | LT265/60R20 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 242.3 |
| K20953 | Z85/Z71/ZW9/VYU | 394.0 | LT265/60R20 | 9900/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 242.3 |
| C20743 | Z85/Z71 | 379.0 | LT245/75R17 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 256.0 | 227.3 |
| K20743 | Z85/Z71/VYU | 379.0 | LT245/75R17 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 256.0 | 227.3 |
| C20743 | Z85/Z71 | 393.0 | LT265/70R18 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| K20743 | Z85/Z71/VYU | 393.0 | LT265/70R18 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| C20743 | Z85/Z71 | 394.0 | LT265/60R20 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 242.3 |
| K20743 | Z85/Z71/VYU | 394.0 | LT265/60R20 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 242.3 |
| C20943 | Z85/Z71/ZW9 | 379.0 | LT245/75R17 | 10000/10000* | SINGLE | 1738.0 | 44.0 | 256.0 | 227.3 |
| K20943 | Z85/Z71/ZW9/VYU | 379.0 | LT245/75R17 | 9900/10000* | SINGLE | 1738.0 | 44.0 | 256.0 | 227.3 |
| C20943 | Z85/Z71/ZW9 | 393.0 | LT265/70R18 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| K20943 | Z85/Z71/ZW9/VYU | 393.0 | LT265/70R18 | 9900/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| C20943 | Z85/Z71/ZW9 | 394.0 | LT265/60R20 | 9500/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 242.3 |
| K20943 | Z85/Z71/ZW9/VYU | 394.0 | LT265/60R20 | 9900/10000* | SINGLE | 1738.0 | 44.0 | 281.0 | 242.3 |

*W/Diesel

SLR = C/L FRONT Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 68

Front Axle/Tire Data Drawing – C/K 30(000) Pickups and C/K 31(000) Chassis-Cabs

| 30/31000 SERIES | OPT | SLR | FRONT TIRE 17" & 18" | GVW RATING | REAR WHEEL | TRACK | WHEEL OFFSET | MAX TIRE WIDTH | GROUND CLEARANCE |
|--------------------|-------------|-------|-------------------------|---------------|---------------|--------|-----------------|----------------|---------------------|
| C30903 | Z85/ZW9 | 397.0 | LT265/70R18 | 10400/11100* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| K30903 | Z85/ZW9/VYU | 395.0 | LT265/70R18 | 10700/11400* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| C30953 | Z85/ZW9 | 395.0 | LT265/70R18 | 10700/11200* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| K30953 | Z85/ZW9/VYU | 394.0 | LT265/70R18 | 11000/11600* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| C30743 | Z85/ZW9 | 396.0 | LT265/70R18 | 10500/11100* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| K30743 | Z85/ZW9/VYU | 394.0 | LT265/70R18 | 10800/11500* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| C30943 | Z85/ZW9 | 393.0 | LT265/70R18 | 11400/11400* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| K30943 | Z85/ZW9/VYU | 394.0 | LT265/70R18 | 11000/11600* | SINGLE | 1738.0 | 44.0 | 281.0 | 241.3 |
| C30903 | Z85/ZW9 | 386.0 | LT235/80R17 | 12500/13000* | DUAL | 1750.0 | 44.0 | 245.0 | 227.3 |
| K30903 | Z85/ZW9/VYU | 384.0 | LT235/80R17 | 12800/13000* | DUAL | 1750.0 | 44.0 | 245.0 | 227.3 |
| C30953 | Z85/ZW9 | 384.0 | LT235/80R17 | 13000/13000* | DUAL | 1750.0 | 44.0 | 245.0 | 227.3 |
| K30953 | Z85/ZW9/VYU | 382.0 | LT235/80R17 | 13000/13000* | DUAL | 1750.0 | 44.0 | 245.0 | 227.3 |
| C30943 | Z85/ZW9 | 384.0 | LT235/80R17 | 13000/13000* | DUAL | 1750.0 | 44.0 | 245.0 | 227.3 |
| K30943 | Z85/ZW9/VYU | 382.0 | LT235/80R17 | 13000/13000* | DUAL | 1750.0 | 44.0 | 245.0 | 227.3 |
| C31003 | Z85/ZW9 | 383.0 | LT235/80R17 | 13200 | DUAL | 1750.0 | 44.0 | 245.0 | 227.3 |
| K31003 | Z85/ZW9/VYU | 381.0 | LT235/80R17 | 13200 | DUAL | 1750.0 | 44.0 | 245.0 | 227.3 |
| C31403 | Z85/ZW9 | 383.0 | LT235/80R17 | 13200 | DUAL | 1750.0 | 44.0 | 245.0 | 227.3 |
| K31403 | Z85/ZW9/VYU | 381.0 | LT235/80R17 | 13200 | DUAL | 1750.0 | 44.0 | 245.0 | 227.3 |
| C31043 | Z85/ZW9 | 381.0 | LT235/80R17 | 13200 | DUAL | 1750.0 | 44.0 | 245.0 | 227.3 |
| K31043 | Z85/ZW9/VYU | 379.0 | LT235/80R17 | 13200 | DUAL | 1750.0 | 44.0 | 245.0 | 227.3 |

* w/Diesel


SLR = C/L FRONT Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 69

Rear Axle/Tire Data Drawing – C/K 20/30(000) Pickups



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 70

Rear Axle/Tire Data Chart – C/K 20/30(000) Pickups

| 20/30000 SERIES | OPT | SLR | REAR TIRES 17" & 18" | GVW RATING | REAR WHEEL | TRACK | WHEEL OFFSET | -A- | -B- | -C- | -D- | -E- | -F- | -H- | -BOF- | -HE- |
|--------------------|-----------------|-------|----------------------|---------------|---------------|--------|-----------------|--------|--------|-------|-------|-------|-------|-------|-------------|-------------|
| C20903 | Z85/Z71/ZW9 | 387.8 | LT245/75R17 | 9300/9900* | SINGLE | 1708.0 | 44.0 | 1964.0 | 1452.0 | 142.6 | 199.5 | 399.5 | 256.0 | N/A | 769.3/724.8 | 921.7/877.2 |
| K20903 | Z85/Z71/ZW9/VYU | 387.4 | LT245/75R17 | 9500/9900* | SINGLE | 1708.0 | 44.0 | 1964.0 | 1452.0 | 142.6 | 199.5 | 399.5 | 256.0 | N/A | 767.6/722.1 | 920.0/874.5 |
| C20903 | Z85/Z71/ZW9 | 401.6 | LT265/70R18 | 9300/9900* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 186.9 | 414.6 | 281.0 | N/A | 784.8/740.0 | 937.2/892.4 |
| K20903 | Z85/Z71/ZW9/VYU | 401.3 | LT265/70R18 | 9500/9900* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 186.9 | 414.6 | 281.0 | N/A | 783.5/737.7 | 935.9/890.1 |
| C20753 | Z85/Z71 | 388.1 | LT245/75R17 | 9500/10000* | SINGLE | 1708.0 | 44.0 | 1964.0 | 1452.0 | 142.6 | 187.1 | 399.5 | 256.0 | N/A | 742.2/710.2 | 894.6/862.6 |
| K20753 | Z85/Z71/VYU | 387.9 | LT245/75R17 | 9500/10000* | SINGLE | 1708.0 | 44.0 | 1964.0 | 1452.0 | 142.6 | 187.1 | 399.5 | 256.0 | N/A | 741.4/709.7 | 893.8/862.1 |
| C20753 | Z85/Z71 | 400.7 | LT265/70R18 | 9500/10000* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 172.5 | 414.6 | 281.0 | N/A | 755.9/723.9 | 908.3/876.3 |
| K20753 | Z85/Z71/VYU | 400.5 | LT265/70R18 | 9500/10000* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 172.5 | 414.6 | 281.0 | N/A | 755.1/723.3 | 907.5/875.7 |
| C20953 | Z85/Z71/ZW9 | 386.8 | LT245/75R17 | 9500/10000* | SINGLE | 1708.0 | 44.0 | 1964.0 | 1452.0 | 142.6 | 183.8 | 399.5 | 256.0 | N/A | 754.1/707.5 | 906.5/859.9 |
| K20953 | Z85/Z71/ZW9/VYU | 386.6 | LT245/75R17 | 9500/10000* | SINGLE | 1708.0 | 44.0 | 1964.0 | 1452.0 | 142.6 | 183.8 | 399.5 | 256.0 | N/A | 752.8/706.4 | 905.2/858.8 |
| C20953 | Z85/Z71/ZW9 | 400.6 | LT265/70R18 | 9500/10000* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 171.4 | 414.6 | 281.0 | N/A | 769.9/723.0 | 922.3/875.4 |
| K20953 | Z85/Z71/ZW9/VYU | 400.1 | LT265/70R18 | 9500/10000* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 171.4 | 414.6 | 281.0 | N/A | 768.9/722.2 | 921.3/874.6 |
| C20743 | Z85/Z71 | 386.7 | LT245/75R17 | 9500/10000* | SINGLE | 1708.0 | 44.0 | 1964.0 | 1452.0 | 142.6 | 181.0 | 399.5 | 256.0 | N/A | 734.2/704.1 | 886.6/856.5 |
| K20743 | Z85/Z71/VYU | 386.5 | LT245/75R17 | 9500/10000* | SINGLE | 1708.0 | 44.0 | 1964.0 | 1452.0 | 142.6 | 181.0 | 399.5 | 256.0 | N/A | 733.7/703.6 | 886.1/856.0 |
| C20743 | Z85/Z71 | 400.5 | LT265/70R18 | 9500/10000* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 167.9 | 414.6 | 281.0 | N/A | 749.9/719.5 | 902.3/871.9 |
| K20743 | Z85/Z71/VYU | 400.2 | LT265/70R18 | 9500/10000* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 167.9 | 414.6 | 281.0 | N/A | 749.1/718.7 | 901.5/871.1 |
| C20943 | Z85/Z71/ZW9 | 386.5 | LT245/75R17 | 10000/10000* | SINGLE | 1708.0 | 44.0 | 1964.0 | 1452.0 | 142.6 | 179.4 | 399.5 | 256.0 | N/A | 752.6/703.0 | 905.0/855.4 |
| K20943 | Z85/Z71/ZW9/VYU | 386.3 | LT245/75R17 | 9900/10000* | SINGLE | 1708.0 | 44.0 | 1964.0 | 1452.0 | 142.6 | 179.4 | 399.5 | 256.0 | N/A | 747.7/702.0 | 900.1/854.4 |
| C20943 | Z85/Z71/ZW9 | 400.3 | LT265/70R18 | 9500/10000* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 166.8 | 414.6 | 281.0 | N/A | 768.4/718.4 | 920.8/870.8 |
| K20943 | Z85/Z71/ZW9/VYU | 400.1 | LT265/70R18 | 9900/10000* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 166.8 | 414.6 | 281.0 | N/A | 763.8/717.6 | 916.2/870.0 |
| C30903 | Z85/ZW9 | 401.8 | LT265/70R18 | 10400/11100* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 175.3 | 414.6 | 281.0 | N/A | 744.7/723.1 | 897.1/875.5 |
| K30903 | Z85/ZW9/VYU | 401.9 | LT265/70R18 | 10700/11400* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 175.3 | 414.6 | 281.0 | N/A | 750.7/723.4 | 903.1/875.8 |
| C30953 | Z85/ZW9 | 401.0 | LT265/70R18 | 10700/11200* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 159.4 | 414.6 | 281.0 | N/A | 735.9/706.5 | 888.3/858.9 |
| K30953 | Z85/ZW9/VYU | 401.1 | LT265/70R18 | 11000/11600* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 159.4 | 414.6 | 281.0 | N/A | 741.0/710.2 | 893.4/862.6 |
| C30743 | Z85/ZW9 | 401.3 | LT265/70R18 | 10500/11100* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 169.2 | 414.6 | 281.0 | N/A | 734.8/720.0 | 887.2/872.4 |
| K30743 | Z85/ZW9/VYU | 401.1 | LT265/70R18 | 10800/11500* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 169.2 | 414.6 | 281.0 | N/A | 734.2/720.1 | 886.6/872.5 |
| C30943 | Z85/ZW9 | 400.8 | LT265/70R18 | 11400/11400* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 155.0 | 414.6 | 281.0 | N/A | 730.4/705.8 | 882.8/858.2 |
| K30943 | Z85/ZW9/VYU | 401.0 | LT265/70R18 | 11000/11600* | SINGLE | 1708.0 | 44.0 | 1989.0 | 1427.0 | 130.1 | 155.0 | 414.6 | 281.0 | N/A | 733.9/706.2 | 886.3/858.6 |
| C30903 | Z85/ZW9 | 394.8 | LT235/80R17 | 12500/13000* | DUAL | 1904.7 | 137.0 | 2423.7 | 1385.8 | 130.1 | 187.8 | 403.8 | 245.0 | 519.0 | 738.5/721.3 | 890.9/873.7 |
| K30903 | Z85/ZW9/VYU | 394.7 | LT235/80R17 | 12800/13000* | DUAL | 1904.7 | 137.0 | 2423.7 | 1385.8 | 109.5 | 187.8 | 403.8 | 245.0 | 519.0 | 740.1/718.1 | 892.5/870.5 |
| 135.98 | Z85/ZW9 | 394.3 | LT235/80R17 | 13000/13000* | DUAL | 1904.7 | 137.0 | 2423.7 | 1385.8 | 109.5 | 176.0 | 403.8 | 245.0 | 519.0 | 730.0/706.4 | 882.4/858.8 |
| K30953 | Z85/ZW9/VYU | 394.2 | LT235/80R17 | 13000/13000* | DUAL | 1904.7 | 137.0 | 2423.7 | 1385.8 | 109.5 | 176.0 | 403.8 | 245.0 | 519.0 | 730.3/706.3 | 882.7/858.7 |
| C30943 | Z85/ZW9 | 394.1 | LT235/80R17 | 13000/13000* | DUAL | 1904.7 | 137.0 | 2423.7 | 1385.8 | 109.5 | 172.8 | 403.8 | 245.0 | 519.0 | 725.0/706.4 | 877.4/858.8 |
| K30943 | Z85/ZW9/VYU | 394.0 | LT235/80R17 | 13000/13000* | DUAL | 1904.7 | 137.0 | 2423.7 | 1385.8 | 109.5 | 172.8 | 403.8 | 245.0 | 519.0 | 724.6/703.1 | 877.0/855.5 |

*W/Diesel

HE = REAR 'Top of Frame' Min/Max Curb (base equipment) BOF+ 152.4(6" frame hgt) = HE


SLR = C/L REAR Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 71

Rear Axle/Tire Data Drawing – C/K 31(000) Chassis-Cabs



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 72

Rear Axle/Tire Data Chart – C/K 31(000) Chassis-Cabs

| 31000 SERIES | OPT | SLR | REAR TIRES 17" | GVW RATING | REAR WHEEL | TRACK | WHEEL OFFSET | -A- | -B- | -C- | -D- | -E- | -H- | -BOF- | -HE- |
|--------------|-----------------|-------|----------------|------------|------------|--------|--------------|--------|--------|-------|-------|-------|-------|-------------|---------------------|
| C31003 | Z85/ZW9/GTY | 396.0 | LT235/80R17 | 13200 | DUAL | 1904.7 | 137.0 | 2423.7 | 1385.8 | 221.0 | 216.0 | 403.8 | 519.0 | 679.3/675.9 | 857.1/ 853.7 |
| K31003 | Z85/ZW9/VYU/GTY | 395.9 | LT235/80R17 | 13200 | DUAL | 1904.7 | 137.0 | 2423.7 | 1385.8 | 221.0 | 216.0 | 403.8 | 519.0 | 679.5/676.2 | 857.3/854.0 |
| C31043 | Z85/ZW9/GTY | 395.4 | LT235/80R17 | 13200 | DUAL | 1904.7 | 137.0 | 2423.7 | 1385.8 | 221.0 | 205.1 | 403.8 | 519.0 | 668.0/665.0 | 845.8/ 842.8 |
| K31043 | Z85/ZW9/VYU/GTY | 395.4 | LT235/80R17 | 13200 | DUAL | 1904.7 | 137.0 | 2423.7 | 1385.8 | 221.0 | 205.1 | 403.8 | 519.0 | 668.0/665.1 | 845.8/842.9 |
| C31403 | Z85/ZW9/GTY | 396.2 | LT235/80R17 | 13200 | DUAL | 1904.7 | 137.0 | 2423.7 | 1385.8 | 221.0 | 212.3 | 403.8 | 519.0 | 675.4/672.4 | 853.2/850.2 |
| K31403 | Z85/ZW9/VYU/GTY | 396.1 | LT235/80R17 | 13200 | DUAL | 1904.7 | 137.0 | 2423.7 | 1385.8 | 221.0 | 212.3 | 403.8 | 519.0 | 675.1/672.2 | 852.9/ 850.0 |
| C31003 | Z85/ZW9 | 396.0 | LT235/80R17 | 13200 | DUAL | 1745.5 | 137.0 | 2264.5 | 1226.6 | 141.5 | 216.0 | 403.8 | 519.0 | 679.3/675.9 | 857.1/ 853.7 |
| K31003 | Z85/ZW9/VYU | 395.9 | LT235/80R17 | 13200 | DUAL | 1745.5 | 137.0 | 2264.5 | 1226.6 | 141.5 | 216.0 | 403.8 | 519.0 | 679.5/676.2 | 857.3/854.0 |
| C31043 | Z85/ZW9 | 395.4 | LT235/80R17 | 13200 | DUAL | 1745.5 | 137.0 | 2264.5 | 1226.6 | 141.5 | 205.1 | 403.8 | 519.0 | 668.0/665.0 | 845.8/ 842.8 |
| K31043 | Z85/ZW9/VYU | 395.4 | LT235/80R17 | 13200 | DUAL | 1745.5 | 137.0 | 2264.5 | 1226.6 | 141.5 | 205.1 | 403.8 | 519.0 | 668.0/665.1 | 845.8/842.9 |
| C31403 | Z85/ZW9 | 396.2 | LT235/80R17 | 13200 | DUAL | 1745.5 | 137.0 | 2264.5 | 1226.6 | 141.5 | 212.3 | 403.8 | 519.0 | 675.4/672.4 | 853.2/850.2 |
| K31403 | Z85/ZW9/VYU | 396.1 | LT235/80R17 | 13200 | DUAL | 1745.5 | 137.0 | 2264.5 | 1226.6 | 141.5 | 212.3 | 403.8 | 519.0 | 675.1/672.2 | 852.9/ 850.0 |

HE = REAR 'Top of Frame' Min/Max Curb (base equipment) BOF+ 177.8(7" frame hgt) = HE


SLR = C/L REAR Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 73


Fuel Tank (NM2) & Fuel Filler Location CK209309/03 L96 (Gas)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 74


Fuel Tank (NM2) & Fuel Filler Location CK209309/03 LGH/LML (Diesel)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 75


Fuel Tank (NM2) & Fuel Filler Location CK207307/43/53 LY6/L96 (Gas)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 76


Fuel Tank (NM2) & Fuel Filler Location CK207307/43/53 LGH/LML (Diesel)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 77


Fuel Tank (NM2) & Fuel Filler Location CK310314/03/43 LMM (Gas)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 78


Fuel Tank (NM2) & Fuel Filler Location CK310314/03/43 LGH (Diesel)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 79


Exhaust System HD LML Diesel CK207307209309/03/043/53 (Pick-Ups)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 80


Exhaust System HD LGH Diesel CK209/309/03/043/53 (ZW9)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 81


Exhaust System HD LGH Diesel CK310/314/03; CK310/314/43 (Chassis-Cabs)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 82


Exhaust System HD L96 E63 CK 207/53;CK 207209307309/43;CK209/309/03 (Pick-Ups)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 83


Exhaust System HD L96 CK 310/314/03;CK 310/314/43 (Chassis-Cabs)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 84


Exhaust System HD L96 E63 CK 209309/03/43/53 (ZW9)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 85


C/K 310 (03) w/LY6 (6.0L V8) and ZW9 – Exhaust Systems



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 86


C/K 31403 w/LY6 (6.0L V8) and ZW9 – Exhaust Systems



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 87


C/K 310 (03/53) w/LMM and ZW9 – Exhaust Systems



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 88


C/K 31403 w/LMM and YF2 (-YF2) – Exhaust Systems



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 89


C/K 31403 w/LMM and YF2 - Exhaust Systems



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

PAGE 90

Muncie - PTO



Chelsea - PTO

