FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Model Symbol Chart....1
General Information....See Light Duty BBM "General Information" section
General Instructions....See Light Duty BBM "General Instructions" section
Camper Loading....See Online Order/Ref. Guide – "GM Consumer Info. Truck-Camper Loading"
Pickup Box Removal....See Light Duty BBM "Special Applications – Pickup Box Removal Program" section
Snow Plow Prep. Pkg....See Light Duty BBM "Special Applications – Snow Plow Prep Package" section
Trailering Information....See Light Duty Online Order/Ref. Guide – Light Duty "Trailering Specs"
Model and Option Weights....See Light Duty Online Order/Ref. Guide "Model & Opt. Weights" & "Weight Calculator"

VEHICLE

GENERAL ARRANGEMENT

Regular Cab....3
Extended Cab....4
Crew Cab....5
Regular Cab Dually....6
Chassis-Cab....7
Body/Cargo Weight Distribution – Pickups – 6' 6"....8
Body/Cargo Weight Distribution – Pickups – 8'....9
Body/Cargo Weight Distribution – Chassis-Cabs....10

BODY – EXTERIOR

GENERAL ARRANGEMENT

Regular Cab, 8' Box – C/K 20/30 (903)....11
Extended Cab, 6' 6" Box – C/K 20753....12
Extended Cab, 8' Box – C/K 20/30 (953)....13
Crew Cab, 6' 6" Box – C/K 20743....14
Crew Cab, 8' Box – C/K 20/30 (943)....15
Regular Cab, 8' Box DRW – C/K 30903....16
Extended Cab, 8' Box DRW – C/K 30953....17
Crew Cab, 8' Box DRW – C/K 30943....18

BODY – EXTERIOR – *Continued*

FRONT END CLIPS

C/K 200/300 (03/53/43) 19

HOOD OPENINGS

C/K 200/300 (03/53/43) 20

HOOD PROFILES

Chevy – C/K 200/300 (03/53/43) 21

GMC – C/K 100/200/300 (03/53/43) 22

REAR BACK OF CAB SILHOUETTE

Pickups 23

SIGN AREA

Regular Cab Pickup – C/K 100/200/300 (03) 24

Extended Cab Pickup – C/K 100/200/300 (53) 25

Crew Cab Pickup – C/K 100/200/300 (43) 26

CAB STEP IN HEIGHTS

Regular Cab (03) 27

Extended Cab (53) 28

Crew Cab (43) 29

MIRRORS, OUTSIDE REARVIEW

C/K 1000, Option DL8 and C/K 2000/3000, Option DE2 30

C/K 2000/3000, Option DF2 31

C/K 2000/3000, Option DL8 32

C/K 3000, Option DG5, West Coast Type 33

CAB CLEARANCE LAMPS, CHMSL AND REAR CAB WINDOW

Fixed and Sliding 34

CAB PRESSURE VALVE ASSEMBLY

Rear Quarter Body Panel 35

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

BODY – EXTERIOR – *Continued*

PICKUP BOX

Side Rail Load Points/Paths – Structural Members 36
Side Rail Load Points/Paths – Primary/Secondary Load Points 37
Side Rail Load Points/Paths – Stake Pocket Openings & Front Structure 38
Side Rail Load Points/Paths – Stake Pocket Openings & Rear Structure 39
Length and Width Dimension for 5' 8", 6' 6" and 8' 40
Inside Panel, 6' 6" Box 41
Cross Sills Location, 6' 6" Box 42
Inside Panel, 8' Box 43
Cross Sills Location, 8' Box 44

CAB – INTERIOR

SEATING ARRANGEMENT

Seating Positions and H Points 1st Row Front View, Pickups – C/K 100/200/300 (03/53/43) 45
Seating Positions and H Points 2nd Row Front View, Pickups – C/K 100/200/300 (03/53/43) 46
Seating Positions and H Points Side View, Pickups – C/K 100/200/300 (03/53/43) 47

SEAT MOUNTING HOLES LOCATIONS – FLOOR

C/K 100/200/300 (03/53/43) 48
C/K 10743 49
C/K 20743 50

CHASSIS

DATUM HOLE LOCATION – FRAME

C/K 100 (00) and C/K 200/300 (00) 51

FRAME RAIL AND CROSSMEMBER LOCATION

K 207307 43 52
C/K 209/309 (03) 53
C/K 31003 54

CHASSIS – FRAME RAIL AND CROSSMEMBER LOCATION – *Continued*

C/K 31403 ..... **55**
C/K 31043 ..... **56**
C/K 20753 ..... **57**
C/K 209/309 (53) **58**
C/K 20743 ..... **59**
C/K 209/309 (43.) **60**

SPARE TIRE LOCATION

C/K 2000 Series Pickups **61**
C/K 3000 Series Pickups **62**
C/K 3000 Series Chassis-Cabs **63**

PLATFORM HITCH

Pickups C/K 209/309 (03/53/43) **64**
Pickups C/K 207 (53/43) **65**

FRONT AXLE/TIRE DATA

Front Axle/Tire Data Drawing – C/K 20/30(000) Pickups and C/K 31(000) Chassis-Cabs **66**
Front Axle/Tire Data Drawing – C/K 20(000) Pickups **67**
Front Axle/Tire Data Drawing – C/K 30(000) Pickups and C/K 31(000) Chassis-Cabs **68**

REAR AXLE/TIRE DATA

Rear Axle/Tire Data Drawing – C/K 20/30(000) Pickups **69**
Rear Axle/Tire Data Chart – C/K 20/30(000) Pickups **70**
Rear Axle/Tire Data Drawing – C/K 31(000) Chassis-Cabs **71**
Rear Axle/Tire Data Chart – C/K 31(000) Chassis-Cabs **72**

FUEL SYSTEMS

C/K 209309/3 L96 (Gas) **73**
C/K 209309/03 LGH/LML (Diesel) **74**
C/K 207307/43/53 LY6/L96 (Gas) **75**
C/K 207307/43/53 LY6/L96 (Diesel) **76**

CHASSIS – FUEL SYSTEMS – *Continued*

C/K 310314/03/43 LMM (Gas)....77
C/K 310314/03/43 LGH (Diesel)....78

EXHAUST SYSTEMS

C/K 207307209309 (03/043/53) w/LML Diesel....79
C/K 209/309 (03/43/53) w/LGH Diesel....80
C/K 310/314/03 CK 310/314/43 w/LGH Diesel....81
C/K 207/53 CK 207209307309/43 CK 209/309/03 w/L96....82
C/K 310/314/03 CK 310/314/43 w/L96....83
C/K 209309 (03/43/53) w/L96....84
C/K 310 (03) w/LY6 (6.0L V8) and ZW9....85
C/K 31403 w/LY6 (6.0L V8) and ZW9....86
C/K 310 (03/53) w/LMM and ZW9....87
C/K 31403 w/LMM and YF2 (-YF2)....88
C/K 31402 w/LMM and YF2....89

PTO

Muncie....90
Chelsea....91

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Model Symbol Chart

MARKETS (Optional)	ENGINEERING MODEL	REGULAR CABS (03) 2 DOOR CHEVROLET / GMC		EXTENDED CABS (53) 4 DOOR CHEVROLET / GMC		CREW CABS (43) 4 DOOR CHEVROLET / GMC		GVWR (kg/lbs) GAS	GVWR (kg/lbs) DIESEL	WHEELBASE (mm/in)	CAB-TO-AXLE (mm/in)
	C207 - SRW			E63, 6.5" BOX				4309/9500	4491/9900 4536/10,000	3663/144.2	1067/42
						E63, 6.5" BOX		4309/9500	4491/9900-4536/10,000	3904/153.7	1067/42
	C209 - SRW	E63, 8.0" BOX	ZW9					4218/9300-4536/10,000	4491/9900	3396/133.7	1422/56
				E63, 8.0" BOX	ZW9			4218/9300	4491/9900-4536/10,000	4018/158.2	1422/56
						E63, 8.0" BOX	ZW9	4309/9500	4491/9900-4536/10000	4260/167.7	1422/56
	C307 - SRW					E63, 6.5" BOX		4536/10,000-4763/10,500	5035/11,100	3904/153.7	1067/42
	C309 - SRW	E63, 8.0" BOX	ZW9					4717/10,400	5035/11100 & ZW9	3396/133.7	1422/56
				E63, 8.0" BOX	ZW9			4536/10,000-4854/10,700	5080/11200 & ZW9	4018/158.2	1422/56
						E63, 8.0" BOX	ZW9	4535/10,000-4854/10,700	5171/11400 & ZW9	4260/167.7	1422/56
	C309 - DRW	E63, 8.0" BOX	ZW9					6078/13,400	5897/13,000	3396/133.7	1422/56
				E63, 8.0" BOX	ZW9			5897/13,000	5897/13,000	4018/158.2	1422/56
						E63, 8.0" BOX	ZW9	5897/13,000	5897/13,000	4260/167.7	1422/56
	C310 - DRW		ZW9		N.A.			5988/13,200	5988/13,200	3492/137.5	1524/60
					N.A.		ZW9	5988/13,200	5988/13,200	4356/171.5	1524/60
	C314 - DRW		ZW9		N.A.			5988/13,200	5988/13,200	4115/162	2134/84

E63 – Fleetside / Wideside Box (5' 8", 6.5' and 8' Boxes)
ZW9 – Chassis Cab
EXAMPLE: C10903 = 2 DOOR REGULAR CAB / FLEETSIDE/WIDESIDE / 8' BOX

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Model Symbol Chart (continued)

MARKETS (Optional)	ENGINEERING MODEL	REGULAR CABS (03) 2 DOOR CHEVROLET / GMC		EXTENDED CABS (53) 4 DOOR CHEVROLET / GMC		CREW CABS (43) 4 DOOR CHEVROLET / GMC		GVWR (kg/lbs) GAS	GVWR (kg/lbs) DIESEL	WHEELBASE (mm/in)	CAB-TO-AXLE (mm/in)
	K207 - SRW			E63, 6.5" BOX				4309/9500	4491/9900-4536/10,000	3663/144.2	1067/42
						E63, 6.5" BOX		4309/9500	4491/9900-4536/10,000	3904/153.7	1067/42
	K209 - SRW	E63, 8.0" BOX	ZW9					4309/9500	4491/9900 & ZW9	3396/133.7	1422/56
				E63, 8.0" BOX	ZW9			4309/9500-4491/9900	4491/10,000 & ZW9	4018/158.2	1422/56
						E63, 8.0" BOX	ZW9	4309/9500-4491/9900	4491/9900-4491/10000 & ZW9	4260/167.7	1422/56
	K307 - SRW					E63, 6.5" BOX		4536/10,000-4899/10,800	5216/11,500	3904/153.7	1067/42
	K309 - SRW	E63, 8.0" BOX	ZW9					4536/10,000-4854/10,700	5171/11,400	3396/133.7	1422/56
				E63, 8.0" BOX	ZW9			4536/10,000-4989/11,000	5262/11,600	4018/158.2	1422/56
						E63, 8.0" BOX	ZW9	4990/11,000	5262/11,600	4260/167.7	1422/56
	K309 - DRW	E63, 8.0" BOX	ZW9					5806/12,800	5897/13,000 & ZW9	3396/133.7	1422/56
				E63, 8.0" BOX	ZW9			5897/13,000	5897/13,000 & ZW9	4018/158.2	1422/56
						E63, 8.0" BOX	ZW9	5897/13,000	5897/13,000 & ZW9	4260/167.7	1422/56
	K310 - DRW		ZW9					5988/13,200	5988/13,200	3492/137.5	1524/60
							ZW9	5988/13,200	5988/13,200	4356/171.5	1524/60
	K314 - DRW		ZW9					5988/13,200	5988/13,200	4115/162	2134/84

E63 – Fleetside / Wideside Box (5' 8", 6.5' and 8' Boxes)
ZW9 – Chassis Cab
EXAMPLE: C10903 = 2 DOOR REGULAR CAB / FLEETSIDE/WIDESIDE / 8' BOX


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Regular Cab – General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Extended Cab – General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Crew Cab – General Arrangement



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Regular Cab Dually – General Arrangement




GENERAL ARRANGEMENT GMT900 C/K30953,8.0' BOX DUALLY,CHEVY

[ ]=INCHES

ANB32122.9

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Chassis-Cab – General Arrangement



ANB32122.10

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Body/Cargo Weight Distribution 6'6" Box



					BODY/CARGO WEIGHT DISTRIBUTION	
MODEL	A(WB)	CA	CB	BL	% FRONT AXLE	% REAR AXLE
CK20753	3645.0 [143.5]	1063.4 [41.86]	25.4 [1.0]	2062.3 [81.2]	1	99
CK20743	3886.0 [153.0]	1072.8 [42.23]	25.4 [1.0]	2062.3 [81.2]	1	99

NOTE: DIMENSIONS SHOWN ARE NOMINAL.
CA=CAB TO REAR AXLE DIMENSION
CB=BODY CLEARANCE BETWEEN BODY AND CAB
BL=BOX LENGTH
A(WB)=WHEELBASE


$$\frac{\text{CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE}}{\text{WHEELBASE}} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{CA - CB - (BL/2)}{A(WB)} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

GMT910 BODY/CARGO WEIGHT DISTRIBUTION CK107207 03/43/53,6'6" BOX,2011 09JUNE10 FM [ ]=INCHES ANC07766.3

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Body/Cargo Weight Distribution 8' Box



					BODY/CARGO WEIGHT DISTRIBUTION	
MODEL	A(WB)	CA	CB	BL	% FRONT AXLE	% REAR AXLE
CK20903 CK30903	3378.0 [133.0]	1430.7 [56.32]	25.4 [1.0]	2616.8 [103.02]	3	97
CK20943 CK30943	4242.0 [167.0]	1430.7 [56.32]	25.4 [1.0]	2616.8 [103.02]	3	97
CK20953 CK30953	4000.5 [157.5]	1430.7 [56.32]	25.4 [1.0]	2616.8 [103.02]	3	97

NOTE: DIMENSIONS SHOWN ARE NOMINAL.
CA=CAB TO REAR AXLE DIMENSION
CB=BODY CLEARANCE BETWEEN BODY AND CAB
BL=BOX LENGTH
A(WB)=WHEELBASE


$$\frac{\text{CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE}}{\text{WHEELBASE}} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{CA - CB - (BL/2)}{A(WB)} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

GMT910 BODY/CARGO WEIGHT DISTRIBUTION CK109209309 03/43/53,8.0' BOX,2011 09JUNE10 FM [ ]=INCHES ANC07766.5

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Body/Cargo Weight Distribution Chassis Cab



BODY PAYLOAD DISTRIBUTION %FRONT/REAR												
				BODY LENGTHS-FEET								
MODEL	A(WB)	CA	CB	8	9	10	11	12	13	14	15	16
CK31003	3495.0 [137.5]	1531.9 [60.31]	76.2 [3.0]	7/93	2/98							
CK31043	4358.0 [171.5]	1533.1 [60.36]	76.2 [3.0]	6/94	2/98							
CK31403	4117.0 [162.0]	2153.9 [84.90]	76.2 [3.0]	21/79	17/83	14/86	10/90	6/94	2/98			
WITH 24 INCH COMPARTMENT BEHIND CAB												
CK31003	3495.0 [137.5]	1531.9 [60.31]	76.2 [3.0]	6/94	1/99							
CK31043	4358.0 [171.5]	1533.1 [60.36]	76.2 [3.0]	5/95	1/99							
CK31403	4117.0 [162.0]	2153.9 [84.90]	76.2 [3.0]	20/80	16/84	12/88	9/91	5/95	1/99			

$$\frac{\text{CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE}}{\text{WHEELBASE}} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{CA - CB - (BL/2)}{A(WB)} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

NOTE: DIMENSIONS SHOWN ARE NOMINAL.
CA=CAB TO REAR AXLE DIMENSION
CB=3"(BODY CLEARANCE BETWEEN BODY AND CAB)
BL=BODY LENGTH
A(WB)=WHEELBASE

GMT910 BODY/CARGO WEIGHT DISTRIBUTION CK310314 03/53,CHASSIS CAB,2011


25AU2010 LE

[ ]=INCHES

ANC07766


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 20/30 (903), Regular Cab 8' Box – Body General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 20753, Extended Cab 6' 6" Box – Body General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 20/30 (953), Extended Cab 8' Box – Body General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 20/30(743), Crew Cab 6' 6" Box – Body General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 20/30 (943), Crew Cab 8' Box – Body General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 30903, Regular Cab 8' Box DRW – Body General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 30953, Extended Cab 8' Box DRW – Body General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 30943, Crew Cab 8' Box DRW – Body General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 200/300 (03/53/43) – Front End Clips




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 200/300 (03/53/43) Hood – Openings



CK 200300 034353 X88: CHEVROLET




CK 200300 034353 Z88: GMC


GMT 910 2011
CK 200300 034353

09JUNE10 FM [ ]= INCHES

ANC48308.5

Chevy – C/K 200/300 (03/53/43) – Hood Profiles





PT. #	LENGTH	WIDTH
1	1343.3	851.1
2	1300.0	850.7
3	1200.0	848.7
4	1100.0	846.6
5	1000.0	844.2
6	900.0	841.4
7	800.0	838.2
8	700.0	834.4
9	600.0	829.6
10	500.0	823.6
11	400.0	815.7
12	350.0	811.3
13	300.0	801.7
14	281.0	796.4
15	276.2	792.8
16	261.1	775.0
17	241.2	750.0
18	222.9	725.4
19	212.9	713.0
20	200.2	700.0
21	181.2	675.0
22	168.6	650.0
23	160.2	625.0
24	154.2	600.0
25	137.1	500.0
26	123.6	400.0
27	112.5	300.0
28	103.3	200.0
29	96.0	100.0
30	91.1	0.0


DRIVER SIDE COORDINATES

GMT900 HOOD PROFILE X88 (CHEV) 2011 C/K 200/300 034353

ANB49774.5

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

GMC – C/K 100/200/300 (03/53/43) – Hood Profiles



PT. #	LENGTH	WIDTH
1	1343.2	850.7
2	1300.0	850.6
3	1200.0	849.1
4	1100.0	847.2
5	1000.0	845.0
6	900.0	842.2
7	800.0	838.8
8	700.0	834.8
9	600.0	829.9
10	500.0	823.9
11	400.0	816.7
12	300.0	809.4
13	284.0	808.0
14	280.0	803.7
15	277.7	800.0
16	234.2	700.0
17	199.3	600.0
18	191.9	576.3
19	188.4	572.1
20	158.8	533.4
21	150.0	500.0
22	128.3	400.0
23	111.5	300.0
24	99.6	200.0
25	92.4	100.0
26	90.0	0.0


DRIVER SIDE COORDINATES


GMT900 HOOD PROFILE Z88 (GMC) 2011 C/K 100/200/300 034353

ANB49774.6

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Rear Back of Cabs Silhouette – Pickups





DRIVER SIDE COORDINATES

PT#	WIDTH	HEIGHT
1	-959.77	1200.00
2	-948.08	1250.00
3	-927.17	1300.00
4	-911.21	1350.00
5	-897.47	1400.00
6	-882.74	1450.00
7	-866.87	1500.00
8	-849.75	1550.00
9	-831.23	1600.00
10	-811.12	1650.00


PT#	WIDTH	HEIGHT
11	-789.20	1700.00
12	-765.19	1750.00
13	-738.54	1800.00
14	-705.51	1850.00
15	-668.36	1877.58
16	-659.89	1862.84
17	-644.05	1866.69
18	-636.02	1876.68
19	-600.00	1881.56
20	-550.00	1886.34

PT#	WIDTH	HEIGHT
21	-500.00	1890.02
22	-450.00	1893.19
23	-400.00	1896.03
24	-350.00	1898.55
25	-300.00	1900.74
26	-250.00	1902.60
27	-200.00	1904.12
28	-150.00	1905.31
29	-100.00	1906.15
30	-50.00	1906.66
31	0.00	1906.83

C/K10703 24MAY10 FM [ ]=INCHES ANB56252

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Regular Cab Pickup – C/K 100/200/300 (03) – Sign Area




GMT910 TRUCK REGCAB SIGN AREA X88 SHOWN

26MAY10 FM [ ]= INCHES ANC41481.6

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Extended Cab Pickup – C/K 100/200/300 (53) – Sign Area




GMT910 TRUCK EXTCAB SIGN AREA X88 SHOWN

26MAY10 FM [ ]= INCHES ANC41481.7

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Crew Cab Pickup – C/K 100/200/300 (43) – Sign Area



GMT910 TRUCK CREWCAB SIGN AREA X88 SHOWN 26MAY10 FM [ ]= INCHES ANC41481.5

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Regular Cab (03) – Cab Step in Heights




ALL MATH DATA FOR CK10003,ABOVE THE FRAME ARE MOVED UP 51 MM TO OBTAIN THE DATA FOR CK200300 03 MODELS.

MODEL	A(WB)	B
CK20903	3396.0 [133.7]	225.8 [8.90]
CK30903	3396.0 [133.7]	225.8 [8.90]
CK31003	3495.0 [137.5]	225.8 [8.90]
CK31403	4117.0 [162.0]	225.8 [8.90]

GMT910 STEP IN HEIGHTS FOR CK100200300 03 2011 25AUG2010 LE [ ]=INCHES ANC10189

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Extended Cab (53) – Cab Step in Heights




ALL MATH DATA FOR CK100 53,ABOVE THE FRAME ARE MOVED UP 51 MM TO OBTAIN THE DATA FOR CK200300 53 MODELS.

MODEL	A (WB)	B
CK20753	3663.0 [144.2]	225.8 [8.90]
CK20953	4018.0 [158.2]	225.8 [8.90]
CK30953	4018.0 [158.2]	225.8 [8.90]

GMT900 STEP IN HEIGHTS FOR CK100200300 53 2011 — 25AUG2010 LE — [ ]=INCHES — ANC10189

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Crew Cab (43) – Cab Step in Heights




ALL MATH DATA FOR CK100 43,ABOVE THE FRAME ARE MOVED UP 51 MM TO OBTAIN THE DATA FOR CK200300 43 MODELS.

MODEL	A (WB)	B	B1
CK20743	3904.0 [153.7]	225.8 [8.90]	225.6 [8.90]
CK20943	4260.0 [167.7]	225.8 [8.90]	225.6 [8.90]
CK30943	4260.0 [167.7]	225.8 [8.90]	225.6 [8.90]
CK31043	4358.0 [171.5]	225.8 [8.90]	225.6 [8.90]


GMT900 STEP IN HEIGHTS FOR CK100200300 43 2011 16JN2005 MD [ ]=INCHES ANC10189

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 1000, Option DL8 and C/K 2000/3000, Option DE2 – Mirrors, Outside Rearview



*DL8 TRUCK 1000 SERIES




*DE2 TRUCK 2000/3000 SERIES

ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED


GMT910 1000 2000 3000 SERIES TRUCK 26MAY10 FM ( ) = INCHES ANC22057.5

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 2000/3000, Option DF2 – Mirrors, Outside Rearview



*DF2 TRUCK 2000/3000 SERIES




*DL3 TRUCK 2000/3000 SERIES

ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED


GMT910 2000 3000 SERIES TRUCK 26MAY10 FM ( ) = INCHES ANC22057.6

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 2000/3000, Option DL8 – Mirrors, Outside Rearview



*DL8 TRUCK 2000/3000 SERIES




*DPN TRUCK 2000/3000 SERIES

ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED

GMT910 2000 3000 SERIES TRUCK 26MAY10 FM ( ) = INCHES ANC22057.7

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 3000, Option DG5, West Coast Type – Mirrors, Outside Rearview




*DG5 TRUCK 3000 SERIES


ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED

GMT910 3000 SERIES TRUCK 26MAY10 FM ( ) = INCHES ANC22057.8

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Cab Clearance Lamps, CHMSL & Rear Cab Window






VIEW IN CIRCLE B



VIEW IN CIRCLE A

BACK OF CENTER HIGH MOUNT STOP LAMP TO BACK OF CAB (TYP 03,43,53)




FOR HD INCREASE + HEIGHT DIMENSION 51mm

1000/2000/3000/ SERIES CHEVY CK 26MAY10 FM [ ] = INCHES ANC26550

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Rear Quarter Body Panel – Cab Pressure Valve Assembly




CK 100 03 SHOWN
FOR HD INCREASE
HEIGHT 51MM

CK 100200300 034353
CK 200300 034353

[ ]= INCHES

ANC27961.3


GMT900 Pickup Box Side Rail Load Points/Paths



- The GMT900 Pickup Box has been designed with side-rail mounted accessories in mind.
- Specific structural members have been added to provide load paths directly to the platform cross-sills and into the vehicle frame.
- Aftermarket accessories should take advantage of these intended load paths.


GMT900 Pickup Box Side Rail Load Points/Paths

Top View – Structural Members



GMT900 Pickup Box Side Rail Load Points/Paths


Top View – Front Structure



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


GMT900 Pickup Box Side Rail Load Points /Paths

Top View – Rear Structure



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Length and Width Dimension for 5' 8", 6' 6" and 8' – Pickup Box/CNG Tank



	A	B	C	D	E	F	G	H	J
C/K 5.8 FT	1885.2 [74.22]	1827.5 [71.95]	576.45 [22.70]	187.2 [7.37]	846.7 [33.33]	2417.1 [95.20]	1021.0 [75.63]	1710.8 [67.71]	1835.8 [72.27]
C/K 6.6 FT	2127.2 [83.75]	2060.5 [81.48]	574.2 [22.61]	436.2 [17.17]	1060.3 [42.03]	2650.1 [104.60]	2163.0 [85.16]	1961.8 [77.24]	2070.2 [81.86]
C/K 8.0 FT	2630.1 [103.55]	2540.5 [100.37]	698.6 [27.50]	701.4 [31.16]	1445.0 [56.03]	3130.1 [123.50]	2643.4 [104.07]	2441.8 [93.13]	2550.2 [100.76]

C/K 5'8", 6'6", AND 8'0" PICKUP BOX


[ ]= INCHES


BI-FUEL RPO FHV

ANB70929.17


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Inside Panel, 6' 6" Box – Pickup Box







SECTION C-C




SECTION P-P
TYP 2 PLACES




SECTION B-B
3 PLACES




SECTION L-L



SECTION M-M



SECTION N-N



DETAIL A (2 PLACES)

GMT900 PICKUP BOX INNER SIDE ,BOX 6'6",CK10703/53,20743/53,2007/08


SHOWN CK10703

[ ]=INCHES


ANB86203.3

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Cross Sills Location, 6' 6" Box – Pickup Box



SECTION E-E




SECTION F-F
TYP 3 PLACES



SECTION G-G

MODEL	A (WB)	TOP OF FLOOR RIBS	B
CK10703	3023.0 [119.0]	838.3 [33.0]	388.3 [15.29]
CK10753	3645.0 [143.5]	838.3 [33.0]	388.3 [15.29]
CK20753	3645.0 [143.5]	889.3 [35.0]	439.3 [17.30]
CK20743	3886.0 [153.0]	889.3 [35.0]	439.3 [17.30]



GMT900 PLATFORM SILLS,BOX 6'6", CK10703/53,CK20743/53,2007/08


SHOWN CK10703

[ ]=INCHES

ANB86203.4

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Inside Panel, 8” Box – Pickup Box




ANB86203.7

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Cross Sills Location, 8' Box – Pickup Box



SECTION E-E




SECTION F-F
4 PLACES
5 PLACES FOR CK30903/53&VSP



SECTION G-G

MODEL	A (WB)	TOP OF FLOOR RIBS	B
CK10903	3378.0 [133.0]	838.3 [33.0]	388.3 [15.29]
CK20903		889.3 [35.0]	439.3 [17.30]
CK30903		889.3 [35.0]	439.3 [17.30]
CK30903&VSP		889.3 [35.0]	439.3 [17.30]
CK10953	4000.5 [157.5]	838.3 [33.0]	388.3 [15.29]
CK20953		889.3 [35.0]	439.3 [17.30]
CK30953		889.3 [35.0]	439.3 [17.30]
CK30953&VSP		889.3 [35.0]	439.3 [17.30]
CK20943	4242.0 [167.0]	889.3 [35.0]	439.3 [17.30]
CK30943		889.3 [35.0]	439.3 [17.30]



NOTE: MATH DATA IN PHANTOM LINE ARE FOR CK30903/53 DUALLY (VSP)
VSP=BOX DUAL REAR WHEELS

GMT900 PLATFORM SILLS, BOX 8', CK10920903/43/53, 2011


SHOWN CK10903

[ ]=INCHES

ANB86203.8

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Seating Positions and H Points 1st Row Front View, Pickups – C/K 100/200/300 (03/53/43)



ANC32358.3

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Seating Positions and H Points 2nd Row Front View, Pickups – C/K 100/200/300 (03/53/43)



ANC32358.4

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Seating Positions and H Points Side View, Pickups – C/K 100/200/300 (03/53/43)



ANC32358.5

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 100/200/300 (03/53) – Seat Mounting Holes Locations – Floor




GMT900 C/K 100/200/300 03/53 SEAT MOUNT LOCATIONS 2011

[ ]=INCHES

ANB51264.3

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


C/K 10743 – Seat Mounting Holes Locations – Floor



ANB46371.3


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 20743 – Seat Mounting Holes Locations – Floor



ANB46371.4

C/K 100 (00) and C/K 200/300 (00) – Datum Hole Location




GMT 900 CK100200300 00 FRAME DATUM LOCATIONS 2011

[ ] = INCHES

ANC30752.3


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Frame Rail & C/Member Locations K207307 43




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 209/309 (03) – Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 31003 – Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 31403 – Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 31043 – Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 20753 – Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 209/309 (53) – Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 20743 – Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


C/K 209/309 (43) – Frame Rail and Crossmember Locations



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 2000 Series Pickups – Spare Tire Location





MODEL	TIRE	A	B	C	D	E	F
CK20753	P265/75R-17	947.7 [37.31]	264.5 [10.41]	20.4°	216.3 [8.52]	1022.3 [40.25]	202.0 [8.00]
CK20743	P265/70R-17	901.3 [35.50]	135.0 [5.32]	20.4°	216.3 [8.52	1072.3 [42.22]	202.0 [8.00]
CK20903	P265/70R-17	1194.0 [47.00]	135.0 [5.32]	17.4°	216.3 [8.52	1197.0 [47.12]	202.0 [8.00]
CK20953	P265/70R-17	947.7 [37.31]	133.0 [5.24]	15.6°	216.3 [8.52]	1197.0 [47.12]	202.0 [8.00]
CK20943	P265/70R-17	1197.0 [47.12]	101.5 [4.00]	15.6°	216.3 [8.52]	1197.0 [47.12]	202.0 [8.00]

GMT910 2011 SPARE TIRE TRUCKS 2000 SERIES


26MAY10 FM


310C05 SW [ ]= INCHES

ANC39360.5

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 3000 Series Pickups – Spare Tire Location






MODEL	TIRE	A	B	C	D	E	F
K30903	LT215/85R-16	962.0 [37.88]	133.0 [5.24]	17.4°	215.5 [8.50]	1194.0 [47.00]	202.0 [8.00]
CK30953	LT215/85R-16	947.7 [37.31]	133.0 [5.24]	15.6°	215.5 [8.50]	1196.9 [47.12]	202.0 [8.00]
CK30943	LT215/85R-16	1197.0 [47.12]	151.45 [6.00]	15.6°	215.5 [8.50]	1196.9 [47.12]	202.0 [8.00]


GMT900 2011 SPARE TIRE TRUCKS 3000 SERIES

[ ]= INCHES

ANC39360.6

C/K 3000 Series Chassis-Cabs – Spare Tire Location





NOTE: If the Chassis-Cab is ordered with a spare wheel and tire, the wheel and tire are band tied to the top of the frame rail for shipping. The service body installer is responsible for mounting the spare wheel and tire.


GMT900 2011 SPARE TIRE TRUCKS 3000 SERIES CHASSIS CAB

[ ]= INCHES

ANC39360.7

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Pickups C/K 209/309 (03/53/43) – Platform Hitch




MODEL	℄ REAR AXLE	DIM "A"
C/K 209/309 03	4378	643.8
C/K 209/309 43	5242	644.0
C/K 209/309 53	5001	644.0

SHOWN

GMT910 C/K 200/300 03/43/53 2011 17JUNE10 FM [ ]=INCHES ANB60845.5

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Pickups C/K 207/309 (53/43) – Platform Hitch




MODEL	℄ REAR AXLE	DIM "A"
C/K 207 43HD	4886	628.6
C/K 207 53HD	4645	627.4

GMT910 C/K 200 43/53HD 2011 — 17JUNE10 FM — [ ]=INCHES — ANB60845.6

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Front Axle/Tire Data Drawing – C/K 20/30(000) Pickups and C/K 31(000) Chassis-Cabs



VYU = SNOW PLOW
ZW9 = BODY EQUIPMENT BASE BODY OR CHASSIS
Z85 = CHASSIS PACKAGE INCREASED CAPACITY
Z83 = CHASSIS PACKAGE SMOOTH RIDE
E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX
Z71 = CHASSIS PACKAGE OFF ROAD
GTY = AXLE WIDE TRACK

*MINIMUM GROUND CLEARANCE TO BE CALCULATED BY USING GROSS AXLE WEIGHT AND RECOMMENDED TIRE PRESURE

GMT900 TRUCKS 2000/3000 SERIES UTILITIES 2000 SERIES FRONT AXLE/TIRE DATA (2011) 27AUG10 LE [ ]=INCHES ANB46140.14

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Front Axle/Tire Data Drawing – C/K 20(000) Pickups

20000 SERIES	OPT	SLR	FRONT TIRES 17", 18" & 20"	GVW RATING	REAR WHEEL	TRACK	WHEEL OFFSET	MAX TIRE WIDTH	GROUND CLEARANCE
C20903	Z85/Z71/ZW9	379.0	LT245/75R17	9300/9900*	SINGLE	1738.0	44.0	256.0	227.3
K20903	Z85/Z71/ZW9/VYU	379.0	LT245/75R17	9500/9900*	SINGLE	1738.0	44.0	256.0	227.3
C20903	Z85/Z71/ZW9	393.0	LT265/70R18	9300/9900*	SINGLE	1738.0	44.0	281.0	241.3
K20903	Z85/Z71/ZW9/VYU	393.0	LT265/70R18	9500/9900*	SINGLE	1738.0	44.0	281.0	241.3
C20903	Z85/Z71/ZW9	394.0	LT265/60R20	9300/9900*	SINGLE	1738.0	44.0	281.0	242.3
K20903	Z85/Z71/ZW9/VYU	394.0	LT265/60R20	9500/9900*	SINGLE	1738.0	44.0	281.0	242.3
C20753	Z85/Z71	379.0	LT245/75R17	9500/10000*	SINGLE	1738.0	44.0	256.0	227.3
K20753	Z85/Z71/VYU	379.0	LT245/75R17	9500/10000*	SINGLE	1738.0	44.0	256.0	227.3
C20753	Z85/Z71	393.0	LT265/70R18	9500/10000*	SINGLE	1738.0	44.0	281.0	241.3
K20753	Z85/Z71/VYU	393.0	LT265/70R18	9500/10000*	SINGLE	1738.0	44.0	281.0	241.3
C20753	Z85/Z71	394.0	LT265/60R20	9500/10000*	SINGLE	1738.0	44.0	281.0	242.3
K20753	Z85/Z71/VYU	394.0	LT265/60R20	9500/10000*	SINGLE	1738.0	44.0	281.0	242.3
C20953	Z85/Z71/ZW9	379.0	LT245/75R17	9500/10000*	SINGLE	1738.0	44.0	256.0	227.3
K20953	Z85/Z71/ZW9/VYU	379.0	LT245/75R17	9500/10000*	SINGLE	1738.0	44.0	256.0	227.3
C20953	Z85/Z71/ZW9	393.0	LT265/70R18	9500/10000*	SINGLE	1738.0	44.0	281.0	241.3
K20953	Z85/Z71/ZW9/VYU	393.0	LT265/70R18	9500/10000*	SINGLE	1738.0	44.0	281.0	241.3
C20953	Z85/Z71/ZW9	394.0	LT265/60R20	9500/10000*	SINGLE	1738.0	44.0	281.0	242.3
K20953	Z85/Z71/ZW9/VYU	394.0	LT265/60R20	9900/10000*	SINGLE	1738.0	44.0	281.0	242.3
C20743	Z85/Z71	379.0	LT245/75R17	9500/10000*	SINGLE	1738.0	44.0	256.0	227.3
K20743	Z85/Z71/VYU	379.0	LT245/75R17	9500/10000*	SINGLE	1738.0	44.0	256.0	227.3
C20743	Z85/Z71	393.0	LT265/70R18	9500/10000*	SINGLE	1738.0	44.0	281.0	241.3
K20743	Z85/Z71/VYU	393.0	LT265/70R18	9500/10000*	SINGLE	1738.0	44.0	281.0	241.3
C20743	Z85/Z71	394.0	LT265/60R20	9500/10000*	SINGLE	1738.0	44.0	281.0	242.3
K20743	Z85/Z71/VYU	394.0	LT265/60R20	9500/10000*	SINGLE	1738.0	44.0	281.0	242.3
C20943	Z85/Z71/ZW9	379.0	LT245/75R17	10000/10000*	SINGLE	1738.0	44.0	256.0	227.3
K20943	Z85/Z71/ZW9/VYU	379.0	LT245/75R17	9900/10000*	SINGLE	1738.0	44.0	256.0	227.3
C20943	Z85/Z71/ZW9	393.0	LT265/70R18	9500/10000*	SINGLE	1738.0	44.0	281.0	241.3
K20943	Z85/Z71/ZW9/VYU	393.0	LT265/70R18	9900/10000*	SINGLE	1738.0	44.0	281.0	241.3
C20943	Z85/Z71/ZW9	394.0	LT265/60R20	9500/10000*	SINGLE	1738.0	44.0	281.0	242.3
K20943	Z85/Z71/ZW9/VYU	394.0	LT265/60R20	9900/10000*	SINGLE	1738.0	44.0	281.0	242.3

***W/Diesel**

SLR = C/L FRONT Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Front Axle/Tire Data Drawing – C/K 30(000) Pickups and C/K 31(000) Chassis-Cabs

30/31000 SERIES	OPT	SLR	FRONT TIRE 17" & 18"	GVW RATING	REAR WHEEL	TRACK	WHEEL OFFSET	MAX TIRE WIDTH	GROUND CLEARANCE
C30903	Z85/ZW9	397.0	LT265/70R18	10400/11100*	SINGLE	1738.0	44.0	281.0	241.3
K30903	Z85/ZW9/VYU	395.0	LT265/70R18	10700/11400*	SINGLE	1738.0	44.0	281.0	241.3
C30953	Z85/ZW9	395.0	LT265/70R18	10700/11200*	SINGLE	1738.0	44.0	281.0	241.3
K30953	Z85/ZW9/VYU	394.0	LT265/70R18	11000/11600*	SINGLE	1738.0	44.0	281.0	241.3
C30743	Z85/ZW9	396.0	LT265/70R18	10500/11100*	SINGLE	1738.0	44.0	281.0	241.3
K30743	Z85/ZW9/VYU	394.0	LT265/70R18	10800/11500*	SINGLE	1738.0	44.0	281.0	241.3
C30943	Z85/ZW9	393.0	LT265/70R18	11400/11400*	SINGLE	1738.0	44.0	281.0	241.3
K30943	Z85/ZW9/VYU	394.0	LT265/70R18	11000/11600*	SINGLE	1738.0	44.0	281.0	241.3
C30903	Z85/ZW9	386.0	LT235/80R17	12500/13000*	DUAL	1750.0	44.0	245.0	227.3
K30903	Z85/ZW9/VYU	384.0	LT235/80R17	12800/13000*	DUAL	1750.0	44.0	245.0	227.3
C30953	Z85/ZW9	384.0	LT235/80R17	13000/13000*	DUAL	1750.0	44.0	245.0	227.3
K30953	Z85/ZW9/VYU	382.0	LT235/80R17	13000/13000*	DUAL	1750.0	44.0	245.0	227.3
C30943	Z85/ZW9	384.0	LT235/80R17	13000/13000*	DUAL	1750.0	44.0	245.0	227.3
K30943	Z85/ZW9/VYU	382.0	LT235/80R17	13000/13000*	DUAL	1750.0	44.0	245.0	227.3
C31003	Z85/ZW9	383.0	LT235/80R17	13200	DUAL	1750.0	44.0	245.0	227.3
K31003	Z85/ZW9/VYU	381.0	LT235/80R17	13200	DUAL	1750.0	44.0	245.0	227.3
C31403	Z85/ZW9	383.0	LT235/80R17	13200	DUAL	1750.0	44.0	245.0	227.3
K31403	Z85/ZW9/VYU	381.0	LT235/80R17	13200	DUAL	1750.0	44.0	245.0	227.3
C31043	Z85/ZW9	381.0	LT235/80R17	13200	DUAL	1750.0	44.0	245.0	227.3
K31043	Z85/ZW9/VYU	379.0	LT235/80R17	13200	DUAL	1750.0	44.0	245.0	227.3


*** w/Diesel**


SLR = C/L FRONT Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Rear Axle/Tire Data Drawing – C/K 20/30(000) Pickups





SECTION C-C
ROTATED 90

VYU = SNOW PLOW
ZW9 = BODY EQUIPMENT BASE BODY OR CHASSIS
Z85 = CHASSIS PACKAGE INCREASED CAPACITY
E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX
Z71 = CHASSIS PACKAGE OFF ROAD

RING GEAR	G
[11.5] DIA	191.5 [7.54]

A = TRACK + F
B = TRACK - F

* MAX GROWN TIRE RADIUS ON NARROWEST RIM
** MAX GROWN TIRE WIDTH ON WIDEST RIM
TIRE CHAINS NOT INCLUDED

GMT900 TRUCKS REAR AXLE/TIRE DATA 2000/3000 SERIES(2011) 27AUG11 ML [ ]=INCHES ANB46140.9

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Rear Axle/Tire Data Chart – C/K 20/30(000) Pickups


20/30000 SERIES	OPT	SLR	REAR TIRES 17" & 18"	GVW RATING	REAR WHEEL	TRACK	WHEEL OFFSET	-A-	-B-	-C-	-D-	-E-	-F-	-H-	-BOF-	-HE-
C20903	Z85/Z71/ZW9	387.8	LT245/75R17	9300/9900*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	199.5	399.5	256.0	N/A	769.3/724.8	921.7/877.2
K20903	Z85/Z71/ZW9/VYU	387.4	LT245/75R17	9500/9900*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	199.5	399.5	256.0	N/A	767.6/722.1	920.0/**874.5**
C20903	Z85/Z71/ZW9	401.6	LT265/70R18	9300/9900*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	186.9	414.6	281.0	N/A	784.8/740.0	937.2/892.4
K20903	Z85/Z71/ZW9/VYU	401.3	LT265/70R18	9500/9900*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	186.9	414.6	281.0	N/A	783.5/737.7	935.9/**890.1**
C20753	Z85/Z71	388.1	LT245/75R17	9500/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	187.1	399.5	256.0	N/A	742.2/710.2	894.6/862.6
K20753	Z85/Z71/VYU	387.9	LT245/75R17	9500/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	187.1	399.5	256.0	N/A	741.4/709.7	893.8/**862.1**
C20753	Z85/Z71	400.7	LT265/70R18	9500/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	172.5	414.6	281.0	N/A	755.9/723.9	908.3/876.3
K20753	Z85/Z71/VYU	400.5	LT265/70R18	9500/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	172.5	414.6	281.0	N/A	755.1/723.3	907.5/**875.7**
C20953	Z85/Z71/ZW9	386.8	LT245/75R17	9500/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	183.8	399.5	256.0	N/A	754.1/707.5	906.5/859.9
K20953	Z85/Z71/ZW9/VYU	386.6	LT245/75R17	9500/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	183.8	399.5	256.0	N/A	752.8/706.4	905.2/**858.8**
C20953	Z85/Z71/ZW9	400.6	LT265/70R18	9500/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	171.4	414.6	281.0	N/A	769.9/723.0	922.3/875.4
K20953	Z85/Z71/ZW9/VYU	400.1	LT265/70R18	9500/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	171.4	414.6	281.0	N/A	768.9/722.2	921.3/**874.6**
C20743	Z85/Z71	386.7	LT245/75R17	9500/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	181.0	399.5	256.0	N/A	734.2/704.1	886.6/856.5
K20743	Z85/Z71/VYU	386.5	LT245/75R17	9500/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	181.0	399.5	256.0	N/A	733.7/703.6	886.1/**856.0**
C20743	Z85/Z71	400.5	LT265/70R18	9500/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	167.9	414.6	281.0	N/A	749.9/719.5	902.3/871.9
K20743	Z85/Z71/VYU	400.2	LT265/70R18	9500/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	167.9	414.6	281.0	N/A	749.1/718.7	901.5/**871.1**
C20943	Z85/Z71/ZW9	386.5	LT245/75R17	10000/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	179.4	399.5	256.0	N/A	752.6/703.0	905.0/855.4
K20943	Z85/Z71/ZW9/VYU	386.3	LT245/75R17	9900/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	179.4	399.5	256.0	N/A	747.7/702.0	900.1/**854.4**
C20943	Z85/Z71/ZW9	400.3	LT265/70R18	9500/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	166.8	414.6	281.0	N/A	768.4/718.4	920.8/870.8
K20943	Z85/Z71/ZW9/VYU	400.1	LT265/70R18	9900/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	166.8	414.6	281.0	N/A	763.8/717.6	916.2/**870.0**
C30903	Z85/ZW9	401.8	LT265/70R18	10400/11100*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	175.3	414.6	281.0	N/A	744.7/723.1	897.1/**875.5**
K30903	Z85/ZW9/VYU	401.9	LT265/70R18	10700/11400*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	175.3	414.6	281.0	N/A	750.7/723.4	903.1/875.8
C30953	Z85/ZW9	401.0	LT265/70R18	10700/11200*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	159.4	414.6	281.0	N/A	735.9/706.5	888.3/858.9
K30953	Z85/ZW9/VYU	401.1	LT265/70R18	11000/11600*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	159.4	414.6	281.0	N/A	741.0/710.2	893.4/**862.6**
C30743	Z85/ZW9	401.3	LT265/70R18	10500/11100*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	169.2	414.6	281.0	N/A	734.8/720.0	887.2/**872.4**
K30743	Z85/ZW9/VYU	401.1	LT265/70R18	10800/11500*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	169.2	414.6	281.0	N/A	734.2/720.1	886.6/872.5
C30943	Z85/ZW9	400.8	LT265/70R18	11400/11400*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	155.0	414.6	281.0	N/A	730.4/705.8	882.8/**858.2**
K30943	Z85/ZW9/VYU	401.0	LT265/70R18	11000/11600*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	155.0	414.6	281.0	N/A	733.9/706.2	886.3/858.6
C30903	Z85/ZW9	394.8	LT235/80R17	12500/13000*	DUAL	1904.7	137.0	2423.7	1385.8	130.1	187.8	403.8	245.0	519.0	738.5/721.3	890.9/873.7
K30903	Z85/ZW9/VYU	394.7	LT235/80R17	12800/13000*	DUAL	1904.7	137.0	2423.7	1385.8	109.5	187.8	403.8	245.0	519.0	740.1/718.1	892.5/**870.5**
135.98	Z85/ZW9	394.3	LT235/80R17	13000/13000*	DUAL	1904.7	137.0	2423.7	1385.8	109.5	176.0	403.8	245.0	519.0	730.0/706.4	882.4/858.8
K30953	Z85/ZW9/VYU	394.2	LT235/80R17	13000/13000*	DUAL	1904.7	137.0	2423.7	1385.8	109.5	176.0	403.8	245.0	519.0	730.3/706.3	882.7/**858.7**
C30943	Z85/ZW9	394.1	LT235/80R17	13000/13000*	DUAL	1904.7	137.0	2423.7	1385.8	109.5	172.8	403.8	245.0	519.0	725.0/706.4	877.4/858.8
K30943	Z85/ZW9/VYU	394.0	LT235/80R17	13000/13000*	DUAL	1904.7	137.0	2423.7	1385.8	109.5	172.8	403.8	245.0	519.0	724.6/703.1	877.0/**855.5**


***W/Diesel**
HE = REAR `Top of Frame' Min/Max Curb (base equipment) BOF+ 152.4(6" frame hgt) = HE
SLR = C/L REAR Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Rear Axle/Tire Data Drawing – C/K 31(000) Chassis-Cabs





SECTION D-D
ROTATED 90

VYU = SNOW PLOW
ZW9 = BODY EQUIPMENT BASE BODY OR CHASSIS
Z85 = CHASSIS PACKAGE INCREASED CAPACITY
E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX
Z71 = CHASSIS PACKAGE OFF ROAD
GTY = AXLE WIDE TRACK

RING GEAR	G	
[11.5] DIA	191.5 [7.54]	-GTY 3100 SERIES
[11.5] DIA	186.5 [7.34]	+GTY 3100 SERIES

*MAX GROWN TIRE RADIUS
**MAX GROWN TIRE WIDTH

SINGLE WHEELS
A = TRACK + F
B = TRACK - F

DUAL WHEELS
A = TRACK + H
B = TRACK - H

GMT900 TRUCKS REAR AXLE/TIRE DATA 3000 SERIES(2011) 27AUG10 LE ANB46140.11

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Rear Axle/Tire Data Chart – C/K 31(000) Chassis-Cabs

31000 SERIES	OPT	SLR	REAR TIRES 17"	GVW RATING	REAR WHEEL	TRACK	WHEEL OFFSET	-A-	-B-	-C-	-D-	-E-	-H-	-BOF-	-HE-
C31003	Z85/ZW9/GTY	396.0	LT235/80R17	13200	DUAL	1904.7	137.0	2423.7	1385.8	221.0	216.0	403.8	519.0	679.3/675.9	857.1/**853.7**
K31003	Z85/ZW9/VYU/GTY	395.9	LT235/80R17	13200	DUAL	1904.7	137.0	2423.7	1385.8	221.0	216.0	403.8	519.0	679.5/676.2	857.3/854.0
C31043	Z85/ZW9/GTY	395.4	LT235/80R17	13200	DUAL	1904.7	137.0	2423.7	1385.8	221.0	205.1	403.8	519.0	668.0/665.0	845.8/**842.8**
K31043	Z85/ZW9/VYU/GTY	395.4	LT235/80R17	13200	DUAL	1904.7	137.0	2423.7	1385.8	221.0	205.1	403.8	519.0	668.0/665.1	845.8/842.9
C31403	Z85/ZW9/GTY	396.2	LT235/80R17	13200	DUAL	1904.7	137.0	2423.7	1385.8	221.0	212.3	403.8	519.0	675.4/672.4	853.2/850.2
K31403	Z85/ZW9/VYU/GTY	396.1	LT235/80R17	13200	DUAL	1904.7	137.0	2423.7	1385.8	221.0	212.3	403.8	519.0	675.1/672.2	852.9/**850.0**
C31003	Z85/ZW9	396.0	LT235/80R17	13200	DUAL	1745.5	137.0	2264.5	1226.6	141.5	216.0	403.8	519.0	679.3/675.9	857.1/**853.7**
K31003	Z85/ZW9/VYU	395.9	LT235/80R17	13200	DUAL	1745.5	137.0	2264.5	1226.6	141.5	216.0	403.8	519.0	679.5/676.2	857.3/854.0
C31043	Z85/ZW9	395.4	LT235/80R17	13200	DUAL	1745.5	137.0	2264.5	1226.6	141.5	205.1	403.8	519.0	668.0/665.0	845.8/**842.8**
K31043	Z85/ZW9/VYU	395.4	LT235/80R17	13200	DUAL	1745.5	137.0	2264.5	1226.6	141.5	205.1	403.8	519.0	668.0/665.1	845.8/842.9
C31403	Z85/ZW9	396.2	LT235/80R17	13200	DUAL	1745.5	137.0	2264.5	1226.6	141.5	212.3	403.8	519.0	675.4/672.4	853.2/850.2
K31403	Z85/ZW9/VYU	396.1	LT235/80R17	13200	DUAL	1745.5	137.0	2264.5	1226.6	141.5	212.3	403.8	519.0	675.1/672.2	852.9/**850.0**


HE = REAR `Top of Frame' Min/Max Curb (base equipment) BOF+ 177.8(7" frame hgt) = HE
SLR = C/L REAR Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

Fuel Tank (NM2) & Fuel Filler Location
CK209309/03 L96 (Gas)




Fuel Tank (NM2) & Fuel Filler Location
CK209309/03 LGH/LML (Diesel)




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Fuel Tank (NM2) & Fuel Filler Location
CK207307/43/53 LY6/L96 (Gas)




Fuel Tank (NM2) & Fuel Filler Location
CK207307/43/53 LGH/LML (Diesel)




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Fuel Tank (NM2) & Fuel Filler Location
CK310314/03/43 LMM (Gas)



Fuel Tank (NM2) & Fuel Filler Location
CK310314/03/43 LGH (Diesel)



Exhaust System HD LML Diesel
CK20730 7209309/03/043/53 (Pick-Ups)



MODEL	A
CK207 53	3645.0 [143.50]
CK207307 43	3886.2 [153.00]
CK209309 03	3378.0 [133.00]
CK209309 43	4242.0 [167.00]
CK209309 53	4001.0 [157.50]

SHOWN

THE INCOMPLETE VEHICLE DOCUMENT (IVD) SHOULD BE REVIWED BY UPFITTERS FOR RESTRICTIONS ON 07I DIESEL EXHAUST SYSTEMS BEFORE ALTERING OR MODIFYING OEM EXHAUST SYSTEM COMPONENTS

SEE THE BODY BUILDERS GENERAL INSTRUCTIONS FOR C/K TRUCK, SECTION 8 (FUEL AND EXHAUST) UNDER EXHAUST LOOK FOR SUB HEADER "2007I DIESEL EXHAUST SYSTEMS,OPTION LMM DURAMAX 6.6L DIESEL", FOR SPECIFIC INFO. AND DIRECTION FOR MODIFYING TAILPIPES ROUTINGS WHEN REQUIRED

BODY MOUNTINGS COMPONENTS OR ACCESSORIES INSTALLATIONS AND CHASSIS MODIFICATIONS SHOULD NOT IMPEDE SERVICE TECHNICIAN'S ABILITY TO REMOVE AND/OR SERVICE DIESEL PARTICULATE FILTER (DPF)


GMT910 EXHAUST SYSTEM - HD LML DIESEL
CK207307209309/03/043/53 2011 (PICK-UPS)

16JUNE10 FM

[ ] = INCHES

ANF42899.3

Exhaust System HD LGH Diesel
CK209/309/03/043/53 (ZW9)



MODEL	A
CK209309 03	3378.0 [133.00]
CK209309 43	4242.0 [167.00]
CK209309 53	4001.0 [157.50]

THE INCOMPLETE VEHICLE DOCUMENT (IVD) SHOULD BE REVIWED BY UPFITTERS FOR RESTRICTIONS ON 07I DIESEL EXHAUST SYSTEMS BEFORE ALTERING OR MODIFYING OEM EXHAUST SYSTEM COMPONENTS

SEE THE BODY BUILDERS GENERAL INSTRUCTIONS FOR C/K TRUCK, SECTION 8 (FUEL AND EXHAUST) UNDER EXHAUST LOOK FOR SUB HEADER "2007I DIESEL EXHAUST SYSTEMS,OPTION LMM DURAMAX 6.6L DIESEL", FOR SPECIFIC INFO. AND DIRECTION FOR MODIFYING TAILPIPES ROUTINGS WHEN REQUIRED

BODY MOUNTINGS COMPONENTS OR ACCESSORIES INSTALLATIONS AND CHASSIS MODIFICATIONS SHOULD NOT IMPEDE SERVICE TECHNICIAN'S ABILITY TO REMOVE AND/OR SERVICE DIESEL PARTICULATE FILTER (DPF)

GMT910 EXHAUST SYSTEM - HD LGH DIESEL
CK209/309/03/043/53 2011 (ZW9)


16JUNE10 FM

[ ] = INCHES

ANF42899.4

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Exhaust System HD LGH Diesel
CK310/314/03; CK310/314/43 (Chassis-Cabs)



SHOWN	MODEL		A	B
	CK310	03	3480.0 [137.00]	1990.6 [78.37]
	CK314	03	4102.1 [161.50]	1990.6 [78.37]
	CK310	43	4346.0 [171.10]	2853.3 [112.34]
	CK314	43	4968.00 [195.50]	2853.3 [112.34]

THE INCOMPLETE VEHICLE DOCUMENT (IVD) SHOULD BE REVIWED BY UPFITTERS FOR RESTRICTIONS ON 07I DIESEL EXHAUST SYSTEMS BEFORE ALTERING OR MODIFYING OEM EXHAUST SYSTEM COMPONENTS

SEE THE BODY BUILDERS GENERAL INSTRUCTIONS FOR C/K TRUCK, SECTION 8 (FUEL AND EXHAUST) UNDER EXHAUST LOOK FOR SUB HEADER "2007I DIESEL EXHAUST SYSTEMS,OPTION LMM DURAMAX 6.6L DIESEL", FOR SPECIFIC INFO. AND DIRECTION FOR MODIFYING TAILPIPES ROUTINGS WHEN REQUIRED

BODY MOUNTINGS COMPONENTS OR ACCESSORIES INSTALLATIONS AND CHASSIS MODIFICATIONS SHOULD NOT IMPEDE SERVICE TECHNICIAN'S ABILITY TO REMOVE AND/OR SERVICE DIESEL PARTICULATE FILTER (DPF)

GMT910 EXHAUST SYSTEM - HD LGH DIESEL
CK310/314/03;CK310/314/43 2011 (CHASSIS-CABS)

16JUNE10 FM


[ ] = INCHES

ANF42899.5

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Exhaust System HD L96 E63
CK 207/53;CK 207209307309/43;CK209/309/03 (Pick-Ups)

MODEL	A
CK207 53	3645.0 [143.50]
SHOWN CK207307 43	3886.2 [153.00]
CK209309 03	3378.0 [133.00]
CK209309 43	4242.0 [167.00]
CK209309 53	4001.0 [157.50]



GMT910 EXHAUST SYSTEM - HD L96 E63
CK207/53;CK207209307309/43;CK209309/03 2011 (PICK-UPS)

15JUNE10 FM


[ ] = INCHES

ANF42899.6

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Exhaust System HD L96
CK 310/314/03;CK 310/314/43 (Chassis-Cabs)

	MODEL		A
SHOWN	CK310	03	3480.0 [137.00]
	CK314	03	4102.1 [161.50]
	CK310	43	4346.0 [171.10]
	CK314	43	4968.00 [195.50]



GMT910 EXHAUST SYSTEM - HD L96
CK310/314/03;CK310/314/43 2011 (CHASSIS-CABS)


16JUNE10 FM

[ ] = INCHES

ANF42899.7


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Exhaust System HD L96 E63
CK 209309/03/43/53 (ZW9)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 310 (03) w/LY6 (6.0L V8) and ZW9 – Exhaust Systems




MODEL	A	B	C
CK31003	3480.0 [137.00]	1786.9 [70.35]	115.0 [4.53]

GMT900 EXHAUST SYSTEM CK31003/53 LY6&ZW9, 2011 SHOWN CK31003 15MY2007 ML [ ]=INCHES

ANB44495.21


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 31403 w/LY6 (6.0L V8) and ZW9 – Exhaust Systems



ANB44495.22

C/K 310 (03/53) w/LMM and ZW9 – Exhaust Systems



THE INCOMPLETE VEHICLE DOCUMENT (IVD) SHOULD BE REVIWED BY UPFITTERS FOR RESTRICTIONS ON 07I DIESEL EXHAUST SYSTEMS BEFORE ALTERING OR MODIFYING OEM EXHAUST SYSTEM COMPONENTS

SEE THE BODY BUILDERS GENERAL INSTRUCTIONS FOR C/K TRUCK, SECTION 8 (FUEL AND EXHAUST), UNDER EXHAUST LOOK FOR SUB HEADER "2007I DIESEL EXHAUST SYSTEMS,OPTION LMM DURAMAX 6.6L DIESEL", FOR SPECIFIC INFORMATION AND DIRECTION FOR MODIFYING TAILPIPES ROUTINGS WHEN REQUIRED

BODY MOUNTINGS COMPONENTS OR ACCESSORIES INSTALLATIONS AND CHASSIS MODIFICATIONS SHOULD NOT IMPEDE SERVICE TECHNICIAN'S ABILITY TO REMOVE AND/OR SERVICE DIESEL PARTICULATE FILTER (DPF)


MODEL	A	B	C
CK31003	3480.0 [137.00]	1824.4 [71.83]	260.5 [10.26]
CK31053	4102.0 [161.50]	1777.3 [70.01]	348.0 [13.70]

GMT900 EXHAUST SYSTEM CK31003/53 LMM(20I1) SHOWN CK31003 LMM 15MY2007 ML [ ]=INCHES

ANB44495.23

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 31403 w/LMM and YF2 (-YF2) – Exhaust Systems



THE INCOMPLETE VEHICLE DOCUMENT (IVD) SHOULD BE REVIWED BY UPFITTERS FOR RESTRICTIONS ON 07I DIESEL EXHAUST SYSTEMS BEFORE ALTERING OR MODIFYING OEM EXHAUST SYSTEM COMPONENTS

SEE THE BODY BUILDERS GENERAL INSTRUCTIONS FOR C/K TRUCK, SECTION 8 (FUEL AND EXHAUST), UNDER EXHAUST LOOK FOR SUB HEADER "2007I DIESEL EXHAUST SYSTEMS,OPTION LMM DURAMAX 6.6L DIESEL", FOR SPECIFIC INFORMATION AND DIRECTION FOR MODIFYING TAILPIPES ROUTINGS WHEN REQUIRED

BODY MOUNTINGS COMPONENTS OR ACCESSORIES INSTALLATIONS AND CHASSIS MODIFICATIONS SHOULD NOT IMPEDE SERVICE TECHNICIAN'S ABILITY TO REMOVE AND/OR SERVICE DIESEL PARTICULATE FILTER (DPF)

YF2=AMBULANCE

GMT900 EXHAUST SYSTEM CK31403 LMM-YF2 (2011)


15MY2007 ML

[ ]=INCHES

ANB44495.24

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 31403 w/LMM and YF2 – Exhaust Systems



SEE THE BODY BUILDERS GENERAL INSTRUCTIONS FOR C/K TRUCK, SECTION 8 (FUEL AND EXHAUST), UNDER EXHAUST LOOK FOR SUB HEADER "2007I DIESEL EXHAUST SYSTEMS,OPTION LMM DURAMAX 6.6L DIESEL", FOR SPECIFIC INFORMATION AND DIRECTION FOR MODIFYING TAILPIPES ROUTINGS WHEN REQUIRED

THE INCOMPLETE VEHICLE DOCUMENT (IVD) SHOULD BE REVIWED BY UPFITTERS FOR RESTRICTIONS ON 07I DIESEL EXHAUST SYSTEMS BEFORE ALTERING OR MODIFYING OEM EXHAUST SYSTEM COMPONENTS

BODY MOUNTINGS COMPONENTS OR ACCESSORIES INSTALLATIONS AND CHASSIS MODIFICATIONS SHOULD NOT IMPEDE SERVICE TECHNICIAN'S ABILITY TO REMOVE AND/OR SERVICE DIESEL PARTICULATE FILTER (DPF)


YF2=AMBULANCE


GMT900 EXHAUST SYSTEM CK31403 LMM & YF2 (2011) 15MY2007 ML [ ]=INCHES

ANB44495.25

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Muncie – PTO





MUNCIE P.T.O. MOUNTED TO
MW7 AUTOMATIC TRANSMISSION


GMT900 PTO CK 3600 (2011)


[ ]= INCHES

ANC39733.3

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Chelsea – PTO





CHELSEA P.T.O. MOUNTED TO
MW7 AUTOMATIC TRANSMISSION

GMT900 PTO CK 3600 (2011)

[ ]= INCHES

ANC39733.4