

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Model Symbol Chart.....	1
General Information.....	See Light Duty BBM “General Information” section
General Instructions.....	See Light Duty BBM “General Instructions” section
Camper Loading	See Online Order/Ref. Guide – “GM Consumer Info. Truck-Camper Loading”
Pickup Box Removal	See Light Duty BBM “Special Applications – Pickup Box Removal Program” section
Snow Plow Prep. Pkg.	See Light Duty BBM “Special Applications – Snow Plow Prep Package” section
Trailer Information.....	See Light Duty Online Order/Ref. Guide – Light Duty “Trailer Specs”
Model and Option Weights	See Light Duty Online Order/Ref. Guide “Model & Opt. Weights” & “Weight Calculator”

VEHICLE

GENERAL ARRANGEMENT

Regular Cab.....	3
Extended Cab.....	4
Crew Cab	5
Regular Cab Dually	6
Chassis-Cab	7
Body/Cargo Weight Distribution – Pickups – 6' 6"	8
Body/Cargo Weight Distribution – Pickups – 8'	9
Body/Cargo Weight Distribution – Chassis-Cabs.....	10

BODY – EXTERIOR

GENERAL ARRANGEMENT

Regular Cab, 8' Box – C/K 20/30 (903).....	11
Extended Cab, 6' 6" Box – C/K 20753.....	12
Extended Cab, 8' Box – C/K 20/30 (953).....	13
Crew Cab, 6' 6" Box – C/K 20743	14
Crew Cab, 8' Box – C/K 20/30 (943)	15
Regular Cab, 8' Box DRW – C/K 30903	16
Extended Cab, 8' Box DRW – C/K 30953	17
Crew Cab, 8' Box DRW – C/K 30943.....	18

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

BODY – EXTERIOR – *Continued*

FRONT END CLIPS

C/K 200/300 (03/53/43).....	19
-----------------------------	----

HOOD OPENINGS

C/K 200/300 (03/53/43).....	20
-----------------------------	----

HOOD PROFILES

Chevy – C/K 200/300 (03/53/43)	21
--------------------------------------	----

GMC – C/K 100/200/300 (03/53/43).....	22
---------------------------------------	----

REAR BACK OF CAB SILHOUETTE

Pickups.....	23
--------------	----

SIGN AREA

Regular Cab Pickup – C/K 100/200/300 (03)	24
---	----

Extended Cab Pickup – C/K 100/200/300 (53)	25
--	----

Crew Cab Pickup – C/K 100/200/300 (43).....	26
---	----

CAB STEP IN HEIGHTS

Regular Cab (03)	27
------------------------	----

Extended Cab (53)	28
-------------------------	----

Crew Cab (43).....	29
--------------------	----

MIRRORS, OUTSIDE REARVIEW

C/K 1000, Option DL8 and C/K 2000/3000, Option DE2	30
--	----

C/K 2000/3000, Option DF2	31
---------------------------------	----

C/K 2000/3000, Option DL8	32
---------------------------------	----

C/K 3000, Option DG5, West Coast Type	33
---	----

CAB CLEARANCE LAMPS, CHMSL AND REAR CAB WINDOW

Fixed and Sliding	34
-------------------------	----

CAB PRESSURE VALVE ASSEMBLY

Rear Quarter Body Panel	35
-------------------------------	----

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

BODY – EXTERIOR – *Continued*

PICKUP BOX

Side Rail Load Points/Paths – Structural Members.....	36
Side Rail Load Points/Paths – Primary/Secondary Load Points.....	37
Side Rail Load Points/Paths – Stake Pocket Openings & Front Structure	38
Side Rail Load Points/Paths – Stake Pocket Openings & Rear Structure.....	39
Length and Width Dimension for 6' 6" and 8' (incl. CNG/Tank/Cover).....	40
Inside Panel, 6' 6" Box	41
Cross Sills Location, 6' 6" Box.....	42
Inside Panel, 8' Box.....	43
Cross Sills Location, 8' Box.....	44

CAB – INTERIOR

SEATING ARRANGEMENT

Seating Positions and H Points 1st Row Front View, Pickups – C/K 100/200/300 (03/53/43).....	45
Seating Positions and H Points 2nd Row Front View, Pickups – C/K 100/200/300 (03/53/43).....	46
Seating Positions and H Points Side View, Pickups – C/K 100/200/300 (03/53/43).....	47

SEAT MOUNTING HOLES LOCATIONS – FLOOR

C/K 100/200/300 (03/53/43)	48
C/K 10743	49
C/K 20743	50

CHASSIS

DATUM HOLE LOCATION – FRAME

C/K 100 (00) and C/K 200/300 (00).....	51
--	----

FRAME RAIL AND CROSSMEMBER LOCATION

K 207307 43.....	52
C/K 209/309 (03).....	53
C/K 31003.....	54

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

CHASSIS – FRAME RAIL AND CROSSMEMBER LOCATION – *Continued*

C/K 31403.....	55
C/K 31043.....	56
C/K 20753.....	57
C/K 209/309 (53).....	58
C/K 20743.....	59
C/K 209/309 (43.).....	60
SPARE TIRE LOCATION	
C/K 2000 Series Pickups	61
C/K 3000 Series Pickups	62
C/K 3000 Series Chassis-Cabs	63
PLATFORM HITCH	
Pickups C/K 209/309 (03/53/43).....	64
Pickups C/K 207 (53/43).....	65
FRONT AXLE/TIRE DATA	
Front Axle/Tire Data Drawing – C/K 20/30(000) Pickups and C/K 31(000) Chassis-Cabs	66
Front Axle/Tire Data Drawing – C/K 20(000) Pickups	67
Front Axle/Tire Data Drawing – C/K 30(000) Pickups and C/K 31(000) Chassis-Cabs.....	68
REAR AXLE/TIRE DATA	
Rear Axle/Tire Data Drawing – C/K 20/30(000) Pickups.....	69
Rear Axle/Tire Data Chart – C/K 20/30(000) Pickups.....	70
Rear Axle/Tire Data Drawing – C/K 31(000) Chassis-Cabs.....	71
Rear Axle/Tire Data Chart – C/K 31(000) Chassis-Cabs.....	72
FUEL SYSTEMS	
C/K 209309/3 L96 (Gas).....	73
C/K 209309/03 LML (Diesel).....	74
C/K 207307/43/53 LY6/L96 (Gas).....	75
C/K 207307/43/53 LML (Diesel)	76

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

CHASSIS – FUEL SYSTEMS – *Continued*

C/K 310314/03/43 L96 (Gas)	77
C/K 310314/03/43 LML (Diesel).....	78

EXHAUST SYSTEMS

C/K 207307209309 (03/043/53) w/LML Diesel.....	79
C/K 207/53 CK 207209307309/43 CK 209/309/03 L96/E63/LC8.....	80
C/K 310/314/03 CK 310/314/43 w/L96.....	81
C/K 209309/03/43/53 (ZW9).....	82
C/K 310 (03/53) w/LMM and ZW9	83
C/K 31403 w/LMM and YF2 (-YF2)	84
C/K 31402 w/LMM and YF2.....	85

PTO

Muncie.....	86
Chelsea	87

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Model Symbol Chart

MARKETS (Optional)	ENGINEERING MODEL	REGULAR CABS (03) 2 DOOR CHEVROLET / GMC		EXTENDED CABS (53) 4 DOOR CHEVROLET / GMC		CREW CABS (43) 4 DOOR CHEVROLET / GMC		GVWR (kg/lbs) GAS	GVWR (kg/lbs) DIESEL	WHEELBASE (mm/in)	CAB-TO-AXLE (mm/in)		
	C207 - SRW			E63, 6.5" BOX				4309/9500	4491/9900 4536/10,000	3663/144.2	1067/42		
						E63, 6.5" BOX		4309/9500	4491/9900- 4536/10,000	3904/153.7	1067/42		
	C209 - SRW	E63, 8.0" BOX	ZW9					4218/9300- 4536/10,000	4491/9900	3396/133.7	1422/56		
				E63, 8.0" BOX	ZW9			4218/9300	4491/9900- 4536/10,000	4018/158.2	1422/56		
						E63, 8.0" BOX	ZW9	4309/9500	4491/9900- 4536/10000	4260/167.7	1422/56		
	C307 - SRW			NOT AVAILABLE		E63, 6.5" BOX		4536/10,000- 4763/10,500	5035/11,100	3904/153.7	1067/42		
	C309 - SRW	E63, 8.0" BOX	ZW9	NOT AVAILABLE				4717/10,400	5035/11100 & ZW9	3396/133.7	1422/56		
						E63, 8.0" BOX	ZW9			4536/10,000- 4854/10,700	5080/11200 & ZW9	4018/158.2	1422/56
								E63, 8.0" BOX	ZW9	4535/10,000- 4854/10,700	5171/11400 & ZW9	4260/167.7	1422/56
	C309 - DRW	E63, 8.0" BOX	ZW9	NOT AVAILABLE				6078/13,400	5897/13,000	3396/133.7	1422/56		
						E63, 8.0" BOX	ZW9			5897/13,000	5897/13,000	4018/158.2	1422/56
								E63, 8.0" BOX	ZW9	5897/13,000	5897/13,000	4260/167.7	1422/56
	C310 - DRW		ZW9		N.A.			5988/13,200	5988/13,200	3492/137.5	1524/60		
					N.A.		ZW9	5988/13,200	5988/13,200	4356/171.5	1524/60		
	C314 - DRW		ZW9		N.A.			5988/13,200	5988/13,200	4115/162	2134/84		

E63 – Fleetside / Wideside Box (5' 8", 6.5' and 8' Boxes)

ZW9 – Chassis Cab

EXAMPLE: C10903 = 2 DOOR REGULAR CAB / FLEETSIDE/WIDESIDE / 8' BOX

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Model Symbol Chart (continued)

MARKETS (Optional)	ENGINEERING MODEL	REGULAR CABS (03) 2 DOOR CHEVROLET / GMC		EXTENDED CABS (53) 4 DOOR CHEVROLET / GMC		CREW CABS (43) 4 DOOR CHEVROLET / GMC		GVWR (kg/lbs) GAS	GVWR (kg/lbs) DIESEL	WHEELBASE (mm/in)	CAB-TO-AXLE (mm/in)		
	K207 - SRW			E63, 6.5" BOX				4309/9500	4491/9900-4536/10,000	3663/144.2	1067/42		
						E63, 6.5" BOX		4309/9500	4491/9900-4536/10,000	3904/153.7	1067/42		
	K209 - SRW	E63, 8.0" BOX	ZW9					4309/9500	4491/9900 & ZW9	3396/133.7	1422/56		
				E63, 8.0" BOX	ZW9			4309/9500-4491/9900	4491/10,000 & ZW9	4018/158.2	1422/56		
							E63, 8.0" BOX	ZW9	4309/9500-4491/9900	4491/9900-4491/10000 & ZW9	4260/167.7	1422/56	
	K307 - SRW			NOT AVAILABLE									
								E63, 6.5" BOX		4536/10,000-4899/10,800	5216/11,500	3904/153.7	1067/42
	K309 - SRW	E63, 8.0" BOX	ZW9	NOT AVAILABLE									
										4536/10,000-4854/10,700	5171/11,400	3396/133.7	1422/56
						E63, 8.0" BOX	ZW9			4536/10,000-4989/11,000	5262/11,600	4018/158.2	1422/56
								E63, 8.0" BOX	ZW9	4990/11,000	5262/11,600	4260/167.7	1422/56
	K309 - DRW	E63, 8.0" BOX	ZW9	NOT AVAILABLE									
						E63, 8.0" BOX	ZW9			5806/12,800	5897/13,000 & ZW9	3396/133.7	1422/56
										5897/13,000	5897/13,000 & ZW9	4018/158.2	1422/56
	K310 - DRW		ZW9										
								E63, 8.0" BOX	ZW9	5897/13,000	5897/13,000 & ZW9	4260/167.7	
	K314 - DRW		ZW9										
									5988/13,200	5988/13,200	3492/137.5	1524/60	
								5988/13,200	5988/13,200	4356/171.5	1524/60		
			ZW9					5988/13,200	5988/13,200	4115/162	2134/84		


E63 – Fleetside / Wideside Box (5' 8", 6.5' and 8' Boxes)

ZW9 – Chassis Cab

EXAMPLE: C10903 = 2 DOOR REGULAR CAB / FLEETSIDE/WIDESIDE / 8' BOX


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Regular Cab - General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Extended Cab – General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Crew Cab - General Arrangement



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Regular Cab Dually – General Arrangement




GENERAL ARRANGEMENT GMT900 C/K30953, 8.0' BOX DUALY, CHEVY

1" = 1 INCHES

ANB32122.9

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Chassis-Cab – General Arrangement



ANB32122.10

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Body/Cargo Weight Distribution 6'6" Box



MODEL	A (WB)	CA	CB	BL	BODY/CARGO WEIGHT DISTRIBUTION	
					% FRONT AXLE	% REAR AXLE
CK20753	3645.0 [143.5]	1063.4 [41.86]	25.4 [1.0]	2062.3 [81.2]	1	99
CK20743	3886.0 [153.0]	1072.8 [42.23]	25.4 [1.0]	2062.3 [81.2]	1	99


NOTE: DIMENSIONS SHOWN ARE NOMINAL.
 CA=CAB TO REAR AXLE DIMENSION
 CB=BODY CLEARANCE BETWEEN BODY AND CAB
 BL=BOX LENGTH
 A (WB)=WHEELBASE

$$\frac{\text{CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE}}{\text{WHEELBASE}} \times 100 = \% \text{ BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{\text{CA} - \text{CB} - (\text{BL}/2)}{\text{A (WB)}} \times 100 = \% \text{ BODY PAYLOAD AT FRONT AXLE}$$

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Body/Cargo Weight Distribution 8' Box



MODEL	A (WB)	CA	CB	BL	BODY/CARGO WEIGHT DISTRIBUTION	
					% FRONT AXLE	% REAR AXLE
CK20903 CK30903	3378.0 [133.0]	1430.7 [56.32]	25.4 [1.0]	2616.8 [103.02]	3	97
CK20943 CK30943	4242.0 [167.0]	1430.7 [56.32]	25.4 [1.0]	2616.8 [103.02]	3	97
CK20953 CK30953	4000.5 [157.5]	1430.7 [56.32]	25.4 [1.0]	2616.8 [103.02]	3	97

NOTE: DIMENSIONS SHOWN ARE NOMINAL.
 CA=CAB TO REAR AXLE DIMENSION
 CB=BODY CLEARANCE BETWEEN BODY AND CAB
 BL=BOX LENGTH
 A(WB)=WHEELBASE

$$\frac{\text{CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE}}{\text{WHEELBASE}} \times 100 = \% \text{ BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{\text{CA} - \text{CB} - (\text{BL}/2)}{\text{A (WB)}} \times 100 = \% \text{ BODY PAYLOAD AT FRONT AXLE}$$

GMT910 BODY/CARGO WEIGHT DISTRIBUTION CK109209309 03/43/53,8.0' BOX,2011


09JUNE10 FM

()=INCHES

ANC07766.5

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Body/Cargo Weight Distribution Chassis Cab



BODY PAYLOAD DISTRIBUTION %FRONT/REAR												
MODEL	A (WB)	CA	CB	BODY LENGTHS- FEET								
				8	9	10	11	12	13	14	15	16
CK31003	3495.0 [137.5]	1531.9 [60.31]	76.2 [3.0]	7/93	2/98							
CK31043	4358.0 [171.5]	1533.1 [60.36]	76.2 [3.0]	6/94	2/98							
CK31403	4117.0 [162.0]	2153.9 [84.90]	76.2 [3.0]	21/79	17/83	14/86	10/90	6/94	2/98			
WITH 24 INCH COMPARTMENT BEHIND CAB												
CK31003	3495.0 [137.5]	1531.9 [60.31]	76.2 [3.0]	6/94	1/99							
CK31043	4358.0 [171.5]	1533.1 [60.36]	76.2 [3.0]	5/95	1/99							
CK31403	4117.0 [162.0]	2153.9 [84.90]	76.2 [3.0]	20/80	16/84	12/88	9/91	5/95	1/99			

$$\frac{\text{CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE}}{\text{WHEELBASE}} \times 100 = \% \text{ BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{\text{CA} - \text{CB} - (\text{BL}/2)}{\text{A (WB)}} \times 100 = \% \text{ BODY PAYLOAD AT FRONT AXLE}$$

NOTE: DIMENSIONS SHOWN ARE NOMINAL.
 CA=CAB TO REAR AXLE DIMENSION
 CB=3" (BODY CLEARANCE BETWEEN BODY AND CAB)
 BL=BODY LENGTH
 A(WB)=WHEELBASE

GMT910 BODY/CARGO WEIGHT DISTRIBUTION CK310314 03/53, CHASSIS CAB, 2011


25AU2010 LE

[]=INCHES

ANCO7766


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 20/30 (903), Regular Cab 8' Box – Body General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 20753, Extended Cab 6' 6" Box – Body General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 20/30 (953), Extended Cab 8' Box – Body General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 20/30(743), Crew Cab 6' 6" Box – Body General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 30903, Regular Cab 8' Box DRW – Body General Arrangement



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 30953, Extended Cab 8' Box DRW – Body General Arrangement



GMT900-GENERAL ARRANGEMENT CHEVY (EXT CAB 8'0" PUBX DUALLY)
CK30953HD 157.5" WHEELBASE 2011


25MAY2010 FM

[] = INCHES

ANF74274.9


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 30943, Crew Cab 8' Box DRW – Body General Arrangement




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 200/300 (03/53/43) – Front End Clips





FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 200/300 (03/53/43) Hood - Openings



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Chevy - C/K 200/300 (03/53/43) - Hood Profiles



PT. #	LENGTH	WIDTH
1	1343.3	851.1
2	1300.0	850.7
3	1200.0	848.7
4	1100.0	846.6
5	1000.0	844.2
6	900.0	841.4
7	800.0	838.2
8	700.0	834.4
9	600.0	829.6
10	500.0	823.6
11	400.0	815.7
12	350.0	811.3
13	300.0	801.7
14	281.0	796.4
15	276.2	792.8
16	261.1	775.0
17	241.2	750.0
18	222.9	725.4
19	212.9	713.0
20	200.2	700.0
21	181.2	675.0
22	168.6	650.0
23	160.2	625.0
24	154.2	600.0
25	137.1	500.0
26	123.6	400.0
27	112.5	300.0
28	103.3	200.0
29	96.0	100.0
30	91.1	0.0


DRIVER SIDE COORDINATES

GMT900 HOOD PROFILE X88 (CHEV) 2011 C/K 200/300 034353

ANB49774.5

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

GMC - C/K 100/200/300 (03/53/43) - Hood Profiles




PT. #	LENGTH	WIDTH
1	1343.2	850.7
2	1300.0	850.6
3	1200.0	849.1
4	1100.0	847.2
5	1000.0	845.0
6	900.0	842.2
7	800.0	838.8
8	700.0	834.8
9	600.0	829.9
10	500.0	823.9
11	400.0	816.7
12	300.0	809.4
13	284.0	808.0
14	280.0	803.7
15	277.7	800.0
16	234.2	700.0
17	199.3	600.0
18	191.9	576.3
19	188.4	572.1
20	158.8	533.4
21	150.0	500.0
22	128.3	400.0
23	111.5	300.0
24	99.6	200.0
25	92.4	100.0
26	90.0	0.0

DRIVER SIDE COORDINATES

GMT900 HOOD PROFILE Z88 (GMC) 2011 C/K 100/200/300 034353

ANB49774.6

Rear Back of Cabs Silhouette – Pickups



C/K10703


24MAY10 FM

[] = 1 INCHES

ANB56252


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Regular Cab Pickup – C/K 100/200/300 (03) – Sign Area




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Extended Cab Pickup – C/K 100/200/300 (53) – Sign Area




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Crew Cab Pickup – C/K 100/200/300 (43) – Sign Area



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Regular Cab (03) – Cab Step in Heights



ALL MATH DATA FOR CK10003, ABOVE THE FRAME ARE MOVED UP 51 MM TO OBTAIN THE DATA FOR CK200300 03 MODELS.


MODEL	A (WB)	B
CK20903	3396.0 [133.7]	225.8 [8.90]
CK30903	3396.0 [133.7]	225.8 [8.90]
CK31003	3495.0 [137.5]	225.8 [8.90]
CK31403	4117.0 [162.0]	225.8 [8.90]

Extended Cab (53) – Cab Step in Heights



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Crew Cab (43) – Cab Step in Heights




ALL MATH DATA FOR CK100 43, ABOVE THE FRAME ARE MOVED UP 51 MM TO OBTAIN THE DATA FOR CK200300 43 MODELS.


MODEL	A (WB)	B	B1
CK20743	3904.0 [153.7]	225.8 [8.90]	225.6 [8.90]
CK20943	4260.0 [167.7]	225.8 [8.90]	225.6 [8.90]
CK30943	4260.0 [167.7]	225.8 [8.90]	225.6 [8.90]
CK31043	4358.0 [171.5]	225.8 [8.90]	225.6 [8.90]

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 1000, Option DL8 and C/K 2000/3000, Option DE2 – Mirrors, Outside Rearview



*DL8 TRUCK 1000 SERIES




*DE2 TRUCK 2000/3000 SERIES


ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 2000/3000, Option DF2 – Mirrors, Outside Rearview



*DF2 TRUCK 2000/3000 SERIES




*DL3 TRUCK 2000/3000 SERIES


ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 2000/3000, Option DL8 – Mirrors, Outside Rearview




*DL8 TRUCK 2000/3000 SERIES



*DPN TRUCK 2000/3000 SERIES

ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED

C/K 3000 (past Option DG5) West Coast Type - Mirrors, Outside Rearview




Mirror Assemblies - available via GM Parts
Option DG5 (2007-2011)
LH 25918060
RH 25918061

Option 9F8/DG5 (1999-2007)
LH 19120887, 12474087
RH 19120888, 12474088

ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Cab Clearance Lamps, CHMSL & Rear Cab Window



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Rear Quarter Body Panel – Cab Pressure Valve Assembly




CK 100 03 SHOWN
FOR HD INCREASE
HEIGHT 51MM

CK 100200300 034353
CK 200300 034353


() = INCHES

ANC27961.3

GMT900 Pickup Box Side Rail Load Points/Paths




GMT900 Pickup Box Side Rail Load Points/Paths




GMT900 Pickup Box Side Rail Load Points/Paths

Top View – Front Structure




GMT900 Pickup Box Side Rail Load Points /Paths



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Length and Width Dimension for 6' 6" and 8' - Pickup Box/CNG Tank



	A	B	C	D	E	F	G	H	J
C/K 6.6 FT	2127.2 (83.75)	2069.5 (81.48)	574.2 (22.61)	436.2 (17.17)	1090.3 (42.93)	2659.1 (104.69)	2163.0 (85.16)	1961.8 (77.24)	2079.2 (81.86)
C/K 8.0 FT	2630.1 (103.55)	2549.5 (100.37)	698.6 (27.50)	791.4 (31.16)	1445.9 (56.93)	3139.1 (123.59)	2643.4 (104.07)	2441.8 (96.13)	2559.2 (100.76)

C/K 6'6" AND 8' 0" PICKUP BOX


() = INCHES

BI-FUEL RPO FHV

ANB70929.17


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Inside Panel, 6' 6" Box – Pickup Box




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Cross Sills Location, 6' 6" Box - Pickup Box



SECTION E-E




SECTION F-F
TYP 3 PLACES



SECTION G-G

MODEL	A (WB)	TOP OF FLOOR RIBS	B
CK10703	3023.0 [119.0]	838.3 [33.0]	388.3 [15.29]
CK10753	3645.0 [143.5]	838.3 [33.0]	388.3 [15.29]
CK20753	3645.0 [143.5]	889.3 [35.0]	439.3 [17.30]
CK20743	3886.0 [153.0]	889.3 [35.0]	439.3 [17.30]



GMT900 PLATFORM SILLS, BOX 6'6", CK10703/53, CK20743/53, 2007/08


SHOWN CK10703

() = INCHES

ANB86203.4


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Inside Panel, 8" Box - Pickup Box



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Cross Sills Location, 8' Box - Pickup Box



ANB86203.8


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Seating Positions and H Points 1st Row Front View, Pickups - C/K 100/200/300 (03/53/43)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Seating Positions and H Points 2nd Row Front View, Pickups – C/K 100/200/300 (03/53/43)



ANC32358.4


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Seating Positions and H Points Side View, Pickups – C/K 100/200/300 (03/53/43)




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 100/200/300 (03/53) – Seat Mounting Holes Locations – Floor




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 10743 – Seat Mounting Holes Locations – Floor




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 20743 – Seat Mounting Holes Locations – Floor



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 100 (00) and C/K 200/300 (00) – Datum Hole Location




GMT 900 CK100200300 00 FRAME DATUM LOCATIONS 2011

[] = INCHES

ANC30752.3


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Frame Rail & C/Member Locations K207307 43




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 209/309 (03) – Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 31003 - Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 31403 - Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 31043 - Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 20753 - Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 209/309 (53) – Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 20743 - Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 209/309 (43) – Frame Rail and Crossmember Locations




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 2000 Series Pickups – Spare Tire Location



MODEL	TIRE	A	B	C	D	E	F
CK20753	P265/75R-17	947.7 [37.31]	264.5 [10.41]	20.4°	216.3 [8.52]	1022.3 [40.25]	202.0 [8.00]
CK20743	P265/70R-17	901.3 [35.50]	135.0 [5.32]	20.4°	216.3 [8.52]	1072.3 [42.22]	202.0 [8.00]
CK20903	P265/70R-17	1194.0 [47.00]	135.0 [5.32]	17.4°	216.3 [8.52]	1197.0 [47.12]	202.0 [8.00]
CK20953	P265/70R-17	947.7 [37.31]	133.0 [5.24]	15.6°	216.3 [8.52]	1197.0 [47.12]	202.0 [8.00]
CK20943	P265/70R-17	1197.0 [47.12]	101.5 [4.00]	15.6°	216.3 [8.52]	1197.0 [47.12]	202.0 [8.00]



GMT910 2011 SPARE TIRE TRUCKS 2000 SERIES


26MAY10 FM

310C05 SW (1) INCHES


ANC39360 .5

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 3000 Series Pickups – Spare Tire Location



MODEL	TIRE	A	B	C	D	E	F
K30903	LT215/85R-16	962.0 [37.88]	133.0 [5.24]	17.4°	215.5 [8.50]	1194.0 [47.00]	202.0 [8.00]
CK30953	LT215/85R-16	947.7 [37.31]	133.0 [5.24]	15.6°	215.5 [8.50]	1196.9 [47.12]	202.0 [8.00]
CK30943	LT215/85R-16	1197.0 [47.12]	151.45 [6.00]	15.6°	215.5 [8.50]	1196.9 [47.12]	202.0 [8.00]




GMT900 2011 SPARE TIRE TRUCKS 3000 SERIES

[] = INCHES


ANC39360.6

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 3000 Series Chassis-Cabs – Spare Tire Location



NOTE: If the Chassis-Cab is ordered with a spare wheel and tire, the wheel and tire are band tied to the top of the frame rail for shipping. The service body installer is responsible for mounting the spare wheel and tire.




GMT900 2011 SPARE TIRE TRUCKS 3000 SERIES CHASSIS CAB

[] = INCHES

ANC39360.7


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Pickups C/K 209/309 (03/53/43) – Platform Hitch



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Pickups C/K 207/309 (53/43) – Platform Hitch



MODEL	∅ REAR AXLE	DIM "A"
C/K 207 43HD	4886	628.6
C/K 207 53HD	4645	627.4

GMT910 C/K 200 43/53HD 2011


17JUNE10 FM

[]=INCHES

ANB60845.6

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Front Axle/Tire Data Drawing – C/K 20/30(000) Pickups and C/K 31(000) Chassis-Cabs



- VYU = SNOW PLOW
- ZW9 = BODY EQUIPMENT BASE BODY OR CHASSIS
- Z85 = CHASSIS PACKAGE INCREASED CAPACITY
- Z83 = CHASSIS PACKAGE SMOOTH RIDE
- E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX
- Z71 = CHASSIS PACKAGE OFF ROAD
- GTY = AXLE WIDE TRACK

*MINIMUM GROUND CLEARANCE TO BE
CALCULATED BY USING GROSS
AXLE WEIGHT AND RECOMMENDED TIRE PRESURE

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Front Axle/Tire Data Drawing – C/K 20(000) Pickups

20000 SERIES	OPT	SLR	FRONT TIRES 17", 18" & 20"	GVW RATING	REAR WHEEL	TRACK	WHEEL OFFSET	MAX TIRE WIDTH	GROUND CLEARANCE
C20903	Z85/Z71/ZW9	379.0	LT245/75R17	9300/9900*	SINGLE	1738.0	44.0	256.0	227.3
K20903	Z85/Z71/ZW9/VYU	379.0	LT245/75R17	9500/9900*	SINGLE	1738.0	44.0	256.0	227.3
C20903	Z85/Z71/ZW9	393.0	LT265/70R18	9300/9900*	SINGLE	1738.0	44.0	281.0	241.3
K20903	Z85/Z71/ZW9/VYU	393.0	LT265/70R18	9500/9900*	SINGLE	1738.0	44.0	281.0	241.3
C20903	Z85/Z71/ZW9	394.0	LT265/60R20	9300/9900*	SINGLE	1738.0	44.0	281.0	242.3
K20903	Z85/Z71/ZW9/VYU	394.0	LT265/60R20	9500/9900*	SINGLE	1738.0	44.0	281.0	242.3
C20753	Z85/Z71	379.0	LT245/75R17	9500/10000*	SINGLE	1738.0	44.0	256.0	227.3
K20753	Z85/Z71/VYU	379.0	LT245/75R17	9500/10000*	SINGLE	1738.0	44.0	256.0	227.3
C20753	Z85/Z71	393.0	LT265/70R18	9500/10000*	SINGLE	1738.0	44.0	281.0	241.3
K20753	Z85/Z71/VYU	393.0	LT265/70R18	9500/10000*	SINGLE	1738.0	44.0	281.0	241.3
C20753	Z85/Z71	394.0	LT265/60R20	9500/10000*	SINGLE	1738.0	44.0	281.0	242.3
K20753	Z85/Z71/VYU	394.0	LT265/60R20	9500/10000*	SINGLE	1738.0	44.0	281.0	242.3
C20953	Z85/Z71/ZW9	379.0	LT245/75R17	9500/10000*	SINGLE	1738.0	44.0	256.0	227.3
K20953	Z85/Z71/ZW9/VYU	379.0	LT245/75R17	9500/10000*	SINGLE	1738.0	44.0	256.0	227.3
C20953	Z85/Z71/ZW9	393.0	LT265/70R18	9500/10000*	SINGLE	1738.0	44.0	281.0	241.3
K20953	Z85/Z71/ZW9/VYU	393.0	LT265/70R18	9500/10000*	SINGLE	1738.0	44.0	281.0	241.3
C20953	Z85/Z71/ZW9	394.0	LT265/60R20	9500/10000*	SINGLE	1738.0	44.0	281.0	242.3
K20953	Z85/Z71/ZW9/VYU	394.0	LT265/60R20	9900/10000*	SINGLE	1738.0	44.0	281.0	242.3
C20743	Z85/Z71	379.0	LT245/75R17	9500/10000*	SINGLE	1738.0	44.0	256.0	227.3
K20743	Z85/Z71/VYU	379.0	LT245/75R17	9500/10000*	SINGLE	1738.0	44.0	256.0	227.3
C20743	Z85/Z71	393.0	LT265/70R18	9500/10000*	SINGLE	1738.0	44.0	281.0	241.3
K20743	Z85/Z71/VYU	393.0	LT265/70R18	9500/10000*	SINGLE	1738.0	44.0	281.0	241.3
C20743	Z85/Z71	394.0	LT265/60R20	9500/10000*	SINGLE	1738.0	44.0	281.0	242.3
K20743	Z85/Z71/VYU	394.0	LT265/60R20	9500/10000*	SINGLE	1738.0	44.0	281.0	242.3
C20943	Z85/Z71/ZW9	379.0	LT245/75R17	10000/10000*	SINGLE	1738.0	44.0	256.0	227.3
K20943	Z85/Z71/ZW9/VYU	379.0	LT245/75R17	9900/10000*	SINGLE	1738.0	44.0	256.0	227.3
C20943	Z85/Z71/ZW9	393.0	LT265/70R18	9500/10000*	SINGLE	1738.0	44.0	281.0	241.3
K20943	Z85/Z71/ZW9/VYU	393.0	LT265/70R18	9900/10000*	SINGLE	1738.0	44.0	281.0	241.3
C20943	Z85/Z71/ZW9	394.0	LT265/60R20	9500/10000*	SINGLE	1738.0	44.0	281.0	242.3
K20943	Z85/Z71/ZW9/VYU	394.0	LT265/60R20	9900/10000*	SINGLE	1738.0	44.0	281.0	242.3

*W/Diesel

SLR = C/L FRONT Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Front Axle/Tire Data Drawing – C/K 30(000) Pickups and C/K 31(000) Chassis-Cabs

30/31000 SERIES	OPT	SLR	FRONT TIRE 17" & 18"	GVW RATING	REAR WHEEL	TRACK	WHEEL OFFSET	MAX TIRE WIDTH	GROUND CLEARANCE
C30903	Z85/ZW9	397.0	LT265/70R18	10400/11100*	SINGLE	1738.0	44.0	281.0	241.3
K30903	Z85/ZW9/VYU	395.0	LT265/70R18	10700/11400*	SINGLE	1738.0	44.0	281.0	241.3
C30953	Z85/ZW9	395.0	LT265/70R18	10700/11200*	SINGLE	1738.0	44.0	281.0	241.3
K30953	Z85/ZW9/VYU	394.0	LT265/70R18	11000/11600*	SINGLE	1738.0	44.0	281.0	241.3
C30743	Z85/ZW9	396.0	LT265/70R18	10500/11100*	SINGLE	1738.0	44.0	281.0	241.3
K30743	Z85/ZW9/VYU	394.0	LT265/70R18	10800/11500*	SINGLE	1738.0	44.0	281.0	241.3
C30943	Z85/ZW9	393.0	LT265/70R18	11400/11400*	SINGLE	1738.0	44.0	281.0	241.3
K30943	Z85/ZW9/VYU	394.0	LT265/70R18	11000/11600*	SINGLE	1738.0	44.0	281.0	241.3
C30903	Z85/ZW9	386.0	LT235/80R17	12500/13000*	DUAL	1750.0	44.0	245.0	227.3
K30903	Z85/ZW9/VYU	384.0	LT235/80R17	12800/13000*	DUAL	1750.0	44.0	245.0	227.3
C30953	Z85/ZW9	384.0	LT235/80R17	13000/13000*	DUAL	1750.0	44.0	245.0	227.3
K30953	Z85/ZW9/VYU	382.0	LT235/80R17	13000/13000*	DUAL	1750.0	44.0	245.0	227.3
C30943	Z85/ZW9	384.0	LT235/80R17	13000/13000*	DUAL	1750.0	44.0	245.0	227.3
K30943	Z85/ZW9/VYU	382.0	LT235/80R17	13000/13000*	DUAL	1750.0	44.0	245.0	227.3
C31003	Z85/ZW9	383.0	LT235/80R17	13200	DUAL	1750.0	44.0	245.0	227.3
K31003	Z85/ZW9/VYU	381.0	LT235/80R17	13200	DUAL	1750.0	44.0	245.0	227.3
C31403	Z85/ZW9	383.0	LT235/80R17	13200	DUAL	1750.0	44.0	245.0	227.3
K31403	Z85/ZW9/VYU	381.0	LT235/80R17	13200	DUAL	1750.0	44.0	245.0	227.3
C31043	Z85/ZW9	381.0	LT235/80R17	13200	DUAL	1750.0	44.0	245.0	227.3
K31043	Z85/ZW9/VYU	379.0	LT235/80R17	13200	DUAL	1750.0	44.0	245.0	227.3


* w/Diesel

SLR = C/L FRONT Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Rear Axle/Tire Data Drawing – C/K 20/30(000) Pickups



- VYU = SNOW PLOW
- ZW9 = BODY EQUIPMENT BASE BODY OR CHASSIS
- Z85 = CHASSIS PACKAGE INCREASED CAPACITY
- E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX
- Z71 = CHASSIS PACKAGE OFF ROAD

RING GEAR	G
[11.5] DIA	191.5 [7.54]

A = TRACK + F
 B = TRACK - F

* MAX GROWN TIRE RADIUS ON NARROWEST RIM
 ** MAX GROWN TIRE WIDTH ON WIDEST RIM
 TIRE CHAINS NOT INCLUDED

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Rear Axle/Tire Data Chart – C/K 20/30(000) Pickups

20/30000 SERIES	OPT	SLR	REAR TIRES 17" & 18"	GVW RATING	REAR WHEEL	TRACK	WHEEL OFFSET	-A-	-B-	-C-	-D-	-E-	-F-	-H-	-BOF-	-HE-
C20903	Z85/Z71/ZW9	387.8	LT245/75R17	9300/9900*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	199.5	399.5	256.0	N/A	769.3/724.8	921.7/877.2
K20903	Z85/Z71/ZW9/VYU	387.4	LT245/75R17	9500/9900*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	199.5	399.5	256.0	N/A	767.6/722.1	920.0/874.5
C20903	Z85/Z71/ZW9	401.6	LT265/70R18	9300/9900*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	186.9	414.6	281.0	N/A	784.8/740.0	937.2/892.4
K20903	Z85/Z71/ZW9/VYU	401.3	LT265/70R18	9500/9900*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	186.9	414.6	281.0	N/A	783.5/737.7	935.9/890.1
C20753	Z85/Z71	388.1	LT245/75R17	9500/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	187.1	399.5	256.0	N/A	742.2/710.2	894.6/862.6
K20753	Z85/Z71/VYU	387.9	LT245/75R17	9500/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	187.1	399.5	256.0	N/A	741.4/709.7	893.8/862.1
C20753	Z85/Z71	400.7	LT265/70R18	9500/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	172.5	414.6	281.0	N/A	755.9/723.9	908.3/876.3
K20753	Z85/Z71/VYU	400.5	LT265/70R18	9500/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	172.5	414.6	281.0	N/A	755.1/723.3	907.5/875.7
C20953	Z85/Z71/ZW9	386.8	LT245/75R17	9500/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	183.8	399.5	256.0	N/A	754.1/707.5	906.5/859.9
K20953	Z85/Z71/ZW9/VYU	386.6	LT245/75R17	9500/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	183.8	399.5	256.0	N/A	752.8/706.4	905.2/858.8
C20953	Z85/Z71/ZW9	400.6	LT265/70R18	9500/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	171.4	414.6	281.0	N/A	769.9/723.0	922.3/875.4
K20953	Z85/Z71/ZW9/VYU	400.1	LT265/70R18	9500/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	171.4	414.6	281.0	N/A	768.8/722.2	921.3/874.6
C20743	Z85/Z71	386.7	LT245/75R17	9500/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	181.0	399.5	256.0	N/A	734.2/704.1	886.6/856.5
K20743	Z85/Z71/VYU	386.5	LT245/75R17	9500/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	181.0	399.5	256.0	N/A	733.7/703.6	885.0/856.0
C20743	Z85/Z71	400.5	LT265/70R18	9500/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	167.9	414.6	281.0	N/A	749.9/719.5	902.3/871.9
K20743	Z85/Z71/VYU	400.2	LT265/70R18	9500/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	167.9	414.6	281.0	N/A	749.1/718.7	901.5/871.1
C20943	Z85/Z71/ZW9	386.5	LT245/75R17	10000/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	179.4	399.5	256.0	N/A	752.6/703.0	905.0/855.4
K20943	Z85/Z71/ZW9/VYU	386.3	LT245/75R17	9900/10000*	SINGLE	1708.0	44.0	1964.0	1452.0	142.6	179.4	399.5	256.0	N/A	747.7/702.0	901.1/854.4
C20943	Z85/Z71/ZW9	400.3	LT265/70R18	9500/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	166.8	414.6	281.0	N/A	768.4/718.4	920.8/870.8
K20943	Z85/Z71/ZW9/VYU	400.1	LT265/70R18	9900/10000*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	166.8	414.6	281.0	N/A	763.8/717.6	916.2/870.0
C30903	Z85/ZW9	401.8	LT265/70R18	10400/11100*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	175.3	414.6	281.0	N/A	744.7/723.1	897.1/875.5
K30903	Z85/ZW9/VYU	401.9	LT265/70R18	10700/11400*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	175.3	414.6	281.0	N/A	750.7/723.4	903.1/875.8
C30953	Z85/ZW9	401.0	LT265/70R18	10700/11200*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	159.4	414.6	281.0	N/A	735.9/706.5	888.3/858.9
K30953	Z85/ZW9/VYU	401.1	LT265/70R18	11000/11600*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	159.4	414.6	281.0	N/A	741.0/710.2	893.4/862.6
C30743	Z85/ZW9	401.3	LT265/70R18	10500/11100*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	169.2	414.6	281.0	N/A	734.8/720.0	887.2/872.4
K30743	Z85/ZW9/VYU	401.1	LT265/70R18	10800/11500*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	169.2	414.6	281.0	N/A	734.2/720.1	886.6/872.5
C30943	Z85/ZW9	400.8	LT265/70R18	11400/11400*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	155.0	414.6	281.0	N/A	730.4/705.8	882.8/858.2
K30943	Z85/ZW9/VYU	401.0	LT265/70R18	11000/11600*	SINGLE	1708.0	44.0	1989.0	1427.0	130.1	155.0	414.6	281.0	N/A	733.9/706.2	886.3/858.6
C30903	Z85/ZW9	394.8	LT235/80R17	12500/13000*	DUAL	1904.7	137.0	2423.7	1385.8	109.5	187.8	403.8	245.0	519.0	738.5/721.3	890.9/873.7
K30903	Z85/ZW9/VYU	394.7	LT235/80R17	12800/13000*	DUAL	1904.7	137.0	2423.7	1385.8	109.5	187.8	403.8	245.0	519.0	740.1/718.1	892.5/870.5
135.98	Z85/ZW9	394.3	LT235/80R17	13000/13000*	DUAL	1904.7	137.0	2423.7	1385.8	109.5	176.0	403.8	245.0	519.0	730.0/706.4	882.4/858.8
K30953	Z85/ZW9/VYU	394.2	LT235/80R17	13000/13000*	DUAL	1904.7	137.0	2423.7	1385.8	109.5	176.0	403.8	245.0	519.0	730.3/706.3	882.7/858.7
C30943	Z85/ZW9	394.1	LT235/80R17	13000/13000*	DUAL	1904.7	137.0	2423.7	1385.8	109.5	172.8	403.8	245.0	519.0	725.0/706.4	877.4/858.8
K30943	Z85/ZW9/VYU	394.0	LT235/80R17	13000/13000*	DUAL	1904.7	137.0	2423.7	1385.8	109.5	172.8	403.8	245.0	519.0	724.6/703.1	877.0/855.5


*W/Diesel

HE = REAR 'Top of Frame' Min/Max Curb (base equipment) BOF+ 152.4(6" frame hgt) = HE
 SLR = C/L REAR Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
 MM / 25.4 = INCHES

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Rear Axle/Tire Data Drawing – C/K 31(000) Chassis-Cabs



SECTION D-D
ROTATED 90

- VYU = SNOW PLOW
- ZW9 = BODY EQUIPMENT BASE BODY OR CHASSIS
- Z85 = CHASSIS PACKAGE INCREASED CAPACITY
- E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX
- Z71 = CHASSIS PACKAGE OFF ROAD
- GTY = AXLE WIDE TRACK

RING GEAR	G
(11.5) DIA	191.5 (7.54)
(11.5) DIA	186.5 (7.34)

-GTY 3100 SERIES
+GTY 3100 SERIES

*MAX GROWN TIRE RADIUS
**MAX GROWN TIRE WIDTH

SINGLE WHEELS
A = TRACK + F
B = TRACK - F

DUAL WHEELS
A = TRACK + H
B = TRACK - H

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Rear Axle/Tire Data Chart – C/K 31(000) Chassis-Cabs


31000 SERIES	OPT	SLR	REAR TIRES 17"	GVW RATING	REAR WHEEL	TRACK	WHEEL OFFSET	-A-	-B-	-C-	-D-	-E-	-H-	-BOF-	-HE-
C31003	Z85/ZW9/GTY	396.0	LT235/80R17	13200	DUAL	1904.7	137.0	2423.7	1385.8	221.0	216.0	403.8	519.0	679.3/675.9	857.1/853.7
K31003	Z85/ZW9/VYU/GTY	395.9	LT235/80R17	13200	DUAL	1904.7	137.0	2423.7	1385.8	221.0	216.0	403.8	519.0	679.5/676.2	857.3/854.0
C31043	Z85/ZW9/GTY	395.4	LT235/80R17	13200	DUAL	1904.7	137.0	2423.7	1385.8	221.0	205.1	403.8	519.0	668.0/665.0	845.8/842.8
K31043	Z85/ZW9/VYU/GTY	395.4	LT235/80R17	13200	DUAL	1904.7	137.0	2423.7	1385.8	221.0	205.1	403.8	519.0	668.0/665.1	845.8/842.9
C31403	Z85/ZW9/GTY	396.2	LT235/80R17	13200	DUAL	1904.7	137.0	2423.7	1385.8	221.0	212.3	403.8	519.0	675.4/672.4	853.2/850.2
K31403	Z85/ZW9/VYU/GTY	396.1	LT235/80R17	13200	DUAL	1904.7	137.0	2423.7	1385.8	221.0	212.3	403.8	519.0	675.1/672.2	852.9/850.0
C31003	Z85/ZW9	396.0	LT235/80R17	13200	DUAL	1745.5	137.0	2264.5	1226.6	141.5	216.0	403.8	519.0	679.3/675.9	857.1/853.7
K31003	Z85/ZW9/VYU	395.9	LT235/80R17	13200	DUAL	1745.5	137.0	2264.5	1226.6	141.5	216.0	403.8	519.0	679.5/676.2	857.3/854.0
C31043	Z85/ZW9	395.4	LT235/80R17	13200	DUAL	1745.5	137.0	2264.5	1226.6	141.5	205.1	403.8	519.0	668.0/665.0	845.8/842.8
K31043	Z85/ZW9/VYU	395.4	LT235/80R17	13200	DUAL	1745.5	137.0	2264.5	1226.6	141.5	205.1	403.8	519.0	668.0/665.1	845.8/842.9
C31403	Z85/ZW9	396.2	LT235/80R17	13200	DUAL	1745.5	137.0	2264.5	1226.6	141.5	212.3	403.8	519.0	675.4/672.4	853.2/850.2
K31403	Z85/ZW9/VYU	396.1	LT235/80R17	13200	DUAL	1745.5	137.0	2264.5	1226.6	141.5	212.3	403.8	519.0	675.1/672.2	852.9/850.0

HE = REAR `Top of Frame' Min/Max Curb (base equipment) BOF+ 177.8(7" frame hgt) = HE
 SLR = C/L REAR Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
 MM / 25.4 = INCHES

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Fuel Tank (NM2) & Fuel Filler Location CK209309/03 L96 (Gas)




GMT900 FUEL TANK (NM2) & FUEL FILLER LOCATION
CK209309/03 L96 (GAS) 2011

21SEP2010 LE

[] = INCHES


ANF27641.4

Fuel Tank (NM2) & Fuel Filler Location CK209309/03 LML (Diesel)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Fuel Tank (NM2) & Fuel Filler Location CK207307/43/53 LY6/L96/LC8 (Gas)




GMT900 FUEL TANK (NM2) & FUEL FILLER LOCATION
CK207307/43/53 LY6/L96/LC8 (GAS) 2011

21SEP2010 LE

[] = INCHES

ANF27641.6

Fuel Tank (NM2) & Fuel Filler Location CK207307/43/53 LML (Diesel)



GMT900 FUEL TANK (NM2) & FUEL FILLER LOCATION
CK207307/43/53 LML (DIESEL) 2011


21SEP2010 LE

[] = INCHES

ANF27641.5


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Fuel Tank (NM2) & Fuel Filler Location CK310314/03/43 L96 (Gas)




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Fuel Tank (NM2) & Fuel Filler Location CK310314/03/43 LML (Diesel)




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Exhaust System HD LML Diesel CK207307209309/03/043/53 (Pick-Ups)




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Exhaust System HD L96 E63/LC8 CK 207/53;CK 207209307309/43;CK209/309/03 (Pick-Ups)




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Exhaust System HD L96 CK 310/314/03;CK 310/314/43 (Chassis-Cabs)




FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Exhaust System HD L96 E63/LC8 CK 209309/03/43/53 (ZW9)



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


C/K 310 (03/53) w/LMM and ZW9 – Exhaust Systems



ANB44495.23

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


C/K 31403 w/LMM and YF2 (-YF2) – Exhaust Systems



ANB44495.24


FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

C/K 31403 w/LMM and YF2 - Exhaust Systems



FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Muncie - PTO



ANC39733.3

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Chelsea - PTO



ANC39733.4