

# Full Size C/K Utilities

Model Symbol Chart .....	1
Snow Plow Prep. Package .....	See Light Duty BBM "Special Applications – Snow Plow Prep Package" section
General Information.....	See Light Duty BBM "General Information" section
Trailering Information .....	See Light Duty Online Order/Ref. Guide – Light Duty "Trailering Specs"
Model and Option Weights .....	See Light Duty Online Order/Ref. Guide "Model & Opt. Weights" & "Weight Calculator"

## VEHICLE

### GENERAL ARRANGEMENT

C/K 15706.....	2
C/K 15906 .....	3

### BODY – EXTERIOR

#### FRONT END CLIPS

C/K 150 (06) .....	4
--------------------	---

#### HOOD OPENINGS

C/K 150 (06).....	5
-------------------	---

#### HOOD PROFILES

GMC Z88 – C/K 150 (06) .....	6
------------------------------	---

Chevy X88 – C/K 150 (06).....	7
-------------------------------	---

#### SIGN AREA

C/K15706.....	8
---------------	---

C/K15 906 .....	9
-----------------	---

#### MIRRORS, OUTSIDE REARVIEW

C/K 150 (06) SUV, Options DL3 and DL8.....	10
--	----

C/K 150 (06) SUV, Options DPN and DE2 .....	11
---	----

#### ROOF RACK

Overall Height C/K 150 (06).....	12
----------------------------------	----

# **Full Size C/K Utilities**

PAGE ii

## **BODY – INTERIOR**

### **SEATING ARRANGEMENT**

Seating Positions and H Points 1st Row Front View, Utilities – C/K 150 (06) .....	13
Seating Positions and H Points 2nd Row Front View, Utilities – C/K 150 (06) .....	14
Seating Positions and H Points 3rd Row Front View, Utilities – C/K 150 (06) .....	15
Seating Positions and H Points Side View, Utilities – C/K 150 (06).....	16

### **SEAT MOUNTING HOLES LOCATIONS – FLOOR**

C/K 15706 1st and 2nd Rows.....	17
C/K 15706 1st and 3rd Rows.....	18
C/K 15 906 1st, 2nd and 3rd Rows.....	19

## **CHASSIS**

### **DATUM HOLE LOCATION – FRAME**

C/K 150 (00) .....	20
--------------------	----

### **FRAME RAIL AND CROSMEMBER LOCATION**

C/K 15706 .....	21
C/K 159 (06).....	22

### **SPARE TIRE LOCATION.....**

### **PLATFORM HITCH**

Utilities C/K 150 (06).....	24
-----------------------------	----

### **FRONT AXLE/TIRE DATA**

Front Axle/Tire Data Drawing – C/K15 (706/906).....	25
Front Axle/Tire Data Chart – C/K15 (706/906).....	26

# **Full Size C/K Utilities**

PAGE  
iii

## **CHASSIS – Continued**

### **REAR AXLE/TIRE DATA**

Rear Axle/Tire Data Drawing – C/K 150 (06)..... 27

Rear Axle/Tire Data Chart – C/K 150 (06)..... 28

### **FUEL SYSTEMS**

C/K 15706 ..... 29

C/K 15906..... 30

### **EXHAUST SYSTEMS**

C/K 157/159 (06) w/LMG & L9C (5.3L V8)..... 31

# Full Size C/K Utilities


## Model Symbol Chart

MARKETS (Optional)	ENGINEERING MODEL	4-DOOR UTILITY WITH REAR LIFTGATE / LIFTGLASS	4-DOOR UTILITY WITH REAR LIFTGATE / LIFTGLASS	GVWR (kg/lbs)	WHEELBASE (mm/in)	CAB-TO-AXLE (mm/in)
All	C157	06 + E52		3220/7100	2946/116.0	
All	C159		06 + E52	3266/7200	3302/130.0	
All	K157	06 + E52		3311/7300	2946/116.0	
All	K159		06 + E52	3357/7400	3302/130.0	

# Full Size C/K Utilities

PAGE 2


## C/K 15706 – General Arrangement



# Full Size C/K Utilities

PAGE 3

## C/K 15906 – General Arrangement



GENERAL ARRANGEMENT C/K15906, CHEVY

25SEP2013 AWIND


[ ] = INCHES

ANB32122.4

# Full Size C/K Utilities

PAGE 4


## C/K 150 (06) – Front End Clips



# Full Size C/K Utilities

PAGE 5



## C/K 150 (06) – Hood Openings



# Full Size C/K Utilities

PAGE 6

## GMC Z88 - C/K 150 (06) - Hood Profiles





PT. #	LENGTH	WIDTH
1	1334.3	800.0
2	1300.0	864.5
3	1200.0	887.1
4	1100.0	880.3
5	1000.0	872.8
6	900.0	864.1
7	800.0	853.3
8	700.0	839.3
9	600.0	820.4
10	500.0	794.5
11	400.0	758.8
12	300.0	708.0
13	288.7	700.0
14	275.7	692.0
15	257.0	684.1
16	223.5	667.4
17	200.0	638.8
18	175.9	600.0
19	164.3	547.9
20	152.7	500.0
21	133.8	400.0
22	122.1	300.0
23	114.4	200.0
24	110.0	100.0
25	108.5	0.00

DRIVER SIDE COORDINATES

# Full Size C/K Utilities

PAGE 7

## Chevy X88 – C/K 150 (06) – Hood Profiles



HOOD PROFILE X88(CHEV) C/K150 06 2015

25SEP2013 AWIND


[ ] = INCHES

ANB49774 .3

# Full Size C/K Utilities

PAGE 8

## C/K15706 – Sign Area



SUV CK15706 WLB116 SIGN AREA X88 SHOWN


25SE02013 AWIND [ ]= INCHES

ANC41481.3

# Full Size C/K Utilities

PAGE 9

## C/K15 906 – Sign Area




SUV CK15906 WLB130 SIGN AREA X88 SHOWN

25SEP2013 AWIND 1= INCHES ANC41481.4


# Full Size C/K Utilities

PAGE 10

## C/K150 (06) SUV, options DL3 and DL8 – Mirrors, Outside Rearview



\*DL3 SUV (TRUCK 1000 SERIES)



\*DL8 SUV ONLY

ALL DIMENSIONS SHOWN FOR CHEVY  
BASE MODEL UNLESS OTHERWISE NOTED

SUV 06 / TRUCK 1000 SERIES

10DEC2013 AJW


( ) = INCHES

ANC22057.3


# Full Size C/K Utilities

PAGE 11

## C/K150 (06) SUV, options DPN and DE2 – Mirrors, Outside Rearview




\*DPN SUV (TRUCK 1000 SERIES)



\*DE2 TRUCK 1000 SERIES

ALL DIMENSIONS SHOWN FOR CHEVY  
BASE MODEL UNLESS OTHERWISE NOTED

## Overall Height C/K 100 (06) – Roof Rack



CHEVY SHOWN / GMC SAME AS CHEVY

06


[ ] = INCHES

**ANC24426.3**

# Full Size C/K Utilities

PAGE 13

## Seating Positions and H Points 1st Row Front View, Utilities – C/K 150 (06)




2007  
CK 150 06

ANC32358.6

# Full Size C/K Utilities

PAGE 14

## Seating Positions and H Points 2nd Row Front View, Utilities – C/K 150 (06)




ANC32358.7

# Full Size C/K Utilities

PAGE 15


## Seating Positions and H Points 3rd Row Front View, Utilities – C/K 150 (06)



# Full Size C/K Utilities

PAGE 16

## Seating Positions and H Points Side View, Utilities – C/K 150 (06)




ANC32358.9

# Full Size C/K Utilities

PAGE 17


## C/K 15706 1st and 2nd Rows – Seat Mounting Holes Locations – Floor



# Full Size C/K Utilities

PAGE 18


## C/K 15706 1st and 3rd Rows – Seat Mounting Holes Locations – Floor




# Full Size C/K Utilities

PAGE 19

## C/K 15 906 1st, 2nd and 3rd Rows – Seat Mounting Holes Locations – Floor



## C/K 150 (00) – Datum Hole Location



CK150 FRAME DATUM LOCATIONS

11AU05 CB


[ ] = INCHES

ANC30752.3

# Full Size C/K Utilities


PAGE 21

## C/K 15706 – Frame Rail and Crossmember Locations



# ***Full Size C/K Utilities***


**C/K 159 (06) – Frame Rail and Crossmember Locations**




# Full Size C/K Utilities

PAGE 23

## Spare Tire Location



MODEL	TIRE	A	B	C	D	E	F
CK15706	P265/70R17	915.5 [ 36.04 ]	88.0 [ 3.46 ]	28.6°	263.0 [ 10.35 ]	1123.0 [ 44.21 ]	185.6 [ 7.31 ]
CK15906	P265/70R17	941.8 [ 37.08 ]	135.0 [ 5.32 ]	22.5°	271.6 [ 10.69 ]	1284.4 [ 50.57 ]	185.6 [ 7.31 ]




2015 SPARE TIRE UTILITIES


310C05 SW [ ]= INCHES

ANC39360.3

## Utilities C/K 150 (06) – Platform Hitch



## Front Axle/Tire Data Chart – C/K15 (706/906)



VYU = SNOW PLOW

Z83 = CHASSIS PACKAGE SOLID SMOOTH RIDE

Z85 = CHASSIS PACKAGE INCREASED CAPACITY

E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX

Z71 = CHASSIS PACKAGE OFF ROAD

ZW7 = CHASSIS PACKAGE PREMIUM SMOOTH RIDE

\*MINIMUM GROUND CLEARANCE TO BE  
CALCULATED BY USING GROSS  
AXLE WEIGHT AND RECOMMENDED TIRE PRESSURE

# Full Size C/K Utilities

PAGE 26

## Front Axle/Tire Data Chart – C/K15 (706/906)

SERIES	OPT	SLR	TIRES	GVW RATING	REAR WHEEL	TRACK	WHEEL OFFSET	MAX TIRE WIDTH	GROUND CLEARANCE
K15706	ZW7/Z55/Z56/Z71	366	P265/65R18	7100	SINGLE	1725.6	28.0	286.0	210.2
C15706	ZW7/Z55/Z56/Z71	368	P265/65R18	7000	SINGLE	1725.6	28.0	286.0	211.8
K15706	ZW7/Z55/Z56/Z71	368	P265/65R18	7300	SINGLE	1725.6	28.0	286.0	213.0
CK15706	ZW7/Z55/Z56/Z71	371	P265/65R18	7100	SINGLE	1725.6	28.0	286.0	223.0
K15706	ZW7/Z55/Z56/Z71	365	P265/70R17	7300	SINGLE	1725.6	28.0	281.0	206.0
CK15706	ZW7/Z55/Z56/Z71	368	P265/70R17	7100	SINGLE	1725.6	28.0	281.0	206.5
CK15706	ZW7/Z55/Z56/Z71	376	P275/55R20	7100	SINGLE	1725.6	28.0	298.0	216.5
K15706	ZW7/Z55/Z56/Z71	373	P275/55R20	7300	SINGLE	1725.6	28.0	298.0	214.4
CK15706	ZW7/Z55/Z56/Z71	376	P275/55R20	7100	SINGLE	1725.6	28.0	298.0	214.6
K15706	ZW7/Z55/Z56/Z71	373	P275/55R20	7300	SINGLE	1725.6	28.0	298.0	213.7
CK15706	ZW7/Z55/Z56/Z71	379	P285/45R22	7000	SINGLE	1725.6	28.0	294.0	222.2
K15906	ZW7/Z55/Z56/Z71	376	P285/45R22	7400	SINGLE	1725.6	28.0	294.0	220.5
K15906	ZW7/Z55/Z56/Z71	373	P275/55R20	7400	SINGLE	1725.6	28.0	298.0	213.3
C15906	ZW7/Z55/Z56/Z71	375	P275/55R20	7200	SINGLE	1725.6	28.0	298.0	375.4
K15906	ZW7/Z55/Z56/Z71	365	P265/70R17	7400	SINGLE	1725.6	28.0	281.0	201.8
C15906	ZW7/Z55/Z56/Z71	368	P265/70R17	7200	SINGLE	1725.6	28.0	281.0	206.5
K15906	ZW7/Z55/Z56/Z71	365	P265/65R18	7400	SINGLE	1725.6	28.0	286.0	215.4

UTILITIES 1000 SERIES FRONT AXLE/TIRE DATA (2007)


METRIC CONVERSION TO INCHES  
MM / 25.4 = INCHES

**ANB46140.15**

# Full Size C/K Utilities

PAGE 27

## Rear Axle/Tire Data Drawing – C/K 150 (06)



RING GEAR	G
18.6" DIA	139.0 [5.47]
19.5" DIA	160.0 [6.30]
210.5" DIA	184.0 [7.24]

A = TRACK + F  
B = TRACK - F

\* MAX GROWN TIRE RADIUS ON NARROWEST RIM  
\*\* MAX GROWN TIRE WIDTH ON WIDEST RIM  
TIRE CHAINS NOT INCLUDED

ZW7 = CHASSIS PACKAGE PREMIUM SMOOTH RIDE

Z71 = CHASSIS PACKAGE OFF ROAD

UTILITIES REAR AXLE/TIRE DATA (2007)

[ ] = INCHES

# Full Size C/K Utilities

PAGE 28

## Rear Axle/Tire Data Chart – C/K 150 (06)


SERIES	OPT	SLR	TIRES	GVW RATING	REAR WHEEL	TRACK	WHEEL OFFSET	- A -	- B -	- C -	- D -	- E -	- F -
K15706	ZW7/Z55/Z56/Z71	361	P265/65R18	7100	SINGLE	1701.8	28.0	1986.9	1414.9	22.8	265.5	408.5	286.0
C15706	ZW7/Z55/Z56/Z71	361	P265/65R18	7000	SINGLE	1701.8	28.0	1986.9	1414.9	22.8	265.5	408.5	286.0
K15706	ZW7/Z55/Z56/Z71	363	P265/65R18	7300	SINGLE	1701.8	28.0	1986.9	1414.9	22.8	265.5	408.5	286.0
CK15706	ZW7/Z55/Z56/Z71	363	P265/65R18	7100	SINGLE	1701.8	28.0	1986.9	1414.9	22.8	265.5	408.5	286.0
K15706	ZW7/Z55/Z56/Z71	363	P265/70R17	7300	SINGLE	1701.8	28.0	1980.8	1418.8	25.9	264.8	410.0	281.0
CK15706	ZW7/Z55/Z56/Z71	360	P265/70R17	7100	SINGLE	1701.8	28.0	1980.8	1418.8	25.9	264.8	410.0	281.0
CK15706	ZW7/Z55/Z56/Z71	369	P275/55R20	7100	SINGLE	1701.8	28.0	1999.0	1403.0	15.5	269.3	410.0	298.0
K15706	ZW7/Z55/Z56/Z71	369	P275/55R20	7300	SINGLE	1701.8	28.0	1999.0	1403.0	15.5	269.3	410.0	298.0
CK15706	ZW7/Z55/Z56/Z71	369	P275/55R20	7100	SINGLE	1701.8	28.0	1999.0	1403.0	15.5	269.3	410.0	298.0
K15706	ZW7/Z55/Z56/Z71	369	P275/55R20	7300	SINGLE	1701.8	28.0	1999.0	1403.0	15.5	269.3	410.0	298.0
CK15706	ZW7/Z55/Z56/Z71	373	P285/45R22	7000	SINGLE	1701.8	28.0	1995.8	1407.8	15.9	264.3	413.9	294.0
K15906	ZW7/Z55/Z56/Z71	372	P285/45R22	7400	SINGLE	1701.8	28.0	1995.8	1407.8	15.9	264.3	413.9	294.0
K15906	ZW7/Z55/Z56/Z71	368	P275/55R20	7400	SINGLE	1701.8	28.0	1999.0	1403.0	15.5	269.3	410.0	298.0
C15906	ZW7/Z55/Z56/Z71	369	P275/55R20	7200	SINGLE	1701.8	28.0	1999.0	1403.0	15.5	269.3	410.0	298.0
K15906	ZW7/Z55/Z56/Z71	360	P265/70R17	7400	SINGLE	1701.8	28.0	1908.8	1418.8	25.9	264.8	410.0	281.0
C15906	ZW7/Z55/Z56/Z71	360	P265/70R17	7200	SINGLE	1701.8	28.0	1908.8	1418.8	25.9	264.8	410.0	281.0
K15906	ZW7/Z55/Z56/Z71	360	P265/65R18	7400	SINGLE	1701.8	28.0	1986.9	1414.9	22.8	265.5	408.5	286.0

UTILITIES REAR AXLE/TIRE DATA (2007)

METRIC CONVERSION TO INCHES  
MM / 25.4 = INCHES

**ANB46140.4**

## C/K 15706 – Fuel Systems



FUEL TANK CK15706 2015

020CT13 LE


[ ] = INCHES

ANB49354 .3

# Full Size C/K Utilities

PAGE 30

## C/K 15906 – Fuel Systems



## C/K 157/159 (06) LMG & L9C (5.3L V8) – Exhaust System

