



2 0 1 8

EXPRESS VAN PASSENGER



Shown with aftermarket equipment



About This Publication

This catalog is not updated during the model year and should not be used for ordering purposes. It is intended as a source of basic information. All illustrations and specifications in this literature are based on the latest product information available at the time of publication. General Motors reserves the right to make changes at any time without notice. For further details, consult your local dealer.

Care must be taken during customer installation of equipment and wiring to ensure that all holes drilled in the body are corrosion protected, properly sealed and that vehicle wiring harnesses, piping or other components have not been displaced or damaged. Aftermarket equipment installers must be mindful of applicable Federal Motor Vehicle Safety Standards. This information can be obtained directly from the National Highway Traffic Safety Administration.

Adding non-dealer accessories or making modifications to the vehicle can affect vehicle performance, aerodynamics, and overall top speed.

These vehicles are equipped with an air bag system. The air bag system in your police vehicle includes frontal driver and passenger air bags, front seat back side impact air bags, front knee air bags or knee bolsters and side curtain air bags. Customer installed equipment such as security barriers behind the front seats should not be mounted so that the barrier ends are within the side air bag deployment zones. The sensors and other components for the air bag system must not be relocated to accommodate the installation of customer furnished equipment; please refer to the service manual for sensor and other component locations. For information concerning instrument panel top pad mounted equipment and air bag system deployment zones, see the air bag information section in this catalog and the vehicle owners manual.

A note about vehicle alterations by independent suppliers: This catalog shows pictures of vehicles that have been altered or upfitted with equipment or components supplied to Chevrolet or its dealers by independent suppliers. Chevrolet is not responsible for the safety or quality of design features, materials or workmanship of any alterations by a supplier.

INDEX

- **UPDATES FOR 2018 EXPRESS PASSENGER VAN**
- **STANDARD 1LS/1LT FEATURES**
- **COLORS & INTERIOR TRIM**
- **OPTIONAL EQUIPMENT**
- **POWERTRAIN / TRANSMISSION RATINGS / GCWR RATINGS / EMISSIONS**
- **SPECIFICATIONS**
- **ONSTAR®, 4G LTE Wi-Fi AND SATELLITE RADIO SERVICE PLANS**
- **AIRBAG DIMENSIONS**
- **AIRBAGS FAQ**
- **STABILITRAK**
- **WARRANTY**

2018 EXPRESS PASSENGER VAN 1LS/1LT



Navigation Optional



UPDATES FOR 2018

NEW FEATURES

- (LV1) 4.3L V6 SIDI engine
- (LC8) 6.0L V8 SFI gaseous engine
- (GD1) Kinetic Blue Metallic
- (G9K) Satin Steel Metallic (No longer available to order as of 11-20-17)
- (UFT) Side Blind Zone Alert
- (WPD) Safety Package
- (WP9) Communications Package
- (M5U) 8-speed automatic transmission is now standard
- (UVC) Rear vision camera is now standard
- Hill Start Assist is now standard
- (86U) Wheatland Yellow changes to SEO (9W3)
- (ZQ2) Convenience Package, changed named to Power Convenience Package
- (ZQ3) Convenience Package, changed name to Driver Convenience Package
- (ZL3) Enhanced Convenience Package
- Dual composite headlights are now standard

DISCONTINUED

- (L20) Vortec 4.8L V8 SFI engine
- (GBV) Cyber Gray Metallic
- (D31) Mirror
- SEO (MTM) Windshield, mirror mounting bracket
- SEO (ZP8) 8 passenger seating
- SEO (8V5) 10 passenger seating

2018 EXPRESS PASSENGER VAN 1LS AND 1LT

NOTE: This vehicle is not designed nor intended for use in high speed emergency vehicle operations.
 Model CG23406 (1LS) Rear-wheel Regular Wheelbase 2500 Series (Also available in 1LT Model)
 Model CG33406 (1LS) Rear-wheel Regular Wheelbase 3500 Series (Also available in 1LT Model)
 Model CG33706 (1LS) Rear-wheel Extended Wheelbase 3500 Series (Also available in 1LT Model)

STANDARD INTERIOR FEATURES ON THE 1LS PASSENGER VAN

AIR CONDITIONING	Single-zone, manual
ASSIST HANDLE	Driver and front passenger
AUDIO SYSTEM	AM/FM stereo with MP3 player, seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers. Model: 'LS' CG23406 Not available with (U2K) SiriusXM Satellite Radio or (WP9) Communications Package. All other models: Not available with (U2K) SiriusXM Satellite Radio.
CONSOLE	Engine cover with open storage bin on 'LS' Models. Deluxe Console with swing-out storage bin standard on 'LT' Models (Included with (AS5) front bucket seats with Custom Cloth).
CRUISE CONTROL	Included and only available with (ZQ3) Driver Convenience Package, tilt-wheel and cruise control available on CG23406 'LS' Model. Standard on 'LT' Models
CONVENIENCE PACKAGE	Includes (A31) power windows and (AU3) power door locks
CUP HOLDERS	Three on engine console cover
DEFOGGERS	Front and side windows, (C49) Rear Defogger optional
DRIVER CONVENIENCE PKG.	Includes Tilt-Wheel and (K34) cruise control. Included with (WP9) Communications Package, (WPD) Safety Package or (ZL3) Enhanced Convenience Package. Available CG23406 'LS' Model. Standard on all other models.
FLOOR COVERING	Full-length Black rubberized-vinyl standard on 'LS' Models. Optional (B31) Full-floor color-keyed carpeting with front and rear rubberized vinyl floor mats available on 'LS' standard on 'LT' Models.
LIGHTING	Interior with 2 dome lights, defeat switch and door handle-activated switches
MIRROR	Inside rearview, with Rear Vision Camera display
ONSTAR®	ONSTAR® Basic Plan ³ , ONSTAR® Guidance ⁴ and ONSTAR® 4G LTE with Wi-Fi See ONSTAR® section for Availability and Available Plans.
POWER OUTLETS	Two auxiliary on engine console with cover 12-volt and 120-volt power outlet
RESTRAINT SYSTEM¹	Air bags, frontal, driver and right-front passenger. Includes passenger-side air bag deactivation switch Driver and right-front passenger, seat-mounted side-impact and head curtain side-impact, provides coverage for first 3-rows only. Enhanced-technology glass is provided for fourth and fifth rows.
SEATS, FRONT	Front bucket with vinyl trim and head restraints, includes inboard armrests. Requires (93W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats. 12-passenger, (2-3-3-4 seating configuration), 4-passenger seat is a 50/50 split, 2-piece configuration standard on 'LS' Models. Front bucket with Custom Cloth trim, head restraints and inboard armrests. Requires (93G) interior trim. Includes (BA3) console with swing-out storage bin. When ordering a seating arrangement that includes rear seats, includes rear bench seats with Custom Cloth trim. Head restraints are not available on rear bench seats. Standard on 'LT' Models. Optional on 'LS' Models.
SEATS, REAR	12-passenger, (2-3-3-4 seating configuration), 4-passenger seat is a 50/50 split, 2-piece configuration.
SPEEDOMETER/CLUSTER	Analog with speedometer, odometer, trip odometer, fuel level, volt meter, engine temperature and oil pressure
THEFT DETERRENT	Vehicle theft PASS-Key® III. Steel sleeve column with theft-deterrent locking feature.
VISORS	Driver and front passenger, cloth, padded. Not available with (TR9) auxiliary lighting or (C69) rear air conditioning or (DAA) driver and front passenger vinyl visors or (DH6) driver and front passenger visors padded with cloth trim. Standard on CG23406 and CG33406. Visors, driver and front passenger, padded with cloth trim and dual vanity mirrors, illuminated on passenger-side. Included and only available with (TR9) auxiliary lighting. Standard on all other models.
WARNING TONES	Headlamp on and key-in-ignition


1. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.
 3. Does not include emergency or security services. Visit ONSTAR®.com for coverage map, details and system limitations
 4. Visit ONSTAR®.com for coverage map, details and system limitations

2018 EXPRESS PASSENGER VAN 1LS AND 1LT

STANDARD EXTERIOR FEATURES ON THE 1LS PASSENGER VAN	
BUMPER, FRONT	Painted, Black. Deleted when (V37) front and rear chrome bumpers is ordered.
BUMPER, REAR	Painted, Black with step pad. Deleted when (V37) front and rear chrome bumpers is ordered.
DOOR LOCKS	Power with lock-out protection NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately on 'LS' Models
DOOR	Swing-out passenger-side, 60-40 split
GLASS	Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass) Enhanced-technology, rear most side windows. 3-layer special glass is designed to help reduce the risk of ejection during a crash.
GLASS BODY PACKAGE	Glass, full-body window package. Includes (A18) swing-out rear cargo door window glass and (A19) swing-out side door window glass.
GRILLE	Black composite standard on 'LS' Models. Chrome available on 'LS' Models. Standard on 'LT' Models. Included and only available with (ZR7) Chrome Appearance Package.
HEADLAMPS	Single halogen. Includes Day time running lamps. Altering headlamp assembly is not recommended, General Motors is not responsible for the effects of any modifications.
MIRRORS	Outside, rearview, manual, Black
REAR VISION CAMERA	Display integrated into rearview mirror.
TIRES	LT245/75R16E all-seasonal, blackwall, with full size spare tire
TIRE PRESSURE MONITOR	Does not apply to spare tire
WINDOWS	Power
WINDSHIELD WIPERS	Intermittent wet-arm with pulse washers
WHEELS	Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare
STANDARD CHASSIS FEATURES ON THE 1LS PASSENGER VAN	
ALTERNATOR	105 amps standard on CG23406 and CG33406 Not available with (LWN) 2.8L Duramax Turbo-Diesel engine or (C69) rear air conditioning. 150 amps available on CG23406 and CG33406 standard on all other Models included with (C69) rear air conditioning.
AXLE	3.42 Axle ratio
BATTERY	600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.
BRAKES	4-wheel antilock, 4-wheel disc
ENGINE	4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction 276 hp and 295 lb-ft of torque.
EXHAUST	Aluminized stainless-steel muffler and tailpipe
FUEL TANK CAPACITY	31 gallon (117.3 liters)
OIL LIFE	Monitor
HILL START ASSIST	This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off.
STABILITRAK	Traction assistance and vehicle stability enhancement system
STEERING	Power
SUSPENSION, FRONT	Independent with coil spring and stabilizer bar
SUSPENSION, REAR	Hypoid drive axle with multi-leaf springs
TRANS. OIL COOLER	External. Not available with (LWN) 2.8L Duramax Turbo Diesel engine.
TRANSMISSION	8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine
TRANSMISSION	Heavy-duty, electronically controlled with overdrive and tow/haul mode and internal transmission oil cooler.
WARRANTY	See warranty and maintenance section






2018 EXPRESS PASSENGER VAN 1LS AND 1LT

AVAILABLE EXTERIOR COLORS Actual colors may vary

						
GAN Silver Ice Metallic	GPA Graphite Metallic	G9K †Satin Steel Metallic	GBA *Black	GAZ Summit White	G7C Red Hot	GD1 **Kinetic Blue Metallic

* Not available with B46 rear body-colored trim
 ** Additional Charge. Not available with (B46 rear body colored trim)
 † No longer available to order as of 11-20-17

SEO PAINT AVAILABLE Actual colors may vary

COLOR DESCRIPTION	SEO CODE	WA#	
Yellow	-	215D	
Yellow	-	259L	
Blue	-	451N	
Yellow	-	478G	
Dark Blue Metallic	-	722J	
Yellow	-	5456	
Green	-	7927	
Silver Metallic	-	8867	
Woodland Green	9V5	9015	
Doeskin Tan	9V9	9403	
Yellow	-	9414	
Tangier Orange	9W4	9417	
Inca Gold	-	7952	
Dark Toreador Red	-	257C	
Silver Birch Metallic	-	926L	
Petro Blue	-	527Y	
Wheatland Yellow	9W3	253A	
Victory Red	-	9260	
Blue	-	5665	

Actual Color May Vary
 NOTE: • SEO paint orders that contain less than five vehicles will be delayed until five unit minimum is received for batch production
 • Exterior SEO solid paints are not available with (B46) Trim, rear body-colored halo.
 • All extraneous body components formerly color-keyed to body color, will be flat Black.

SEATS

	FRONT SEAT TYPE	SEAT CODE	SEAT TRIM	COLOR	COLOR CODE
Standard	Reclining high-back buckets with inboard armrests	AR7	Custom Vinyl	Medium Pewter	93W
	REAR SEAT TYPE	SEAT CODE	SEAT TRIM	COLOR	COLOR CODE
Standard	12-passenger , (2-3-3-4 seating configuration), 4-passenger seat is 50/50 split, 2 piece configuration	ZX5	Custom Vinyl	Medium Pewter	93W

NOTE: For optional front seat and rear seat availability see Interior optional equipment pages

OPTIONAL EQUIPMENT & FEATURES

INTERIOR

C69	AIR CONDITIONING, REAR - Rear. Available on 'LS' CG23406 and CG33406 Models Requires (TR9) auxiliary lighting and (DH6) driver and front passenger padded cloth visors. Includes (C36) rear heater, (KG4) 150 amp alternator and (U80) digital compass. (KG4) 150 amp alternator may be upgraded to (KW5) 220 amp alternator. Standard on all other Models.
U0H	AUDIO SYSTEM - AM/FM stereo with MP3 player and USB port, includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers. Not available with (U2K) SiriusXM Satellite Radio or (WP9) Communications Package.
US8	AUDIO SYSTEM - AM/FM stereo with CD/MP3 player, USB port, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), TheftLock, random select, auxiliary jack and 2 front door speakers. Included with (WP9) Communications Package. Required with (U2K) SiriusXM Satellite Radio. Not available with (R8J) Power window delete, Available on 'LS' CG23406 Model. All other models. All other models required with (U2K) SiriusXM Satellite Radio. Not available with (R8J) Power Window delete.
UI8	AUDIO SYSTEM - Chevrolet MyLink radio with Navigation, 6.5" diagonal color touch-screen display, AM/FM stereo with CD player, USB port, includes Bluetooth streaming audio for music and select phones; Hands-Free smartphone integration with Pandora and Stitcher; voice-activated technology for radio and phone. Requires (ZQ3) Driver Convenience Package, (NP5) leather-wrapped steering wheel and (W1Y) steering wheel controls. Includes (UBS) NavTraffic, (USR) USB port and (UPF) Bluetooth for phone. Not available with (U2K) SiriusXM Satellite Radio or (WP9) Communications Package. Available on 'LS' Mode CG23406. All other Models. Requires (ZQ3) Driver Convenience Package, (NP5) leather-wrapped steering wheel and (W1Y) steering wheel controls. Includes (UBS) NavTraffic, (USR) USB port and (UPF) Bluetooth for phone. Not available with (U2K) SiriusXM Satellite Radio.
UPF	BLUETOOTH® FOR PHONE¹ - Personal cell phone connectivity to vehicle audio system. Included with (WP9) Communications Package. Requires (NP5) leather-wrapped steering wheel, (W1Y) steering wheel controls and (ZQ3) Driver Convenience Package. Included with (UI8) Chevrolet MyLink radio with Navigation. NOTE: With (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port or (US8) AM/FM stereo with MP3 compatible CD player requires (UE1) ONSTAR® hardware (subscription to ONSTAR® services not required for operation). NOTE: With (UI8) Chevrolet MyLink radio with Navigation (UE1) ONSTAR® hardware is not required. Available on 'LS' CG23406 Model only. All other Models Requires (NP5) leather-wrapped steering wheel, (W1Y) steering wheel controls and (ZQ3) Convenience Package. Included with (UI8) Chevrolet MyLink radio with Navigation. With (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port or (US8) AM/FM stereo with MP3 compatible CD player requires (UE1) ONSTAR® hardware (subscription to ONSTAR® services not required for operation). NOTE: With (UI8) Chevrolet MyLink radio with Navigation (UE0) ONSTAR® delete is available for Fleet and Government order types only.
BA3	CONSOLE - Deluxe with swing-out storage bin. Included with (AS5) front bucket seats with custom cloth.
WP9	COMMUNICATION PACKAGE - Includes (L96) Vortec 6.0L V8 SFI engine, (NP5) leather-wrapped steering wheel, (POG) 12 months of GM Commercial Link, (U2K) SiriusXM Satellite Radio, (UPF) Bluetooth for phone, (US8) AM/FM stereo with MP3 compatible CD player, (W1Y) steering wheel controls and (ZQ3) Driver Convenience Package. Not available with (WPD) Safety Package, (ZL3) Enhanced Convenience Package or (UE0) OnStar delete. Only available on CG23406 Model
K34	CRUISE CONTROL - Included and only available with (ZQ3) Driver Convenience Package, tilt-wheel and cruise control on 'LS' Model. Standard on all other Models.
ZQ3	DRIVER CONVENIENCE PACKAGE - Tilt-Wheel and (K34) cruise control. Included with (WP9) Communications Package, (WPD) Safety Package or (ZL3) Enhanced Convenience Package. Available on 'LS' CG23406. Standard on all other Models
ZL3	ENHANCED CONVENIENCE PACKAGE Includes (ATG) Remote Keyless Entry, (BTV) Remote vehicle starter system, (DE5) outside heated power-adjustable, Black, manual-folding mirrors, (L96) Vortec 6.0L V8 SFI engine, (POG) 12 months of GM Commercial Link, (Z82) heavy-duty trailering equipment and (ZQ3) Driver Convenience Package Not available with packages (WP9) Communications Package, (WPD) Safety Package or (UE0) OnStar delete. Only available on CG23406 Model
C49	DEFOGGER - Rear window, electric
B30	FLOOR COVERING - Full-floor color-keyed carpeting with front and rear rubberized-vinyl floor mats. Standard on "LT" Model.
C36	HEATER, REAR AUXILIARY - Included with (C69) rear air conditioning.
TR9	LIGHTING - Auxiliary with reading and underhood lights. Requires (C69) rear air conditioning. Includes (DH6) driver and front passenger visor vanity mirrors. Available on 'LS' CG23406 and CG33406. Standard on all other Models
UE0	ONSTAR® DELETE - Standard Bluetooth functionality remains. Requires a Fleet or Government Order Type or (UI8) Chevrolet MyLink radio with navigation on all order types.
UFA	OUTSIDE TEMPERATURE DISPLAY - Located in the Driver Information Center. Requires (V22) Chrome grille and (V37) Chrome bumpers ON 'LS' Models
RGI	ROUTING GROMMET - Front instrument panel. Provides an area for putting wires thru the front of dash. Not available with RPO (9L7) 2-30 amp wire leads

1. Requires a compatible mobile device, active ONSTAR® service and data plan. 4G LTE service available in select markets. Visit ONSTAR®.com for coverage map, details and system limitations.

2018 EXPRESS PASSENGER VAN 1LS AND 1LT

WPD	SAFETY PACKAGE - Includes (L96) Vortec 6.0L V8 SFI engine, (DE5) outside heated power-adjustable, Black, manual-folding mirrors, (POG) 12 months of GM Commercial Link, (UD7) Rear Park Assist, (UFT) Side Blind Zone Alert and (ZQ3) Driver Convenience Package. Not available with (WP9) Communications Package, (ZL3) Enhanced Convenience Package or (UE0) OnStar delete. Only available on CG23406 Model
AG1	SEAT ADJUSTER - Driver 6-way power. Requires (AS5) front bucket with Custom Cloth trim.
AG2	SEAT ADJUSTER - Front passenger 6-way power. Requires (AS5) front bucket seats with Custom Cloth trim and (AG1) 6-way power driver seat adjuster.
ASS	SEATS - Front bucket with Custom Cloth trim, head restraints and inboard armrests. Requires (93G) interior trim. Includes (BA3) console with swing-out storage bin. When ordering a seating arrangement that includes rear seats, includes rear bench seats with Custom Cloth trim. Head restraints are not available on rear bench seats. Available on 'LS' Models. Standard on 'LT' Models
ZP6	SEATING ARRANGEMENT 5 PASSENGER - Express Crew Van Package CG23405 and CG33405 Models Includes (AK5) driver and right-front passenger airbags, (B38 full-length Black rubberized-vinyl floor covering, (ZW6) fixed full-body window package glass and (93W/93G) Medium Pewter interior. Not available with (RFM) rear floor covering delete, (5L3) side and rear cargo door panel trim sides, (VLP) Bulkhead divider, LPO, (VLW) Bulkhead divider with door, LPO or (5C6) cargo tie-downs. CG23705 and CG33705 Models Includes (AK5) driver and right-front passenger airbags, (B38) full-length Black rubberized-vinyl floor covering, (ZW6) fixed full-body window package glass, (C69) rear air conditioning, (TR9) auxiliary lighting and (93W/93G) Medium Pewter interior. Not available with (RFM) rear floor covering delete, (5L3) side and rear cargo door panel trim sides, (VLP) Bulkhead divider, LPO, (VLW) Bulkhead divider with door, LPO or (5C6) cargo tie-downs.
5T5	SEATS, FRONT CUSTOM CLOTH BUCKETS WITH VINYL REAR SEATS - Provides cloth front bucket seats and retains the standard vinyl rear bench seats Requires interior trim code (93W) Medium Pewter. Standard (ZX5) 12-passenger seating or RPO (ZP3) 15-passenger seating. Requires a Fleet or Government order type. SEO (5T5) will convert front seats to (AS5) Custom cloth seat. Only available on 'LS' CG33706 Model.
ZX2	SEAT, REAR DELETE - Rear seat delete. Requires (VXT) incomplete vehicle certification.
ZP3	SEATING, 15 PASSENGER - 2-3-3-3-4 seating configuration. 4-passenger seat is a 50/50 split, 2-piece configuration. Only available on 'LS' CG33706 and 'LT' CG33706
NP5	STEERING WHEEL- LEATHER WRAPPED - Leather-wrapped, includes (W1Y) mounted audio controls. Included with (WP9) Communications Package. Requires (ZQ3) Tilt-Wheel and cruise control Convenience Package. Available on 'LS' CG23406. Requires (ZQ3) Tilt-Wheel and cruise control Convenience Package. Available on 'LS' CG33406, 'LT' CG23406, and 'LT' CG33406. Requires (ZQ3) Tilt-Wheel and cruise control Convenience Package. Not available with (Y3H) Paratransit Package. Available on 'LS' CG33706 and 'LT' CG33706.
DT4	SMOKER'S PACKAGE - Includes ash tray and lighter
9J6	STEERING COLUMN TILT - Tilt-steering column without cruise control. Not available with RPO (UF3) High Idle Switch or RPO (ZQ3) Convenience Package. Only available on CG23406 'LS' Model.

EXTERIOR

G7K	ANTENNA EQUIPMENT - Includes additional antenna, cable and ground plate. Provides additional ability to relocate standard ONSTAR® antenna, cable length 25 ft. Ships loose. Requires (UE1) ONSTAR®.
VXW	ASSIST STEPS - Molded
V37	BUMPERS - Front and rear chrome with step-pad. Included with (ZR7) Chrome Appearance Package. Available on 'LS' Models. Standard on 'LT' Models.
ZR7	CHROME APPEARANCE PACKAGE - Includes (V37) front and rear chrome bumpers with step-pad and (V22) chrome grille. Available on 'LS' Models. Standard on 'LT' Models
YA2	DOOR - Sliding passenger-side. Requires (C69) rear air conditioning. Available on 'LS' CG23406 and 'LS' CG33406. Standard on all other Models.
U05	HORN - Dual-note high and low
5H1	KEY EQUIPMENT -Two additional keys for single key system. Provides two additional spare keys for a total of (4). (Keys will be cut but not programmed). NOTE: programming of keys is at customer's expense. Programming keys is not a warranty expense. Not available with SEO (5X8) side cargo and rear door key.
8X1	LABEL - Fasten safety belts "Fasten Safety Belts" reminder label on front driver and passenger door window glass
VK3	LICENSE PLATE KIT - Front (will be shipped to orders with ship-to states that require front license plate)
DES	MIRRORS, OUTSIDE - Heated power-adjustable, Black, manual-folding. Included with (WPD) Safety Package and (ZL3) Enhanced Convenience Package. Required with (UFT) Side Blind Zone Alert. Not available with (R8J) power window delete. Required on 'LS' CG 23406 Model. Required with (UFT) Side Blind Zone Alert. Not available with (R8J) power window delete required on 'LS' CG33406 and CG33706. Required with (UFT) Side Blind Zone Alert. Required on 'LT' Models
DEB	MIRRORS - Outside heated power-adjustable, Black, manual-folding with single pane glass. Not available with (R8J) power window delete on 'LS' Models

5H3	ORNAMENTATION - Exterior Delete Deletes all exterior ornamentation on rear doors
TGK	PAINT, SPECIAL - Solid, one color All normally body colored non-sheet metal parts will be flat Black. Required with any SEO paint selection. Not available with RPO (B46) rear body-colored halo trim. May require extra lead time and GM will require 5 orders before sending to the plant.
9V9	PAINT, SOLID, DOESKIN TAN - All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint Requires SEO (TGK) Solid paint, one color. Not available with RPO (B46) rear body-colored halo trim. May require extended lead time.
9W3	PAINT, SOLID WHEATLAND YELLOW - All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint. Requires SEO (TGK) Solid paint, one color. Not available with RPO (B46) rear body-colored halo trim. May require extended lead time
9W4	PAINT, SOLID, TANGIER ORANGE - All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint Requires SEO (TGK) Solid paint, one color. Not available with RPO (B46) rear body-colored halo trim. May require extended lead time.
9V5	PAINT, SOLID, WOODLAND GREEN - All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint Requires SEO (TGK) Solid paint, one color. Not available with RPO (B46) rear body-colored halo trim. May require extended lead time.
UD7	REAR PARK ASSIST - Included with (WPD) Safety Package. Required with (UFT) Side Blind Zone Alert. ON 'LS' CG23406 Model. Required with (UFT) Side Blind Zone Alert. On all other Models
UVC	REAR VISION CAMERA - Display included with (DRJ) inside rearview mirror. Display integrated into navigation screen when (UI8) Chevrolet MyLink radio with navigation is ordered.
ATG	REMOTE KEYLESS ENTRY - Includes 2 transmitters and remote panic button. Included with (ZL3) Enhanced Convenience Package. Available on 'LS' Models. Standard on 'LT' Models.
BTV	REMOTE VEHICLE STARTER SYSTEM - Included with (ZL3) Enhanced Convenience Package. Requires (ATG) Remote Keyless Entry on 'LS' CG23406. Requires (ATG) Remote Keyless Entry on all other Models
UFT	SIDE BLIND ZONE ALERT - Included with (WPD) Safety Package. Requires (UD7) Rear Park Assist and (DE5) outside heated power adjustable mirrors. Available on 'LS' CG23406. Requires (UD7) Rear Park Assist and (DE5) outside heated power adjustable mirrors on all other Models.
Q8C	TIRE VALVE STEM CAPS - Air through valve caps on the tire air valves
B46	TRIM - Rear body-colored halo (replaces standard Black panel located above rear cargo doors) Not available with (GBA) Black, (GD1) Kinetic Blue Metallic or (TGK) SEO solid paint. These colors will receive a Black halo.
40P	WHEEL FINISH, PAINTED WHITE - White-painted wheels in lieu of standard Gray-painted wheels. Not available with SEO (5G0) Black
5G0	WHEEL FINISH, PAINTED BLACK - Painted Black in lieu of standard Gray painted wheels. Not available with (P03) wheel trim chrome center cap and (40P) White painted wheels.
P03	WHEEL TRIM - Chrome center cap. Available on 'LS' Models. Standard on 'LT' Models
R8J	WINDOWS, POWER DELETE - Deletes power windows from the (ZQ2) Convenience Package. (AU3) Power door locks remain. Not available with (DE5) outside heated power-adjustable, Black mirrors or (DEB) outside heated power-adjustable, Black mirrors with single pane glass. Only available on 'LS' Models

ELECTRICAL

9L7	WIRING JUNCTION BLOCK EQUIPMENT ACCESSORY - Includes 2-30 amp circuits. Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual batteries (600 cca primary and 770 cca isolated). Not available with (RGI) front instrument panel routing grommet or (LWN) 2.8L Duramax Turbo-Diesel engine.
------------	--

CHASSIS

KG4	ALTERNATOR - 150 amps. Included with (C69) rear air conditioning on 'LS' CG23406 and CG33406. Standard on all other Models.
KW5	ALTERNATOR - 220 amps
VXW	ASSIST STEPS - Molded
G7K	ANTENNA EQUIPMENT - Includes additional antenna, cable and ground plate. Provides additional ability to relocate standard ONSTAR® antenna, cable length 25 ft. Ships loose. Requires (UE1) ONSTAR®. Not available with (UE0) ONSTAR® Delete
K08	AUXILIARY HEAT GENERATOR - Fuel-operated. Supplemental heat source to cooling system to improve heat output for HVAC and (C36) rear auxiliary heater when selected. Included and only available with (V10) Cold Climate Package and (LWN) 2.8L Duramax Turbo-Diesel engine.
UA1	BATTERY - Heavy-duty 770 cold-cranking amps, maintenance-free with rundown protection and retained accessory power

2018 EXPRESS PASSENGER VAN 1LS AND 1LT

TP2	BATTERY - 600 cold-cranking amps primary, isolated 2nd heavy-duty 770 cold-cranking amps, allows 2nd battery to be used when the vehicle is not running without affecting ability to start the vehicle. Not available with (LWN) 2.8L Duramax Turbo-Diesel engine.
UA1	BATTERY, HEAVY DUTY - 770 cold-cranking amps, maintenance-free with rundown protection and retained accessory power. Not available with (TP2) isolated 2nd battery or (LWN) 2.8L Duramax Turbo-Diesel engine.
V37	BUMPERS - Front and rear chrome with step-pad. Included with (ZR7) Chrome Appearance Package. Available on 'LS' Models. Standard on 'LT' Models.
V10	COLD CLIMATE PACKAGE - Includes (K05) engine block heater. Includes (K08) auxiliary heat generator when ordered with (LWN) 2.8L Duramax Turbo Diesel engine
G80	DIFFERENTIAL - Heavy-duty locking rear
L96	ENGINE - Vortec 6.0L V8 SFI FlexFuel (341 hp [254.3 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm) Included with (WP9) Communications Package, (WPD) Safety Package or (ZL3) Enhanced Convenience Package. Includes external engine oil cooler. Requires (MYD) 6-speed heavy-duty automatic transmission on Model 'LS' CG23406. Includes external engine oil cooler. Requires (MYD) 6-speed heavy-duty automatic transmission. Reference the Engine/Axle page for availability on all other Models.
LC8	ENGINE - 6.0L V8 SFI Gaseous CNG/LPG capable with hardened valves and valve seats. Capable of operating on both gasoline and CNG/LPG. E85 compatible prior to gaseous fuel conversion. Running on gasoline (341 hp [255 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm). Equipped with standard factory gasoline fuel system. Does not include gaseous fuel tank(s), lines, regulators, etc. Gaseous fuel system can be installed in by aftermarket upfitter. GM recommends use of our approved alternative fuel upfitter, PSI (Power Solutions International). Ship thru codes are available for the PSI CNG and LPG fuel systems. Emissions certified for gasoline usage only. Emissions certification (exhaust and evaporative), as well as safety and labeling standards for the CNG/LPG system is the responsibility of the gaseous fuel system manufacturer. Includes external engine oil cooler. Requires (MYD) 6-speed heavy-duty automatic transmission
LWN	ENGINE - 2.8L Duramax Turbo-Diesel, DI, 4-cylinder. Requires (KG4) 150 amp alternator or (KW5) 220 amp alternator.
K05	ENGINE BLOCK HEATER - Included with (V10) Cold Climate Package or requires (LWN) 2.8L Duramax Turbo Diesel engine.
R9Y	FLEET FREE MAINTENANCE CREDIT - This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle. Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FLS, FNR, FRC or FGO. Not available with FDR order types.
8E1	FUEL, ADDITIONAL 3-GALLONS - 3 gallons of fuel in addition to normal assembly plant fill
9C2	GOVERNOR - Electronic speed sensor set to 65 MPH. Electronic software to facilitate 65-MPH maximum road speed Requires a Fleet order. Not available with (ZQ3) Convenience Package. Only available on 'LS' CG23406 Model.
UF3	HIGH IDLE SWITCH - Requires (ZQ3) Convenience Package. Not available with (LV1) 4.3L V6 SIDI engine on 'LS' CG23406 Model. Not available with (LV1) 4.3L V6 SIDI engine on all other Models.
5Z5	HUBCAP DELETE - Deletes gray center caps from standard wheels. Not available with RPO (PO3) wheel trim chrome center cap. Only available on 'LS' Models.
DE5	MIRRORS, OUTSIDE - Heated power-adjustable, Black, manual-folding. Included with (WPD) Safety Package and (ZL3) Enhanced Convenience Package. Required with (UFT) Side Blind Zone Alert. Not available with (R8J) power window delete. Required on 'LS' CG 23406 Model. Required with (UFT) Side Blind Zone Alert. Not available with (R8J) power window delete required on 'LS' CG33406 and CG33706. Required with (UFT) Side Blind Zone Alert. Required on 'LT' Models
DEB	MIRRORS, OUTSIDE - Outside heated power-adjustable, Black, manual-folding with single pane glass. Not available with (R8J) power window delete on 'LS' Models
E48	RADIATOR GRILLE COVER - Requires (LWN) 2.8L Duramax Turbo Diesel engine. Ships loose in cab. Required on orders with "Ship To" locations within the following states: Alaska, Colorado, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New York, North Dakota, South Dakota, Vermont, Wisconsin and Wyoming.
Z82	TRAILERING EQUIPMENT - Heavy duty 4-pin/7-pin sealed connector.
UY7	TRAILERING WIRING PROVISIONS - Trailering wire harness only. Included with (Z82) Heavy-duty trailering equipment.
MYD	TRANSMISSION - 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode and internal transmission oil cooler. Requires (L96) Vortec 6.0L V8 SFI FlexFuel engine or (LC8) 6.0L V8 SFI gaseous engine. Reference the Engine/Axle page for availability.
DH6	VISORS - Driver and front passenger, padded with cloth trim and dual vanity mirrors, illuminated on passenger-side, included and only available with TR9 auxiliary lamps
DAA	VISORS - Driver and front passenger, vinyl in lieu of standard cloth. Not available with (DH6) driver and front passenger visors padded with cloth trim. Only available on 'LS' CG23406 and CG33406 Models.



ONSTAR®, 4G LTE WITH Wi-Fi and SIRIUS XM RADIO AVAILABILITY

Impala 1FL Tahoe 9C1 Tahoe SSV Suburban 1FL Suburban 3500HD Silverado SSV Cargo Van Passenger Van

ONSTAR® SERVICE PLANS

Basic Plan	S	S	S	S	S	O*	S	S
UE1	S	S	S	S	S	O	S	S
VV4	S	S	S	S	S	O	S	S
PQF	O	O	O	O	O	O	O	O
PQG	O	O	O	O	O	O	O	O
PQH	O	O	O	O	O	O	O	O
PQI	O	O	O	O	O	O	O	O
PQL	O	O	O	O	O	O	O	O
PQM	O	O	O	O	O	O	O	O
PQP	O	O	O	O	O	O	O	O
PQQ	O	O	O	O	O	O	O	O
PQT	O	O	O	O	O	O	O	O
PRD	O	O	O	O	O	O	O	O
PRE	O	O	O	O	O	O	O	O
PRF	O	O	O	O	O	O	O	O
UEO - ONSTAR® Delete	N/A	O	O	O	N/A	N/A	O	O

* Included when UE1 is ordered

ONSTAR® 4G LTE WITH Wi-Fi SERVICE PLANS

ROV	O	O	O	O	O	O	O	O
ROW	O	O	O	O	O	O	O	O

SIRIUS XM SATELLITE RADIO

U2K	S	N/A	N/A	N/A	S	S	O	O
PR6	O	N/A	N/A	N/A	O	O	O	O
PR7	O	N/A	N/A	N/A	O	O	O	O
PR8	O	N/A	N/A	N/A	O	O	O	O

GM COMMERCIAL LINK

POG	O	O	O	O	O	O	O	O
POH	O	O	O	O	O	O	O	O
POI	O	O	O	O	O	O	O	O

S = Standard

O = Optional

N/A = Not Available

Description of option codes attached or spinning the wheels with chains on will damage the vehicle.



ONSTAR® SERVICE PLANS

ONSTAR® BASIC PLAN FOR 5 YEARS

Includes limited vehicle mobile app features, Monthly Diagnostics Report and Dealer Maintenance Notification. Basic Plan available for 5 years from the date of vehicle delivery and is transferable. Does not include Emergency, Security or Navigation services.

UE1 - ONSTAR® GUIDANCE PLAN FOR 6 MONTHS

Includes Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling minutes). Visit www.ONSTAR.com for coverage map, details and system limitations. Services vary by model. ONSTAR® acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.

VV4 - ONSTAR® 4G LTE

Available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 3 months or 3GB (whichever comes first). Requires (UE1) ONSTAR® Guidance plan. Available Wi-Fi requires compatible mobile device, active ONSTAR® service and data plan. Data plans provided by AT&T. Visit ONSTAR.com for details and system limitations.

PQF - ONSTAR® 6 MONTHS OF ONSTAR® PROTECTION SERVICE

Provides 6 months of Protection service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 12 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQG, PQH or PRD.

PQG - ONSTAR® 18 MONTHS OF ONSTAR® PROTECTION SERVICE

Provides 18 months of Protection service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 24 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF, PQH or PRD.

PQH - ONSTAR® 30 MONTHS OF ONSTAR® PROTECTION SERVICE

Provides 30 months of Protection service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 36 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF, PQG or PRD.

PQI - ONSTAR® 6 MONTHS OF ONSTAR® SECURITY SERVICE

Provides 6 months of Security service in addition to the 6 months of standard Guidance Plan trial. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 12 months. PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQL, PQM or PRE.

PQL - ONSTAR® 18 MONTHS OF ONSTAR® SECURITY SERVICE

Provides 18 months of Security service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 24 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQI, PQM or PRE.

PQM - ONSTAR® 30 MONTHS OF ONSTAR® SECURITY SERVICE

Provides 30 months of Security service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 36 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQI, PQL or PRE.

PQP - ONSTAR® ADDITIONAL 6 MONTHS OF ONSTAR® FLEET GUIDANCE SERVICE

Provides 6 months of Fleet Guidance service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 12 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQQ, PQT or PRF.

PQQ - ONSTAR® ADDITIONAL 18 MONTHS OF ONSTAR® FLEET GUIDANCE SERVICE

Provides 18 months of Fleet Guidance service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 24 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP, PQT or PRF.

PQT - ONSTAR® ADDITIONAL 30 MONTHS OF ONSTAR® FLEET GUIDANCE SERVICE

Provides 30 months of Guidance service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 36 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP, PQQ or PRF.



ONSTAR® SERVICE PLANS (CONTINUED)

PRD - ONSTAR® 42 MONTHS OF ONSTAR® PROTECTION SERVICE

Provides 42 months of Protection service in addition to the 6 months of standard Guidance plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 48 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF, PQG or PQH.

PRE - ONSTAR® 42 MONTHS OF ONSTAR® SECURITY SERVICE

Provides 42 months of Security service in addition to the 6 months of standard Guidance plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 48 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQI, PQL or PQM.

PRF - ONSTAR® ADDITIONAL 42 MONTHS OF ONSTAR® FLEET GUIDANCE SERVICE

Provides 42 months of Guidance service in addition to the 6 months of standard Guidance plan trial service that is included in the price of the vehicle (trial and plan excludes Hands-Free Calling minutes). Total service duration is 48 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP, PQQ or PQT.

UEO - ONSTAR®, DELETE

Wi-Fi SERVICE PLANS

ROV - ONSTAR® WITH 4G LTE FOR FLEET (20GB/12 MONTHS)

Provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&T 12GB data plan good for 12months. 1 - Requires (UE1) ONSTAR® and (VV4) ONSTAR® with 4G LTE and one of the following order types FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROW. Visit www.ONSTAR.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan.

ROW - ONSTAR® WITH 4G LTE FOR FLEET (36GB/24 MONTHS)

Provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&T 24GB data plan good for 24 months. Requires (UE1) ONSTAR® and (VV4) ONSTAR® with 4G LTE and one of the following order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROV. Visit www.ONSTAR.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan.

SIRIUS XM SATELLITE RADIO

U2K SIRIUSXM® SATELLITE RADIO IS STANDARD ON NEARLY ALL 2017 GM MODELS

Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM® has to offer, anywhere life takes you. Welcome to the world of SiriusXM.

IMPORTANT: The SiriusXM® Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.

PR6 - SIRIUSXM® SATELLITE RADIO ADDITIONAL 9 MONTHS OF THE SIRIUSXM® ALL ACCESS PACKAGE

Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 9 months of listening on the SiriusXM® app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable. Requires (U2K) SiriusXM® Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR7 or PR8. Not available in AK, HI, PR and VI.

PR7 - SIRIUSXM® SATELLITE RADIO ADDITIONAL 21 MONTHS OF THE SIRIUSXM® ALL ACCESS PACKAGE

Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 21 months of listening on the SiriusXM® app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable. Requires (U2K) SiriusXM® Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR6 or PR8. Not available in AK, HI, PR and VI.

PR8 - SIRIUSXM® SATELLITE RADIO ADDITIONAL 33 MONTHS OF THE SIRIUSXM® ALL ACCESS PACKAGE

Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 33 months of listening on the SiriusXM® app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable. Requires (U2K) SiriusXM® Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR6 or PR7. Not available in AK, HI, PR and VI.

GM COMMERCIAL LINK

POG GM COMMERCIAL LINK 1 YEAR OF SERVICE - Includes 12 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at www.gmcommerciallink.com in order take advantage of this 12 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable. Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (POH) GM Commercial Link - 2 years of Service or (POI) GM Commercial Link - 3 years of Service.

POH GM COMMERCIAL LINK 2 YEARS OF SERVICE - Includes 24 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at www.gmcommerciallink.com in order take advantage of this 24 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable. Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (POG) GM Commercial Link - 1 year of Service or (POI) GM Commercial Link - 3 years of Service.

POI GM COMMERCIAL LINK 3 YEARS OF SERVICE - Includes 36 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at www.gmcommerciallink.com in order take advantage of this 36 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable. Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (POG) GM Commercial Link - 1 year of Service or (POH) GM Commercial Link - 2 years of Service.

POWERTRAIN

ENGINE					TRANSMISSION		AXLE	
MODEL	CODE	TYPE	DISPLACEMENT LITERS/CU. IN.	FUEL SYSTEM	STANDARD	TYPE	OPTION CODE	RATIO
1LS/1LT Standard	LV1	V6	4.3/262	DI	Automatic MXO/MYD	Automatic 8-speed	GU6	3.42
1LS/1LT Optional	L96 Vortec	V8	6.0/366	SFI FlexFuel ¹	Automatic MXO/MYD	Automatic HD 6-speed	GU6	3.42
1LS/1LT Optional	LWN Duramax	I4	2.8/170	DI	Automatic M5U	Automatic 8-speed	GU6	3.42

1. E85 is 85% ethanol and 15% gasoline.

AUTOMATIC TRANSMISSION RATINGS

	(LV1) 4.3L V6 SIDI		(L96) Vortec 6.0L V8 FlexFuel		(LC8) 6.0L V8 SFI Gaseous		(LWN) 2.8L Duramax Turbo-Diesel	
MODEL	AXLE RATIO	Maximum Trailer Towing lbs. (kg)	AXLE RATIO	Maximum Trailer Towing lbs. (kg)	AXLE RATIO	Maximum Trailer Towing lbs. (kg)	AXLE RATIO	Maximum Trailer Towing lbs. (kg)
CG23406	3.42	6500 (2948)	3.42	9400 (4264)	3.42	9400 (4264)	3.42	6100 (2767)
CG33406	3.42	6500 (2948)	3.42	9400 (4264)	3.42	9400 (4264)	3.42	6000 (2722)
CG33706	3.42	6100 (2767)	3.42	9000 (4082)	3.42	9000 (4082)	3.42	5700 (2586)

The wiring system is designed to operate with maximum performance and reliability. Adding electrical accessories to the vehicle for which it was not designed, would cause abnormalities in the electrical system.

The electrical system was designed to handle one additional stop/turn light bulb per tail light circuit (one added stop/turn light bulb to the right and left side). It is not recommended to add more than one bulb per circuit as it will result in damage to the electrical system (without optional trailer Towing Wiring). It is highly recommended to order the van with the optional (UY7) trailering wire harness only, trailering provisions for towing.

GCWR For Engine/Rear Axle Ratio Combination

(GCWR) GROSS COMBINATION WEIGHT RATINGS LBS. (KG)			
13000 (5897)		16000 (7258)	
(LV1) 4.3L V6 SIDI	3.42	(LC8) 6.0L V8 SFI Gaseous	3.42
(LWN) Duramax 2.8L I4 Turbo-Diesel	3.42	(L96) Vortec 6.0L V8 FlexFuel	3.42


EMISSIONS - MUST BE SPECIFIED

FE9	FEDERAL EMISSIONS , Use for ordering vehicles that will be registered in all states except California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington State.
YF5	CALIFORNIA EMISSIONS , Use for ordering vehicles that will be registered in California.
NE1	EMISSIONS , Use for ordering vehicles that will be registered in Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington State.
NB8	EMISSIONS , Required when option code FE9 "FEDERAL EMISSIONS" is ordered for delivery to a dealer located in California, Connecticut, Delaware, Massachusetts, Maryland, New Jersey, New York, Oregon, Pennsylvania, Rhode Island and Washington State for a purchaser who will be registering the vehicle outside California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington State. Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington State.
NC7	EMISSIONS , Required when option code YF5 "CALIFORNIA EMISSIONS" or option code NE1 "CT/DE/ME/MD/MA/NJ/NY/OR/PA/RI/VT/WA EMISSIONS" is ordered for delivery to a dealer located in any state except California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington State for a purchaser who will be registering the vehicle in one of these states or sold as permitted below under "EPA Policy on the Sale of California Emission Vehicles".
NB9	EMISSIONS , Required when option code YF5 is ordered for delivery to a dealer located in Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington State. Required when option code NE1 is ordered for delivery to a dealer located in California.

NOTE: For more 2018 Emissions requirements contact your local dealer (reference 2018 Model Year GM Vehicles Emission Requirements Bulletin number GM 17-17 issued August 22, 2017)

2018 EXPRESS PASSENGER VAN 1LS AND 1LT

DIMENSIONS



SPECIFICATIONS - GAS ENGINE

GENERAL

Model CG23406 (1LS)	Rear-wheel Drive	Regular Wheelbase	2500 Series (Also available in 1LT Model)
Model CG33406 (1LS)	Rear-wheel Drive	Regular Wheelbase	3500 Series (Also available in 1LT Model)
Model CG33706 (1LS)	Rear-wheel Drive	Extended Wheelbase	3500 Series (Also available in 1LT Model)

Projected top speed on all Express Passenger Van models is 98 mph

NOTE: Adding non dealer accessories or making modifications to the vehicle can affect vehicle performance, aerodynamics, and overall top speed.

ENGINE	G2500 REGULAR WHEELBASE 1LS	G3500 REGULAR WHEELBASE 1LS	G3500 EXTENDED WHEELBASE 1LS
Type	V6 (LV1)	V6 (LV1)	V6 (LV1)
Fuel	GAS	GAS	GAS
Displacement: liters/cu. in.	4.3/262	4.3/262	4.3/262
Horsepower/rpm	276@5200	276@5200	276@5200
Torque lb.-ft./rpm	298@3900	298@3900	298@3900
Fuel system	DI	DI	DI
Exhaust	Single	Single	Single
Minimum recommended fuel octane	87	87	87
Fuel tank capacity (gallons/liters)	31/117.3	31/117.3	31/117.3

TRANSMISSION

Automatic heavy-duty	8-speed	8-speed	8-speed
----------------------	---------	---------	---------

AXLE

Ratio	3.42	3.42	3.42
-------	------	------	------

CHASSIS

Frame	Full length boxed frame	Full length boxed frame	Full length boxed frame
Front suspension	Independent with coil spring and stabilizer bar	Independent with coil spring and stabilizer bar	Independent with coil spring and stabilizer bar
Rear suspension	Hypoid driver axle w/multi-leaf springs	Hypoid driver axle w/multi-leaf springs	Hypoid driver axle w/multi-leaf springs
Steering type	Speed sensitive, variable ratio, integral power	Speed sensitive, variable ratio, integral power	Speed sensitive, variable ratio, integral power
Steering ratio (center/stop)	17.2:1	17.2:1	17.2:1

BRAKES

ABS hydra-boost 4-wheel anti lock	Disc/Disc	Disc/Disc	Disc/Disc
Front size	12.8 x 1.50	12.8 x 1.50	12.8 x 1.50
Rear size	13.0 x 1.14	13.0 x 1.14	13.0 x 1.14

TIRES

Type	All-season	All-season	All-season
Size	LT245/75R16	LT245/75R16	LT245/75R16

WHEELS

Type	Steel	Steel	Steel
Size	16" x 6.5"	16" x 6.5"	16" x 6.5"

BATTERY

Type	Maintenance free	Maintenance free	Maintenance free
BCI group size	78	78	78
Volts	12	12	12
Amp hour rating	69	69	69
Cold cranking-amps @ 0°F (-18°C)	600	600	600
Reserve capacity @ 80°F (27°C) minutes	115	115	115

ALTERNATOR

Amps	105	105	150
------	-----	-----	-----

SPECIFICATIONS - GAS ENGINE

EXTERIOR (in./mm)	G2500 REGULAR WHEELBASE	G3500 REGULAR WHEELBASE	G3500 EXTENDED WHEELBASE
Wheelbase	135.0/3429	135.0/3429	155.0/3937
Overall length	224.1/5692	224.1/5692	244.1/6200
Body width (without mirrors)	79.2/2013	79.2/2013	79.2/2013
Overall height at roof*	83.9/2131	83.7/2126	82.9/2106
Front bumper to axle	39.7/1008	39.7/1008	39.7/1008
Opening height, side door*	47.9/1217	47.9/1217	47.9/1217
Opening height, rear door*	49.4/1255	49.4/1255	49.4/1255
Opening width, sliding side door	44.1/1120	44.1/1120	44.1/1120
Opening width, rear door, at beltline	57.0/1448	57.0/1448	57.0/1448
Step up height, front door*	19.4/493	19.4/493	19.4/493
Step up height, side door*	19.8/503	19.8/503	19.8/503
Ground clearance, front*	11/279	11/279	8.8/224
Ground clearance, rear*	7.1/180	7.1/180	7.7/196
Turning circle (curb to curb)	49.2/15	49.2/15	54.5/16.6

*Published dimensions indicated are at Base Curb Weight.

INTERIOR (in./mm)

Head room, 1st row	39.8/1011	39.8/1011	39.8/1011
Head room, 2nd row	38.4/975	38.4/975	38.4/975
Head room, 3rd row	38.5/978	38.5/978	38.5/978
Head room, 4th row	37.6/955	37.6/955	37.6/955
Head room, 5th row	-	-	37.6/955
Shoulder room, 1st row	68.8/1748	68.8/1748	68.8/1748
Shoulder room, 2nd row	68.6/1742	68.6/1742	68.6/1742
Shoulder room, 3rd row	65.8/1671	65.8/1671	65.8/1671
Shoulder room, 4th row	69.1/1755	69.1/1755	69.1/1755
Shoulder room, 5th row	-	-	62.9/1598
Hip room, 1st row	65.5/1664	65.5/1664	65.5/1664
Hip room, 2nd row	68.6/1742	65.6/1666	65.6/1666
Hip room, 3rd row	63.3/1608	63.3/1608	63.3/1608
Hip room, 4th row	65.7/1669	65.7/1669	65.7/1669
Hip room, 5th row	-	-	62.9/1597
Leg room, 1st row	41.3/1049	41.3/1049	41.3/1049
Leg room, 2nd row	36.3/922	36.3/922	36.3/922
Leg room, 3rd row	36.6/930	36.6/930	36.6/930
Leg room, 4th row	36.6/930	36.6/930	36.6/930
Leg room, 5th row	-	-	34.1/866
Ground to top of rear load floor	27.8/706	27.8/706	30.1/765
Load floor length, to front seat, at floor	126.2/3205	126.2/3205	146.0/3708
Load floor length, to engine cover, at floor	153.6/3901	153.6/3901	173.6/4409
Inside width, between wheelhousing	50.4/1280	50.4/1280	50.4/1280
Cargo area height	51.8/1316	51.8/1316	51.8/1316

CAPACITY

Base curb weight ⁴ , lbs. (kg)	5983/2714	6012/2727	6414/2909
Gross vehicle weight ratings ³ (GVWR), lbs (kg)	8600/3901	9600/4355	9600/4355
Payload ⁵ , lbs. (kg)	2595/1177	3566/1618	3164/1435
Cargo volume ¹ , regular, with seats, cu. ft. (liters)	92.1/2608.3	92.1/2608.3	127.2/3602.3
Cargo volume ¹ , regular, with seats removed, cu. ft. (liters)	216.2/6122.8	216.2/6122.8	252.8/7159.3
Front Gross Axle Weight Rating (FGAWR), lbs. (kg)	4100/1860	4300/1950	4300/1950
Rear Gross Axle Weight Rating (RGAWR), lbs. (kg)	5360/2431	6084/2760	6084/2760
Seating capacity (front/2nd/3rd/4th)	2/3/3/4	2/3/3/4	2/3/3/4

1. Cargo and load capacity limited by weight and distribution.

3. Gross Vehicle Weight Rating (GVWR). When properly equipped, includes vehicle, passengers, cargo and equipment.

4. Base curb weight in operational status with 100% fuel, fluids and standard base equipment (excludes optional content)

5. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb.

SPECIFICATIONS - DIESEL ENGINE

GENERAL

Model CG23406 (1LS)	Rear-wheel Drive	Regular Wheelbase	2500 Series (Also available in 1LT Model)
Model CG33406 (1LS)	Rear-wheel Drive	Regular Wheelbase	3500 Series (Also available in 1LT Model)
Model CG33706 (1LS)	Rear-wheel Drive	Extended Wheelbase	3500 Series (Also available in 1LT Model)

Projected top speed on all Express Passenger Van models is 98 mph

NOTE: Adding non dealer accessories or making modifications to the vehicle can affect vehicle performance, aerodynamics, and overall top speed.

ENGINE	G2500 REGULAR WHEELBASE 1LS	G3500 REGULAR WHEELBASE 1LS	G3500 EXTENDED WHEELBASE 1LS
Type	Duramax (LWN)	Duramax (LWN)	Duramax (LWN)
Fuel	Diesel	Diesel	Diesel
Displacement: liters/cu. in.	2.8/170	2.8/170	2.8/170
Horsepower/rpm	181@3400	181@3400	181@3400
Torque lb.-ft./rpm	369@2000	369@2000	369@2000
Fuel system	Turbo Diesel	Turbo Diesel	Turbo Diesel
Exhaust	Single	Single	Single
Fuel tank capacity (gallons/liters)	31/117.3	31/117.3	31/117.3

TRANSMISSION

Automatic heavy-duty	8-speed	8-speed	8-speed
----------------------	---------	---------	---------

AXLE

Ratio	3.42	3.42	3.42
-------	------	------	------

CHASSIS

Frame	Full length boxed frame	Full length boxed frame	Full length boxed frame
Front suspension	Independent with coil spring and stabilizer bar	Independent with coil spring and stabilizer bar	Independent with coil spring and stabilizer bar
Rear suspension	Hypoid driver axle w/multi-leaf springs	Hypoid driver axle w/multi-leaf springs	Hypoid driver axle w/multi-leaf springs
Steering type	Speed sensitive, variable ratio, integral power	Speed sensitive, variable ratio, integral power	Speed sensitive, variable ratio, integral power
Steering ratio (center/stop)	17.2:1	17.2:1	17.2:1

BRAKES

ABS hydra-boost 4-wheel anti lock	Disc/Disc	Disc/Disc	Disc/Disc
Front size	12.8 x 1.50	12.8 x 1.50	12.8 x 1.50
Rear size	13.0 x 1.14	13.0 x 1.14	13.0 x 1.14

TIRES

Type	All-season	All-season	All-season
Size	LT245/75R16	LT245/75R16	LT245/75R16

WHEELS

Type	Steel	Steel	Steel
Size	16" x 6.5"	16" x 6.5"	16" x 6.5"

BATTERY

Type	Maintenance free	Maintenance free	Maintenance free
BCI group size	78	78	78
Volts	12	12	12
Amp hour rating	63	63	63
Cold cranking-amps @ 0°F (-18°C)	Dual 770	Dual 770	Dual 770
Reserve capacity @ 80°F (27°C) minutes	110	110	110

ALTERNATOR

Amps	150	150	150
------	-----	-----	-----

SPECIFICATIONS - DIESEL ENGINE

EXTERIOR (in./mm)	G2500 REGULAR WHEELBASE	G3500 REGULAR WHEELBASE	G3500 EXTENDED WHEELBASE
Wheelbase	135.0/3429	135.0/3429	155.0/3937
Overall length	224.1/5692	224.1/5692	244.1/6200
Body width (without mirrors)	79.2/2013	79.2/2013	79.2/2013
Overall height at roof*	83.7/2126	83.7/2126	82.9/2106
Front bumper to axle	39.7/1008	39.7/1008	39.7/1008
Opening height, side door*	47.9/1217	47.9/1217	47.9/1217
Opening height, rear door*	49.4/1255	49.4/1255	49.4/1255
Opening width, sliding side door	44.1/1120	44.1/1120	44.1/1120
Opening width, rear door, at beltline	57.0/1448	57.0/1448	57.0/1448
Step up height, front door*	19.4/493	19.4/493	19.4/493
Step up height, side door*	19.8/503	19.8/503	19.8/503
Ground clearance, front*	11/279	11/279	8.8/224
Ground clearance, rear*	7.1/180	7.1/180	7.7/196
Turning circle (curb to curb)	49.2/15	49.2/15	54.5/16.6

*Published dimensions indicated are at Base Curb Weight.

INTERIOR (in./mm)

Head room, 1st row	39.8/1011	39.8/1011	39.8/1011
Head room, 2nd row	38.4/975	38.4/975	38.4/975
Head room, 3rd row	38.5/978	38.5/978	38.5/978
Head room, 4th row	37.6/955	37.6/955	37.6/955
Head room, 5th row	-	-	37.6/955
Shoulder room, 1st row	68.8/1748	68.8/1748	68.8/1748
Shoulder room, 2nd row	68.6/1742	68.6/1742	68.6/1742
Shoulder room, 3rd row	65.8/1671	65.8/1671	65.8/1671
Shoulder room, 4th row	69.1/1755	69.1/1755	69.1/1755
Shoulder room, 5th row	-	-	62.9/1598
Hip room, 1st row	65.5/1664	65.5/1664	65.5/1664
Hip room, 2nd row	65.6/1666	65.6/1666	65.6/1666
Hip room, 3rd row	63.3/1608	63.3/1608	63.3/1608
Hip room, 4th row	65.7/1669	65.7/1669	65.7/1669
Hip room, 5th row	-	-	62.9/1597
Leg room, 1st row	41.3/1049	41.3/1049	41.3/1049
Leg room, 2nd row	36.3/922	36.3/922	36.3/922
Leg room, 3rd row	36.6/930	36.6/930	36.6/930
Leg room, 4th row	36.6/930	36.6/930	36.6/930
Leg room, 5th row	-	-	34.1/866
Ground to top of rear load floor	27.8/706	27.8/706	30.1/765
Load floor length, to front seat, at floor	126.2/3205	126.2/3205	146.0/3708
Load floor length, to engine cover, at floor	153.6/3901	153.6/3901	173.6/4409
Inside width, between wheelhousing	50.4/1280	50.4/1280	50.4/1280
Cargo area height	51.8/1316	51.8/1316	51.8/1316

CAPACITY

Seating capacity (front/2nd/3rd/4th)	2/3/3/4	2/3/3/4	2/3/3/4
Base curb weight ⁴ , lbs. (kg)	6407/2906	6476/2938	6833/3099
Payload ⁵ , lbs. (kg)	2171/985	3102/1407	3045/1381
Gross vehicle weight ratings ³ (GVWR), lbs (kg)	8600/3901	9600/4355	9600/4355
Cargo volume ¹ , regular, with seats, cu. ft. (liters)	92.1/2608.3	92.1/2608.3	127.2/3602.3
Cargo volume ¹ regular, with seats removed, cu. ft. (liters)	216.2/6122.8	216.2/6122.8	252.8/7159.3
Front Gross Axle Weight Rating (FGAWR), lbs. (kg)	4100/1860	4300/1950	4300/1950
Rear Gross Axle Weight Rating (RGAWR), lbs. (kg)	5360/2431	6084/2760	6084/2760
Conventional Trailer Rating lbs. (kg)	6300/2858	5700/2585	5300/2404

1. Cargo and load capacity limited by weight and distribution.

3. Gross Vehicle Weight Rating (GVWR). When properly equipped, includes vehicle, passengers, cargo and equipment.


4. Base curb weight in operational status with 100% fuel, fluids and standard base equipment (excludes optional content)

5. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb.

*Published dimensions indicated are at Base Curb Weight.


AIRBAGS

TOP VIEW OF INSTRUMENT PANEL AND APPROXIMATE DEPLOYMENT AREA OF THE AIRBAG ZONE




Lower instrument panel bolsters are provided to absorb energy during frontal collisions and are designed to limit leg movement to decrease the chance of injury to the driver and front passenger.

REAR VIEW OF INSTRUMENT PANEL AND APPROXIMATE DEPLOYMENT AREA OF THE AIRBAG ZONE




RIGHT SIDE VIEW OF INSTRUMENT PANEL AND APPROXIMATE DEPLOYMENT AREA OF THE AIRBAG ZONE



AIRBAGS


ROOF-RAIL AND SEAT-MOUNTED SIDE IMPACT AIRBAG DEPLOYMENT ZONES - PASSENGER SIDE SHOWN, DRIVER SIDE SIMILAR



LONG W.B. SHOWN, SHORT W.B. SIMILAR

AIR BAG ZONE	USAGE	VEHICLE DESCRIPTION
A	LH/RH	PASSENGER VAN WITH RH SIDE 60/40 SWING OUT DOOR
A	LH	PASSENGER VAN WITH RH SLIDING DOOR
B & C	RH	

ROOF-RAIL SIDE IMPACT AIRBAG DRIVER AND PASSENGER DEPLOYMENT ZONES - VIEW FROM REAR CARGO AREA



- 1. Roof-rail Airbag Deployment Zone
- 2. Underside of Headliner
- 3. Edge of Headliner
- 4. Inner Pillar Trim
- 5. Inner Front Door Trim
- 6. Front Seatback Side Deployment Zone
H: 520 mm Above Seat Cushion
W: 180 mm From Door Trim
- 7. Front Seat Back
- 8. Seat Centerline
- 9. Top of Seat Cushion

The driver and passenger seat-mounted side impact airbag deployment zones move up, down, fore, aft, as the seat is adjusted by the occupant. The deployment zones also move as the seatback is reclined and raised.

AIRBAGS FAQ

Can specialty vehicle equipment (e.g. radar devices, video cameras, computers, meters, radio trees, shotguns, etc.) still be mounted in cars with passenger side airbags?

Yes, but care must be taken to mount the equipment outside of the deployment zone. Airbags inflate with great force and will interact with any object in the deployment zone. Therefore, to reduce the risk of injury to vehicle occupants, GM recommends that the air deployment zone be kept free of any equipment. If a piece of equipment were to become dislodged it could strike an occupant in the vehicle and result in injury. The likelihood of an object becoming dislodged is influenced by many factors, including the proximity of the object to the inflatable restraint, the size and shape of the object and the means by which the object is secured to the vehicle. In addition to these factors, the trajectory and velocity of the dislodged object can be influenced by the type and severity of vehicle crash.

Objects that are in the deployment zone, but do not become dislodged by an inflating airbag can still affect the performance of the airbag. For example, such objects could tear the fabric or affect the shape of the airbag, thus reducing the ability of the bag to provide restraint.

Is it possible to shield equipment that is installed in the passenger side frontal airbag deployment zone in a manner that will allow full and safe airbag deployment?

Due to the complexity of the influencing variables, GM is unable to evaluate the potential for shielding expected equipment configurations in all accident scenarios in order to assure that the airbag performance would be unaffected. While shielding may protect certain equipment from being damaged or dislodged, it may also negatively affect the inflation characteristics of the airbag. The airbag's shape, inflation angle, fold pattern, and inflation rate and pressure are developed to maximize the protection capability of the inflatable restraint system. Therefore, GM cannot recommend the placement of any equipment in the deployment zone, even if it is shielded to protect it from damage.

Front airbag systems and instrument panel mounted equipment.

Passenger airbags in GM vehicles deploy in different ways depending upon the type of vehicle and the particular instrument panel design.

In some vehicles, the passenger airbag deploys through a discrete door located on the top surface of the instrument panel (top-mount airbag systems). In other vehicles, the passenger airbag deploys through a discrete door mounted on the vertical rearward surface of the instrument panel, above the glove box door (mid-mount airbag system). With these types of top mount and mid-mount passenger airbag systems, the top pad of the instrument panel remains in place during deployment.

Some GM passenger airbag systems deploy from beneath the instrument panel top pad. These are considered 3/4-mount airbag systems with a "deployable top pad." The entire instrument panel top pad is the "deployment door" from under which the inflation airbag emerges. When an airbag deployment is commanded, the forces from the inflating passenger airbag push up on the instrument panel top pad, releasing special fasteners across the rearward edge of the top pad. This allows the top pad to rotate upward so that the passenger airbag may emerge. The top pad rotates upward to open widest at the right hand side, and is usually forced upward into contact with the windshield on the right hand

side of the vehicle during a deployment.

Instrument panel top mounted special equipment, such as a radar antenna and control unit or video camera must be positioned to the left of the vehicle center line. This equipment must be mounted as low as possible and securely fastened to the top pad to avoid being dislodged in the event of a crash and possible airbag deployment. In the process of securely fastening special equipment to the top, DO NOT fasten down the top pad itself to any other vehicle component such as the cluster trim plate. As described above, the top pad rotates upward during a deployment. In order to enable the proper deployment of the passenger airbag, specialty equipment installation MUST NOT PREVENT the top pad from rotating upward during deployment. Location and attachment of special equipment should minimize added resistance or interference to upward rotation of the top pad during deployment.

On the right half of the top pad closest to the passenger airbag module, GM recommends that no equipment be mounted. When mounting equipment not on the driver side of the top pad, GM recommends that the total mass of the top pad mounted special equipment not exceed 8 pounds (3.6 Kilograms), since some top pads tend to rotate about the left end.

Fasteners used to secure special equipment to the instrument panel top pad, the windshield glass, or to the windshield upper frame (header), should be selected to ensure that these devices will remain attached during a vehicle crash and possible airbag deployment.

Side-Impact Airbags for crashes to the vehicle sides.

The airbag system in your police vehicle includes roof rail mounted Head Curtain side airbags. The vehicle is also equipped with seat back mounted upper body airbags located on the outboard side of the driver and front passenger seat backs. Together the Head Curtain and seat-mounted side airbags are intended to protect the head and upper body in the event of a side crash. The Head Curtain and seat-mounted side airbags also may be commanded to deploy in the event that the vehicle sensing system detects an impending or underway rollover of the vehicle. Some vehicles may also be equipped with an optional airbag, mounted on the inboard side of the driver seat back.

Can Specialty Vehicle Security Barriers be mounted within the side airbag deployment zones?

No. The Side airbags inflate extremely fast because of the nature of side crashes to the vehicle. Mounting a security barrier behind the front seats with the ends placed within the side airbag deployment zones will result in unintended interaction between the barrier and the inflated side airbags. To reduce the risk of injury to the vehicle occupants, GM recommends that the side airbag zones be kept free of any customer installed equipment.

Customer furnished equipment installed to the vehicle roof.

The roof system may also include side airbag head curtain components. Inflation devices and cushion components may be mounted on the vehicle roof side from the base of the windshield along the roof rail above the door openings to the base of the rear window pillar. Care must be taken to avoid damage to these components or interference with their operation when installing roof mounted equipment such as emergency lamps and communication antennas.

Always use safety belts and the correct restraint for your child's age and size, even with air bags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and the child safety seat instructions for more safety information.

AIRBAGS FAQ

Can the installation of push bumpers on the front end of the vehicle affect the deployment of the airbag?

General Motors is not aware of adverse effects during crash events from the many push bumpers that have been installed on GM police vehicles. Because there are many styles of push bumpers available with varying crash characteristics, installation of push bumpers may or may not effect deployment timing of the airbags. Push bumpers should be mounted to avoid modifying the vehicle structure and interfering with the front airbag sensors mounted on the upper radiator support cross member.

Two front impact sensors are installed in General Motors vehicles. Do not relocate or disconnect the front sensors. The location and orientation of the front sensors are critical for correct operation of the airbag system. Avoid mounting components on or near the sensors. Push bumper styles with vertical pushing members that are in foreaft alignment with the front airbag sensors are not recommended.

When should an airbag inflate?

The driver's and right-front passenger's frontal airbags are designed to inflate in moderate to severe frontal or near-frontal crashes. But they are designed to inflate only if the impact speed is above the system's designed "threshold level."

In addition, your vehicle has "dual stage" frontal airbags which tailor the amount of restraint according to crash severity. For moderate frontal impacts, the airbags inflate at a level less than full deployment. For more severe frontal impacts, "dual stage" frontal airbags deploy at full levels.

If the front of your vehicle goes straight into a wall that doesn't move or deform, the threshold level of the reduced deployment is about 12 to 16mph (19 to 15 km/h), and the threshold level for a full deployment is about 18 to 24 mph (29 to 28.5 km/h). The threshold level can vary, however, with specific vehicle design, so that it can be somewhat above or below this range.

If your vehicle strikes something that will move or deform such as a parked car, the threshold level will be higher. The driver's and right-front passenger's frontal airbags are not designed to inflate in rollover, side impacts, or rear impacts, because inflation would not help the occupant.

Seat mounted side impact airbags are designed to inflate in moderate to severe side crashes. The side impact airbags will inflate if the crash severity is above the designed "threshold level." The threshold level can vary with specific vehicles design. The side impact airbags are not designed to inflate on frontal or near frontal impacts or rear impacts, because inflation would not help the occupant.

Roof rail mounted head-curtain airbags are designed to inflate in moderate to severe side crashes. In addition, certain vehicles have head-curtain airbags which are also designed to inflate in situations where an impending rollover condition is identified by the vehicle's rollover sensing system and/or frontal or near-frontal impacts if the crash severity is above the designed "threshold level." Safety belt pretensioners at the driver and front passenger seat positions are designed to deploy in frontal, near-frontal, side, and rear crashes that exceed the "threshold level" of crash severity to help reduce slack in the safety belt. Safety belt pretensioners will also deploy in impending rollover situations.

How long will the airbag remain inflated?

It takes approximately 1/20th of a second to fully inflate the frontal airbags. This is faster than the blink of an eye. The airbags begin to deflate immediately, helping to stop the occupants more gradually. Unlike frontal airbags, head curtain side airbags can remain inflated for more than 5 seconds before they start to deflate.

I've heard that a deployed airbag produces what appears to be smoke, is the airbag hot?

After the bag has deployed in a crash, the airbag itself will not be hot to touch. Some components within the airbag module will be hot for a short time. A small amount of smoke coming from a deployed airbag module is normal and should not be cause for concern. Also, when the nitrogen gas is vented out of the airbag, small particles from inside the bag are also vented into passenger compartment. These airborne particles look like smoke and some particles are deposited as residue on and around the airbag.

I've heard that the dusts that are released into the passenger compartment from the airbag are harmful, is this true?

For most people, the only effect the dusts will produce is some irritation of the throat and eyes, and that is only if the occupant remains in the vehicle for many minutes after the airbag deployment with no ventilation and windows closed. However, some people with asthma may develop an asthmatic attack from inhaling the dusts. If this happens, they should first treat themselves the same way their doctor has advised them to treat any other asthma attack, and then immediately seek medical treatment.

Can the airbag system be re-used?

No. The airbags are designed to inflate only once. After inflation, some new parts will be required. These will include the airbag module and possibly other parts. (A competent service technician with access to the vehicle's service manual and the required tools should replace the required components after a deployment crash.)

If my vehicle has airbags, why should I have to wear my safety belt?

Yes, safety belts are the primary safety restraint in the vehicle. Airbags are in many vehicles today and will be in most of them in the future. But they are supplemental systems only; so they work with safety belts, not instead of them. Every airbag system ever offered for sale has required the use of safety belts. Even if you're in a vehicle that has airbags, you still have to buckle up to get the most protection. That's true not only in frontal collisions but especially in side and other collisions.

ELECTRONIC STABILITY CONTROL SYSTEMS (STABILITRAK)

StabiliTrak systems help drivers maintain control of their vehicles, especially during emergency lane changes or avoidance maneuvers. StabiliTrak uses various sensors, such as steering wheel angle, wheel speed, yaw velocity, etc., to detect any difference between the path requested by the steering wheel position and vehicle's actual path. When appropriate, the system selectively controls brakes, engine power, and even suspension settings to enhance control of the vehicle's direction and help keep it on course.

Independent studies conducted by the National Highway Traffic Safety Administration, the Insurance Institute for Highway Safety, and others have found StabiliTrak to be highly reactive in reducing vehicle crashes. General Motors offers StabiliTrak systems on many of its passenger car and light truck models.

See your owner's manual for additional information about the operation of StabiliTrak.

Q. How do I use StabiliTrak?

A. StabiliTrak operates independently of the driver.

You should continue to drive your StabiliTrak equipped vehicle with caution and care. GM's StabiliTrak system, StabiliTrak is designed to be as seamless as possible in operation, and part of the overall vehicle response to make a good vehicle better

Q. How does StabiliTrak work?

A. StabiliTrak has the ability to apply control forces to the vehicle independent of the driver. StabiliTrak uses sensors to continuously compare the path indicated by the steering wheel position to the vehicle's actual path. If a discrepancy is detected, StabiliTrak selectively controls vehicle brakes and engine torque to create a yaw moment that helps restore the vehicle's actual path to the path indicated by the steering wheel position. StabiliTrak has the ability to help correct both understeer (where the vehicle is not turning as much as the steering wheel position indicates) and oversteer (where the vehicle is turning more than the steering wheel position indicates).

Q. Will a tire change affect StabiliTrak?

A. Use of tires other than original equipment may affect StabiliTrak performance. StabiliTrak is designed to make the best use of available traction. The performance characteristics of the original equipment tires are part of the overall system effectiveness. When you replace tires check the recommendations in your owner's manual. On GM vehicles, the original equipment tires have a "TPC" (Tire Performance Criteria) code on the sidewall. Replacing the tires with the same "TPC" code will help assure proper StabiliTrak performance.

DRIVER OPERATED TRACTION CONTROL BUTTON

An advanced computer controlled stability enhancement system assists the driver with directional control of the vehicle in difficult driving conditions. Each time the vehicle is started, the StabiliTrak system is fully on. StabiliTrak can be controlled by a Traction Control Button. The condition system is displayed by a StabiliTrak indicator light and Driver Information

Center (DIC) Message. Push once to disable Traction Control. Push and hold to disable both Traction Control and StabiliTrak. In this condition, StabiliTrak will automatically turn ON when the vehicle speed exceeds 35 mph (56km/hr) while the Traction Control remains OFF. Push again to enable Traction Control and StabiliTrak.

MAINTENANCE / WARRANTY

MAINTENANCE

Two maintenance visits within 2 years/24,000 miles (whichever comes first) includes:

- ACDelco dexos1®Oil and ACDelco Oil Filter Change (excludes Bolt EV)
- 4-wheel Tire Rotation
- 27-Point Vehicle Inspection (MPVI)

Maintenance visits must occur within two years or 24,000 miles of vehicle delivery, whichever comes first. All 2017 Corvette models are eligible for three service visits under the Chevrolet Complete Care program. Does not include air filters. See participating dealer for other restrictions and complete details.

All vehicles require periodic maintenance. Maintenance services, such as those detailed in the Owner's Manual are the owner's expense. Vehicle lubrication, cleaning, or polishing are not covered. Failure of or damage to components requiring replacement or repair due to vehicle use, wear, exposure, or lack of maintenance is not covered.

Items such as audio system cleaning, brake pads/linings, clutch linings, coolants and fluids, filters, keyless entry (or other remote transmitter/receiver batteries),[†] limited slip rear axle service, tire rotation, wheel alignment/balance,[†] wiper inserts are covered up to the first maintenance inspection period outlined in the Owner's Manual. Any replacement at the time of, or beyond the maintenance inspection period is considered maintenance, and is not covered as part of the New Vehicle Limited Warranty. The New Vehicle Limited Warranty only covered components when replacement or repair of these components is the result of a defect in material or workmanship.

BUMPER TO BUMPER WARRANTY (including tires)

Coverage is for the first 3 years or 36,000 miles, whichever comes first.

This warranty gives you specific legal rights and you may also have other rights which vary from state to state. GM does not authorize any person to create for it any other obligation or liability in connection with these vehicles. Any implied warranty of merchantability or fitness for a particular purpose applicable to this vehicle is limited in duration to the duration of this written warranty. Performance of repairs and needed adjustments is the exclusive remedy under this written warranty or any implied warranty. GM shall not be liable for incidental or consequential damages, such as, but not limited to, lost wages or vehicle rental expenses, resulting from breach of this written warranty or any implied warranty.

ENGINE

Coverage includes all internally lubricated parts, engine oil cooling hoses, and lines. Also included are all actuators and electrical components internal to the engine (e.g., Active Fuel Management valve, lifter and oil manifold) cylinder head, block, timing gears, timing chain, timing cover, oil pump/oil pump housing, OHC carriers, valve covers, oil pan, seals, gaskets, manifolds, flywheel, water pump, harmonic balancer, engine mount, turbocharger, and supercharger. Timing belts are covered until the first scheduled maintenance interval. Exclusions: Excluded from the powertrain coverage are sensors, wiring, connectors, engine radiator, coolant hoses, coolant, and heater core. Coverage on the engine cooling system begins at the inlet to the water pump and ends with the thermostat housing and/or outlet that attaches to the return hose. Also excluded is the starter motor, entire pressurized fuel system (in-tank fuel pump, pressure lines, fuel rail(s), regulator, injectors, and return line), as well as the Engine/ Powertrain Control Module and/or module programming.

DIESEL ENGINE COMPONENTS

Cylinder block and heads and all internal parts, intake and exhaust manifolds, timing gears, timing gear chain or belt and cover, flywheel, harmonic balancer, valve covers, oil pan, oil pump, water pump, fuel pump, engine mounts, seals, and gaskets. Parts of the Emissions Reduction System such as the emissions reduction fluid tank, injectors, sensors including NOx and exhaust, and the Exhaust Particulate Filter. Glow Plug Control System: Control/glow plug assembly, glow plugs, cold advance relay, and engine control module. The fuel injection control module, integral oil cooler, transmission adapter plate, common fuel rails, fuel filter assembly, fuel temperature sensor, and function block.

MAINTENANCE / WARRANTY

POWERTRAIN LIMITED WARRANTY

Coverage is for the first 5 years or 60,000 miles, whichever comes first.

Certain commercial fleet and/or government fleet vehicles purchased under a qualifying fleet account number are covered for 5 years or 100,000 miles, whichever comes first. A Qualified Fleet User is defined as a company that has purchased and registered or leased five (5) or more new cars/or trucks solely for use in its operation during the current or preceding calendar year, model year, preceding twelve (12) month period, or that owns or leases fifteen (15) or more cars and trucks. Excludes rental customers. See dealer for details.

Diesel Engine/Components: Cylinder block and heads and all internal parts, intake and exhaust manifolds, timing gears, timing gear chain or belt and cover, flywheel, harmonic balancer, valve covers, oil pan, oil pump, water pump, fuel pump, engine mounts, seals, and gaskets. Parts of the Emissions Reduction System such as the emissions reduction fluid tank, injectors, sensors including NOx and exhaust, and the Exhaust Particulate Filter. Glow Plug Control System: Control/glow plug assembly, glow plugs, cold advance relay, and engine control module. The fuel injection control module, integral oil cooler, transmission adapter plate, common fuel rails, fuel filter assembly, fuel temperature sensor, and function block.

Refer to the Limited Warranty and Owner Assistance Information or a Chevrolet dealership for additional details.

TRANSMISSION AND TRANSAXLE

Coverage includes all internally lubricated parts, case, torque converter, mounts, seals and gaskets, as well as any electrical components internal to the transmission/transaxle. Also covered are any actuators directly connected to the transmission (slave cylinder, etc.). Exclusions: Exclusions from the powertrain coverage include cooling lines, hoses, radiator, sensors, wiring, and electrical connectors. Also excluded are the clutch and pressure plate, as well as any Transmission Control Module and/or module programming.

TRANSFER CASE

Coverage includes all internally lubricated parts, case, mounts, seals and gaskets, as well as any electrical components internal to the transfer case. Also covered are any actuators directly connected to the transfer case, as well as the encoder motor. Exclusions: Excluded from the powertrain coverage are transfer case cooling lines, hoses, radiator, sensors, wiring, and electrical connectors, as well as the transfer case control module and/or module programming.

DRIVE SYSTEMS

Coverage includes all internally lubricated parts, final drive housings, axle shafts and bearings, constant velocity joints, propeller shafts and universal joints. All mounts, supports, seals, and gaskets, as well as any electrical components internal to the drive axle. Also covered are any actuators directly connected to the drive axle (e.g., front differential actuator). Exclusions: Excluded from the powertrain coverage are all wheel bearings, drive wheel front and rear hub bearings, locking hubs, drive system cooling, lines, hoses, radiator, sensors, wiring, and electrical connectors related to drive systems, as well as any drive system control module and/or module programming.

SHEET METAL

All body and sheet metal components are warranted against corrosion for 3 years or 36,000 miles, whichever comes first. Plus you're protected even further from rust-through corrosion for a minimum of 6 years/100,000 miles (whichever comes first). Application of additional rust-inhibiting materials is not required under the corrosion coverage and none is recommended. See your GM dealer for terms of this limited warranty.

EMISSION CONTROL SYSTEM

For light duty trucks, see "How to Determine the Applicable Emissions Control Systems Warranty" under Emission Control System Warranty on pg. 21 for more information. Defects and performance for car and light-duty truck emission control systems are covered for the first 2 years or 24,000 miles, whichever comes first. From the first 2 years or 24,000 miles to 3 years or 36,000 miles defects in material or workmanship continue to be covered under the New Vehicle Limited Bumper-to-Bumper Warranty coverage. Specified major components are covered for the first 8 years or 80,000 miles, whichever comes first. Defects and performance for heavy duty truck emission control systems including those found in 6.6L Duramax® Diesel Engines are covered for the first 5 years or 50,000 miles, whichever comes first.

California: Defects and performance for cars and trucks with light duty or medium duty emission control systems are covered for the first 3 years or 50,000 miles, whichever comes first. Specified components for cars or light duty trucks equipped with light duty or medium duty truck emission control systems are covered for the first 7 years or 70,000 miles, whichever comes first. See "California Emission Control System Warranty" on pg. 21 of your Chevrolet Limited Warranty and Owner Assistance Information booklet.

MAINTENANCE / WARRANTY

TIRES

The tires supplied with your vehicle are covered by General Motors against defects in material or workmanship under the Bumper-to-Bumper Limited Warranty coverage. Wear-out is not considered a defect, and it may occur before the vehicle warranty expires. In this case, the owner is responsible for purchasing replacement tires, or seeking coverage solely from the tire manufacturer. For vehicles within the Bumper-to-Bumper Limited Warranty coverage, defective tires will be replaced on a prorated adjustment basis according to the mileage-based schedule in your Warranty and Owner Assistance Information booklet. After your New-Vehicle Limited Warranty expires, you may still have prorated warranty coverage on your original equipment tires by the tire manufacturer.

ACCESSORY COVERAGE

Most GM parts and accessories sold and permanently installed on a GM vehicle by a GM Dealer or GM approved Accessory Distributor/Installer (ADI) prior to delivery will be covered under the applicable portion (Bumper-to-Bumper, Powertrain, etc.) of the New Vehicle Limited Warranty. In the event GM accessories are installed after vehicle delivery, or are replaced under the New Vehicle Limited Warranty, they will be covered, parts and labor, for the balance of the applicable portion of the New Vehicle Limited Warranty, but in no event less than 12 months/unlimited miles. GM Accessories sold over the counter, or those not requiring installation, will continue to receive the standard GM Dealer Parts Warranty of 12 months from the date of purchase, parts only. GM Licensed and Integrated Business Partner (IBP) Accessories are covered under the accessory-specific manufacturer's warranty and are not warranted by GM or its dealers.

TOWING

Towing is covered to the nearest Chevrolet dealer if your vehicle cannot be driven because of a warranted defect.

COURTESY TRANSPORTATION PROGRAM

Offers response, security and convenience of the 24-Hour Roadside Assistance Program. Roadside Assistance is provided with all purchased or leased GM vehicles that are within the Powertrain Limited Warranty.

- Emergency Towing (from a public road or highway to nearest Chevrolet dealer)
- Lockout Service (keys locked inside vehicle)
- Flat Tire Changes (service to change a flat tire with the spare tire (if equipped))
- Fuel Delivery (enough fuel for vehicle to get to the nearest service station)
- Jump-Starts (service to jumpstart a dead battery) During the 8 year or 100,000 miles
- Electric Propulsion warranty period, towing is covered to the nearest Chevrolet servicing dealer if your vehicle cannot be driven because of a warranted Electric Propulsion specific defect. Refer to your Owner's Manual for details, including reservation of rights, or consult your dealer/retailer. --For specific terms and conditions, please contact your Chevrolet Roadside Assistance Program advisor at 1-800-243-8872.

WHAT IS NOT COVERED

Tire and Wheel Damage or Wear Normal tire wear and tear or wear-out is not covered. Tire wear is influenced by many variables such as road conditions, driving styles, vehicle weight, and tire construction. Uniform tire wear is a normal condition, and it not considered a defect. Road hazard damage such as punctures, cuts, snags, and breaks resulting from pothole impact, curb impact, or from other objects is not covered. Tire wear due to misalignment beyond the warranty period is not covered. Also, damage from improper mounting or dismounting, misuse, negligence, alteration, improper repair, accident, collision, fire, vandalism, or misapplication is not covered. Damage to sidewalls caused by automatic car washes or cleaning agents is not covered.

Damage Due to Bedliners Owners of trucks with a bedliner, whether after-market or factory installed, should expect that with normal operation the bedliner will move. This movement may cause finish damage. Therefore, any damage caused by the bedliner is not covered under the terms of the New Vehicle Limited Warranty. The factory spray in bedliner (RPO CGN) is not covered for a loss of shine and luster or fading. Refer to the Owner's Manual for more information on spray in bedliner maintenance.

Damage Due to Accident, Misuse, or Alteration. The New Vehicle Limited Warranty does not cover damage caused as a result of the following: Collision, fire, theft, freezing, vandalism, riot, explosion, or objects striking the vehicle.

Misuse of the vehicle such as driving over curbs, overloading, racing, or other competition. Proper Vehicle use is discussed in the Owner's Manual. Alteration, modification, or tampering to the vehicle, including, but not limited to the body, chassis, powertrain, driveline, software, or other components after final assembly by GM. Coverages do not apply if the odometer has been disconnected, its reading has been altered, or mileage cannot be determined. Installation of non-GM (General Motors) parts. Water or fluid contamination.

MAINTENANCE / WARRANTY

Damage resulting from hail, floods, windstorms, lightning, and other environmental conditions. Alteration of glass parts by application of tinting films.

Damage caused by failure to follow the recommended maintenance schedule intervals and/or failure to use or maintain proper fluids, or maintain fluids between recommended maintenance intervals, fuel, lubricants, or refrigerants recommended in the Owner's Manual is not covered.

Damage Due to Impact, Use, or the Environment Windshield or glass cracks, chips, or scratches due to impact are not covered, Windshield cracks will be covered for the first 12 months, regardless of mileage if caused by defects in material or workmanship. Lights, lenses, mirrors, paint, grille, moldings, and trim are not covered for cracks, chips, scratches, dents, dings, and punctures or tears as a result of impact with others objects or road hazards. In addition, cracks, chips, scratches, or other damage to the face of a radio or instrument cluster from impact or foreign objects are not covered.

Damage Due to Contaminated, Improper, or Poor Quality Fuel

Poor fuel quality or incorrect fuel may cause drivability problems, such as hesitation, lack of power, stalling, or failure to start. They may also degrade functionality of critical exhaust emissions components such as spark plugs, oxygen sensors, and the catalytic converter. Damage from poor fuel quality, water contamination, or if the vehicle requires premium fuel, operating the vehicle on gasoline with a Pump Octane less than 91 (R+M)/2, may not be covered. Prohibited fuels are: Gasolines containing any methanol, MMT, an organometallic octane enhancing additive, and/or fuels containing more than 15% ethanol in non-Flex Fuel Vehicles (FFV). Please refer to your Owner's Manual under "Fuel," for additional recommendations, including the use of TOP TIER Detergent Gasoline. Additional information can also be found at <http://www.toptiergas.com>

Third Party Externally Connected Electrical Products

This warranty does not apply to hardware or software of a third party device that is connected to the vehicle or its components, even if integrated or delivered with the vehicle. GM is not responsible for the quality or accuracy of any information, or service accessed through or from any third party device or platform. Software distributed by GM inside or outside the vehicle (including, but not limited to system software or applications) is not covered by this Warranty. GM does not warrant that connections to, from or through the vehicle will be uninterrupted or error-free. Also, the user should back-up their data and user information frequently. GM is not responsible for any loss or damage to data or information made available in connection with the use of the vehicle.

In addition, this Warranty does not apply to:

- consumable parts that are designed to diminish over time, unless failure has occurred due to a defect in materials or workmanship;
- damage caused by a third party device or service (including upgrades and expansions), or (d) to obsolescence or lack of utility with future versions of external hardware or software, including, but not limited to mobile devices.

ALTERATIONS AND WARRANTIES: The Chevrolet New Vehicle Limited Warranty does not cover any damage or failure resulting from modifications, installations, or alterations to the original equipment as manufactured or assembled by General Motors. The special body company, assembler, equipment installer or upfitter is solely responsible for warranties on the body or equipment and any alterations (or any effect of the alterations) to any of the parts, components, systems or assemblies installed by GM. General Motors is not responsible for the safety or quality of design features, materials or workmanship of any alterations by such suppliers.

IMPORTANT: This warranty is void on vehicles currently or previously titled as salvage scrapped, junked, or otherwise considered a total loss. Damage or Corrosion Due to Environment, Chemical Treatments, or Aftermarket Products

Damage Caused by airborne fallout, rail dust, salt from sea air, salt or other materials used to control road conditions, chemicals, tree sap, stones, hail, earthquake, water or flood, windstorm, lightning, the application of chemicals or sealants subsequent to manufacture, etc., is not covered. See "Chemical Paint Spotting" under Things to Know About the New Vehicle Limited Warranty on pg. 16. Damage Due to Insufficient or Improper Maintenance.



GM reserves the right to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models, and availability. Specifications, dimensions, measurements, ratings, and other numbers in this catalog and other printed materials provided at the dealership or affixed to vehicles are approximates based upon design and engineering drawings and prototypes and laboratory tests. Your vehicle may differ due to variations in manufacture and equipment. Since some information may have been updated since the time of printing, please check with your GM dealer for complete details. Some of the equipment shown or described throughout this publication may be available at extra cost, and/or is supplied by an independent supplier.

Copyright 2018 General Motors. All rights reserved. All text, images, graphics, and other materials in this publication are subject to the copyright and other intellectual property rights of General Motors. These materials may not be reproduced, distributed, or modified without the express written permission of General Motors. The marks appearing in this publication including, but not limited to: GM and the GM logo; Chevrolet and their respective logos, emblems, slogans, and vehicle model names and body designs; and other marks such as GM Fleet and Commercial are trademarks and/or service marks of General Motors, its subsidiaries, affiliates, or licensors.

For more detailed information, contact your District Sales Manager or see the online order guide at gmfleet.com.



For more information, visit gmfleet.com/police

