

2021 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE

1

Configuration Diagrams



Table of Contents

GENERAL INFORMATION3

REGULAR CAB

141" WB5

165" WB10

189" WB17

201" WB32

219"WB47

231" WB62

243"WB77

CREW CAB

175" WB92


199" WB103

235" WB118

REVISION HISTORY133

Configuration Diagrams – General Information

CA	WB
60"	141"
84"	165"
108"	189"
120"	201"
138"	219"
150"	231"
162"	243"



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE

4

120 96 72 48 24 0 24 48 72 96 120 144 168 192 216 240 inches

Back Of Cab

Configuration Diagrams – General Information


Model:	C56403
Cab:	REGULAR CAB
Rear Suspension Shown in Diagrams	4x2 VARI-RATE

2020 Silverado Medium Duty 4500HD/5500HD/6500HD

Configuration Diagrams – General Information

Model:	C56043
Cab:	CREW CAB
Rear Suspension Shown in Diagrams	4x2 VARI-RATE

CA	WB
60"	175"
84"	199"
120"	235"



Regular Cab – 141” WB


2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE

6

Regular Cab – 141” WB

Model/Feature Information			General Configuration Information	Minimum Wheelbase
Model:		C56403	4X2 TRUCK CONFIGURATION NOT AVAILABLE WITH 4X4	141” WB (60” CA) 49” AF
Cab:		REGULAR CAB		
Aftertreatment:	STD	HORIZONTAL	RT SIDE TAILPIPE, EXIT BEHIND REAR WHEEL (RPO NPR)	
Fuel Tank:	RPO N2L	40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8	28” STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:		(1) OUTSIDE LEFT		
DEF Tank:	STD	6.75 GAL		
Engine:	RPO L5D	6.6L GM DURAMAX		




2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE

7

Regular Cab – 141” WB

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403	4X2 TRUCK CONFIGURATION NOT AVAILABLE WITH 4X4	141” WB (60” CA) 49” AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	RT SIDE TAILPIPE, EXIT BEHIND REAR WHEEL (RPO NPR)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		




2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE

8

Regular Cab – 141” WB

Model/Feature Information			General Configuration Information	Minimum Wheelbase	
Model:		C56403		141” WB (60” CA) 49” AF	
Cab:		REGULAR CAB			
Aftertreatment:		HORIZONTAL			
Fuel Tank: RPO NVK		25 GAL, CA MTD			
Battery Box: RPO 7Y7/7Y8		28” STEEL, 2 BATTERIES			
Air Tanks:		NONE			
DEF Tank:		6.75 GAL			
Engine:		6.6L GM DURAMAX			




2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE

9

Regular Cab – 141" WB

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403	4X2 TRUCK CONFIGURATION NOT AVAILABLE WITH 4X4	141" WB (60" CA) 49" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	RT SIDE TAILPIPE, EXIT BEHIND REAR WHEEL (RPO KUT/JPY)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES		
Air Tanks:	NONE		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		




Regular Cab – 165” WB

PAGE **11**

This technical drawing illustrates the front chassis and drivetrain of a vehicle. The front suspension is a MacPherson strut design, featuring a lower control arm, a steering knuckle, and a coil-over shock absorber. The steering system includes a rack and pinion mechanism. The drivetrain shows a front engine block, a transmission, and a driveshaft. The rear suspension is a multi-link design. The chassis is shown in a side view, with various components labeled with numbers and letters. A scale bar is provided at the bottom of the drawing.


2020 Silverado Medium Duty 4500HD/5500HD/6500HD

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	165" WB (84" CA) 49" OR 63" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		




2020 Silverado Medium Duty 4500HD/5500HD/6500HD

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	165" WB (84" CA) 49" OR 63" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	165" WB (84" CA) 49" OR 63" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD


PAGE 15

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	165" WB (84" CA) 49" OR 63" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES		
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	165" WB (84" CA) 49" OR 63" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



Regular Cab – 189” WB

2020 Silverado Medium Duty 4500HD/5500HD/6500HD


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	189" WB (108" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 19


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	189" WB (108" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 20


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	189" WB (108" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 21


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	189" WB (108" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 22


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	189" WB (108" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD


PAGE 23

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	189" WB (108" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	189" WB (108" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 25


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	189" WB (108" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 26


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	189" WB (108" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD


PAGE 27

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	189" WB (108" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTISDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	189" WB (108" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 29


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	189" WB (108" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 30


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	189" WB (108" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 31

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	189" WB (108" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTISDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		




Regular Cab – 201” WB

2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 33


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	201" WB (120" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 34


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	201" WB (120" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 35


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	201" WB (120" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 36


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	201" WB (120" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 37


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	201" WB (120" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 38


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	201" WB (120" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 39


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	201" WB (120" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 40


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	201" WB (120" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 41


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	201" WB (120" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 42


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	201" WB (120" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD


PAGE 43

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	201" WB (120" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	201" WB (120" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 45


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	201" WB (120" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 46

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	201" WB (120" CA) 49", 63", OR 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		




Regular Cab – 219" WB

2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 48


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	219" WB (138" CA) 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 49


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	219" WB (138" CA) 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 50


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	219" WB (138" CA) 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 51


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	219" WB (138" CA) 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 52


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	219" WB (138" CA) 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 53


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	219" WB (138" CA) 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 54


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	219" WB (138" CA) 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 55


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	219" WB (138" CA) 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 56


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	219" WB (138" CA) 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 57


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	219" WB (138" CA) 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 58


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	219" WB (138" CA) 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 59


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	219" WB (138" CA) 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 60


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	219" WB (138" CA) 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 61

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	219" WB (138" CA) 75" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		




Regular Cab – 231” WB

2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 63


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	231" WB (150" CA) 91" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 64


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	231" WB (150" CA) 91" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 65


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	231" WB (150" CA) 91" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 66


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	231" WB (150" CA) 91" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 67


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	231" WB (150" CA) 91" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 68


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	231" WB (150" CA) 91" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 69


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	231" WB (150" CA) 91" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 70


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	231" WB (150" CA) 91" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 71


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	231" WB (150" CA) 91" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 72


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	231" WB (150" CA) 91" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 73


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	231" WB (150" CA) 91" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 74


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	231" WB (150" CA) 91" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 75


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	231" WB (150" CA) 91" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 76

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	231" WB (150" CA) 91" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		




Regular Cab – 243” WB

2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 78


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	243" WB (162" CA) 83" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 79


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	243" WB (162" CA) 83" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 80


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	243" WB (162" CA) 83" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 81


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	243" WB (162" CA) 83" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 82


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	243" WB (162" CA) 83" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 83


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	243" WB (162" CA) 83" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 84


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	243" WB (162" CA) 83" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 85


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	243" WB (162" CA) 83" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 86


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	243" WB (162" CA) 83" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 87


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	243" WB (162" CA) 83" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 88


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	243" WB (162" CA) 83" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 89


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	243" WB (162" CA) 83" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 90


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	243" WB (162" CA) 83" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 91

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56403 K56403	4X2 OR 4X4 TRUCK CONFIGURATION	243" WB (162" CA) 83" AF
Cab:	REGULAR CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		




Crew Cab – 175” WB

2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 93


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	175" WB (60" CA) 49" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 94


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	175" WB (60" CA) 49" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 95


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	175" WB (60" CA) 49" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 96


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	175" WB (60" CA) 49" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTISDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 97


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (07WDU)	175" WB (60" CA) 49" AF
Cab:	CREW CAB	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Aftertreatment:	HORIZONTAL	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES		
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 98


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (07WDU)	175" WB (60" CA) 49" AF
Cab:	CREW CAB	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Aftertreatment:	HORIZONTAL	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT		
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 99


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	175" WB (60" CA) 49" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 100


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (07WDU)	175" WB (60" CA) 49" AF
Cab:	CREW CAB	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Aftertreatment:	HORIZONTAL	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES		
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 101


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	175" WB (60" CA) 49" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 102

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (07WDU)	175" WB (60" CA) 49" AF
Cab:	CREW CAB	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Aftertreatment:	HORIZONTAL	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Fuel Tank:	RPO NSQ		
Battery Box:	RPO 7Y7/7Y8		
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		




Crew Cab – 199” WB

2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 104


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	199" WB (84" CA) 49" OR 63" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 105


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	199" WB (84" CA) 49" OR 63" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 106


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	199" WB (84" CA) 49" OR 63" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 107


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	199" WB (84" CA) 49" OR 63" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 108


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	199" WB (84" CA) 49" OR 63" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 109


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	199" WB (84" CA) 49" OR 63" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 110


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	199" WB (84" CA) 49" OR 63" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 111


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	199" WB (84" CA) 49" OR 63" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 112


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	199" WB (84" CA) 49" OR 63" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 113


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	199" WB (84" CA) 49" OR 63" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 114


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	199" WB (84" CA) 49" OR 63" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 115


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	199" WB (84" CA) 49" OR 63" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 116


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	199" WB (84" CA) 49" OR 63" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPJ)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 117

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	199" WB (84" CA) 49" OR 63" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		




Crew Cab – 235” WB

2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 119


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	235" WB (120" CA) 75" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 120


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	235" WB (120" CA) 75" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 121


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	235" WB (120" CA) 75" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 122


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	235" WB (120" CA) 75" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, LT SIDE (RPO NPJ)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 123


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	235" WB (120" CA) 75" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 124


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	235" WB (120" CA) 75" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO N2L 40 GAL, AF MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 125


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	235" WB (120" CA) 75" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 126


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	235" WB (120" CA) 75" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 127


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	235" WB (120" CA) 75" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 128


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	235" WB (120" CA) 75" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NVK 25 GAL, CA MTD		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 129


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	235" WB (120" CA) 75" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 130


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	235" WB (120" CA) 75" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	STRAIGHT TAILPIPE (RPO N12)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 131


Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	235" WB (120" CA) 75" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y7/7Y8 28" STEEL, 2 BATTERIES	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



2020 Silverado Medium Duty 4500HD/5500HD/6500HD

PAGE 132

Model/Feature Information		General Configuration Information	Minimum Wheelbase
Model:	C56043 K56043	4X2 OR 4X4 TRUCK CONFIGURATION	235" WB (120" CA) 75" AF
Cab:	CREW CAB		
Aftertreatment:	HORIZONTAL	SIDE EXIT TAILPIPE AHEAD OF REAR WHEELS, RT SIDE (RPO NPK)	
Fuel Tank:	RPO NSQ DUAL 25G CA, 40G AF		
Battery Box:	RPO 7Y9 TEMP MTD, 3 BATT	OPTIONAL AIR DRYER FWD OUTSIDE RT (RPO KUT/JPY)	
Air Tanks:	(1) OUTSIDE LEFT		
DEF Tank:	6.75 GAL		
Engine:	6.6L GM DURAMAX		



CONFIGURATION DIAGRAMS – REVISION HISTORY

Date	Revision	By
1-9-2018	Initial Release	Matt Friede
6-30-2018	Update #1	GSA
9-30-2018	Update #2	GSA

2020 Silverado Medium Duty 4500HD/5500HD/6500HD

END OF BBM MANUAL