

# FULL SIZE C/K LD PICKUPS

Model Symbol Chart.....	1
General Information.....	See Light Duty BBM “General Information” section
General Instructions .....	See Light Duty BBM “General Instruction” section
Camper Loading.....	See Online Order/Ref. Guide – “GM Consumer Info. Truck-Camper Loading”
Pickup Box Removal .....	See Light Duty BBM “Special Applications – Pickup Box Removal Program” section
Snow Plow Prep. Pkg.....	See Light Duty BBM “Special Applications – Snow Plow Prep Package” section
Trailer Information .....	See Light Duty Online Order/Ref. Guide – “Light Duty Trailering Specs”
Model and Option Weights .....	See Light Duty Online Order/Ref. Guide – “Model and Opt. Weights” & “Weight Calculator”

*Important please note;*

In an effort to enhance market comparison specifications, GM Upfitter has integrated corresponding `BLUE BOOK' alpha-numeric codes into many of the dimensional metrics provided in this guide.

## VEHICLE

### GENERAL ARRANGEMENT

Regular Cab.....	2
Double Cab .....	3
Crew Cab .....	4
Body/Cargo Weight Distribution – 6' 6".....	5
Body/Cargo Weight Distribution – 5' 8".....	6
Body/Cargo Weight Distribution – 8' .....	7

## BODY – EXTERIOR

### GENERAL ARRANGEMENT

Regular Cab, 6' 6" Box – C/K 18, 10703.....	8
Regular Cab, 8' Box – C/K 18, 10903.....	9
Extended Cab, 6' 6" Box – C/K 18, 10753.....	10
Crew Cab, 6' 6" Box – C/K 18, 10743.....	11
Crew Cab, 5' 8" Box – C/K 18, 10543 .....	12

### FRONT END CLIPS

C/K 180 (03/53/43) .....	13
C/K 100 (03/53/43) .....	13.2

# FULL SIZE C/K LD PICKUPS

## BODY – EXTERIOR – *Continued*

### HOOD OPENINGS

C/K 180 (03/53/43) .....	14
C/K 100 (03/53/43) .....	14.2

### SIGN AREA

Regular Cab – C/K 100/180/200/300 (03) .....	15
Extended Cab – C/K 100/180/200/300 (53) .....	16
Crew Cab – C/K 100/180/200/300 (43) .....	17

### CAB STEP IN HEIGHTS

Regular Cab (03) .....	18
Extended Cab (53) .....	19
Crew Cab (43) .....	20

### MIRRORS, OUTSIDE REARVIEW

C/K 180, Option DLF and C/K 2000, Option DEZ .....	21
C/K 100, Option DLF and C/K 2000, Option DEZ .....	21.2

### CAB CLEARANCE LAMPS, CHMSL AND REAR CAB WINDOW

Fixed and Sliding .....	22
-------------------------	----

### CAB PRESSURE VALVE ASSEMBLY

Rear Quarter Body Panel .....	23
-------------------------------	----

### PICKUP BOX

Length and Width Dimension for 5' 8", 6' 6" and 8' .....	24
--	----

# FULL SIZE C/K LD PICKUPS

## CAB – INTERIOR

### SEATING ARRANGEMENT

Seating Positions and H Points 1st Row Front View, Pickups – C/K 100/180/200/300 (03/53/43) .....	25
Seating Positions and H Points 2nd Row Front View, Pickups – C/K 100/180/200/300 (03/53/43) .....	26
Seating Positions and H Points Side View, Pickups – C/K 100/180/200/300 (03/53/43) .....	27

### SEAT MOUNTING HOLES LOCATIONS – FLOOR

C/K 100/180/200/300 (03/53/43) .....	28
--------------------------------------	----

## CHASSIS

### DATUM HOLE LOCATION – FRAME

C/K 100/180 (00) .....	30
------------------------	----

### FRAME RAIL AND CROSSMEMBER LOCATION

C/K 18, 10703 .....	31
C/K 18, 10903 .....	32
C/K 18, 10753 .....	33
C/K 18, 10743 .....	34
C/K 18, 10543 .....	35

### SPARE TIRE LOCATION

C/K 100, 180 Series Pickups .....	36
-----------------------------------	----

### PLATFORM HITCH/GCWR

Pickups C/K 100, 180 (03/53/43) .....	37
---------------------------------------	----

### FRONT AXLE/TIRE DATA

Front Axle Tire Data Chart– C/K 100, 180 Pickups .....	38
Front Axle Tire Data Drawing– C/K 100, 180 Pickups .....	39

### REAR AXLE/TIRE DATA

Rear Axle Tire Data Chart– C/K 100, 180 Pickups .....	40
Rear Axle Tire Data Drawing C/K 100, 180 Pickups .....	41

# ***FULL SIZE C/K LD PICKUPS***

---

## **CHASSIS – Continued**

### **FUEL SYSTEMS**

C/K 18, 10703 .....	42
C/K 18, 10903 Pickup .....	43
C/K 18, 10743, 18, 10753 and C/K 18, 10543 Pickups .....	44

### **EXHAUST SYSTEMS**

C/K 100, 180 (00) w/LV3 (4.3L V6) .....	45
C/K 100, 180 (00) w/L83 (5.3L V6) .....	46
C/K 100, 180 (00) L86 (6.2L V8) .....	47

### **DIESEL FUEL SYSTEMS/DEF SYSTEMS**

C/K 18, 10743 Pickup .....	48
C/K 18, 10543 Pickup .....	49
C/K 18, 10753 Pickup .....	50

# FULL SIZE C/K LD PICKUPS

## Model Symbol Chart

MODEL	REGULAR CABS (03) 2 DOOR CHEVROLET / GMC			DOUBLE CABS (53) 4 DOOR CHEVROLET / GMC			CREW CABS (43) 4 DOOR CHEVROLET / GMC		GVWR (kg/lbs)	WHEELBASE (mm/in)	CAB-TO-AXLE (mm/in)
C185, C105							+ E63 5' 8" Box		3084/6800 3130/6900 3175/7000 3221/7100	3745/147.4	829/32.63
C187, C107	+ E63 6' 6" Box								3084/6800	3213/126.4	1071/42.16
				+ E63 6' 9" Box					3084/6800 3130/6900 3221/7100	3745/147.4	1071/42.16
							+ E63 6' 9" Box		3084/6800 3130/6900 3175/7000 3221/7100	3987/156.9	1071/42.16
C189, C109 & ZW9	+ E63 8' Box Chassis	ZW9							3084/6800	3545/139.5	1403/55.23
K185, K105							+ E63 5' 8" Box		3130/6900 3175/7000 3220/7100 3266/7200 3311/7300	3745/147.4	827/32.63
K187, K107	+ E63 6' 9" Box								3084/6800	3213/126.4	1071/42.16
				+ E63 6' 9" Box					3130/6900 3175/7000 3220/7100 3311/7300	3745/147.4	1071/42.16
							+ E63 6' 9" Box		3130/6900 3175/7000 3220/7100 3266/7200 3311/7300	3987/156.9	1071/42.16
K189, K109 & ZW9	+ E63 8' Box Chassis							3130/6900	3545/139.5	1403/55.23	

E63 - Fleetside / Wideside Box (5' 8", 6' 9" and 8' Boxes)


ZW9 - Chassis Cab & Pickup w/Factory Box Delete ("Box Removal" APPROVED see "Special Applications") EXAMPLE: C10903= 2 DOOR REGULAR CAB / FLEETSIDE/WIDESIDE / 8' BOX

CK18 - Series LD carry-over models

CK10 - Series LD Mid-Year (MCM) Ext/Int enhancement

# FULL SIZE C/K LD PICKUPS

## Regular Cab – General Arrangement



GENERAL ARRANGEMENT C/K 10703,6'6" BOX, CHEVY


XXXXXXXXXX

[ ]=INCHES

ANB32122.6


# FULL SIZE C/K LD PICKUPS

## Double Cab – General Arrangement




# FULL SIZE C/K LD PICKUPS

## Crew Cab – General Arrangement



# FULL SIZE C/K LD PICKUPS

## Body/Cargo Weight Distribution – Pickups – 6' 6"



MODEL	L101 (WB)	L404 (CA)	L504	L507	BODY / CARGO WEIGHT DISTRIBUTION	
					% FRONT AXLE	% REAR AXLE
CK18, 10703	3213 (126.4)	1071 (42.1)	25 (1.0)	2239 (88.1)	1	99
CK18, 10753	3745 (147.4)	1071 (42.1)	25 (1.0)	2239 (88.1)	1	99

NOTE:-DIMENSIONS SHOWN ARE NOMINAL.  
 L404 = CAB TO REAR AXLE DIMENSION  
 L504 = BODY CLEARANCE BETWEEN BODY AND CAB  
 L507 = BOX LENGTH  
 L101 = WHEEL BASE

$$\frac{\text{CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE.}}{\text{WHEEL BASE}} \times 100 \% \text{ BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{L404 - L504 - (L507/2)}{L101 (WB)} \times 100 \% \text{ BODY PAYLOAD AT FRONT AXLE}$$


BODY/CARGO WEIGHT DISTRIBUTION CK10703 53,6' 5" BOX

[ ]=INCHES

ANC07766.3

# FULL SIZE C/K LD PICKUPS

## Body/Cargo Weight Distribution – Pickups – 5' 8"



MODEL	L101 (WB)	L404 (CA)	L504	L507	BODY / CARGO WEIGHT DISTRIBUTION	
					% FRONT AXLE	% REAR AXLE
CK18, 10543	3745 (147.4)	829 (32.6)	25 (1.0)	1997 (78.6)	-4	104

NOTE:-DIMENSIONS SHOWN ARE NOMINAL.  
 L404 = CAB TO REAR AXLE DIMENSION  
 L504 = BODY CLEARANCE BETWEEN BODY AND CAB  
 L507 = BODY (BOX) LENGTH  
 L101 = WHEEL BASE

$$\frac{\text{CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE.}}{\text{WHEEL BASE}} \times 100 \% \text{ BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{L404 - L504 - (L507/2)}{L101 (WB)} \times 100 \% \text{ BODY PAYLOAD AT FRONT AXLE}$$


BODY/CARGO WEIGHT DISTRIBUTION CK10543,5'8" BOX

[ ]=INCHES

ANC07766.3

# FULL SIZE C/K LD PICKUPS

## Body/Cargo Weight Distribution – Pickups – 8'



MODEL	L101 (WB)	L404 (CA)	L504	L507	BODY / CARGO WEIGHT DISTRIBUTION	
					% FRONT AXLE	% REAR AXLE
CK18, 10903	3545 (139.5)	1403 (55.2)	25 (1.0)	2715 (106.8)	3	97

NOTE:-DIMENSIONS SHOWN ARE NOMINAL.  
 L404 = CAB TO REAR AXLE DIMENSION  
 L504 = BODY CLEARANCE BETWEEN BODY AND CAB  
 L507 = BOX LENGTH  
 L101 = WHEEL BASE

$$\frac{\text{CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE}}{\text{WHEEL BASE}} \times 100 \% \text{ BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{L404 - L504 - (L507/2)}{L101 (WB)} \times 100 \% \text{ BODY PAYLOAD AT FRONT AXLE}$$


BODY/CARGO WEIGHT DISTRIBUTION CK10903, 8'BOX

[ ]=INCHES

ANCO7766.3


# FULL SIZE C/K LD PICKUPS

## C/K 18, 10703, Regular Cab 6' 6" Box – Body General Arrangement




# FULL SIZE C/K LD PICKUPS

## C/K 18, 10903, Regular Cab 6' 6" Box – Body General Arrangement




# FULL SIZE C/K LD PICKUPS

## C/K 18, 10753, Extended Cab 6' 6" Box – Body General Arrangement




# FULL SIZE C/K LD PICKUPS

## C/K 18, 10743, Crew Cab 6'6" Box – Body General Arrangement






# FULL SIZE C/K LD PICKUPS

## C/K 18, 10543, Crew Cab 5' 8" Box – Body General Arrangement




# FULL SIZE C/K LD PICKUPS

## C/K 180 (03/53/43) – Front End Clips



XXX: CHEVROLET C/K 180 03/43/53



XXX: GMC C/K 180 03/43/53




XXXXXXXXXX

[ ]=INCHES


ANB43157.4

# FULL SIZE C/K LD PICKUPS

## C/K 100 (03/53/43) – Front End Clips



XXX: CHEVROLET C/K 100 03/43/53



XXX: GMC C/K 100 03/43/53


XXXXXXXXXX

[ ]=INCHES

ANB43157.4


# FULL SIZE C/K LD PICKUPS

## C/K 180 (03/53/43) – Hood Openings




# FULL SIZE C/K LD PICKUPS

## C/K 100 (03/53/43) – Hood Openings



# FULL SIZE C/K LD PICKUPS

## Regular Cab Pickup – C/K 100/180/200/300 (03) – Sign Area



REGULAR CAB SIGN AREA X88 SHOWN


XXXXXXXX

[ ]=INCHES

ANC41481.6


# FULL SIZE C/K LD PICKUPS

## Extended Cab Pickup – C/K 100/180/200/300 (53) – Sign Area




# FULL SIZE C/K LD PICKUPS

## Crew Cab Pickup – C/K 100/180/200/300 (43) – Sign Area



# FULL SIZE C/K LD PICKUPS

## Regular Cab (03) – Cab Step in Heights




MODEL	L101 (WB)	H130 -1	A106-1	A147	A106-2
CK18, 10703	3213 (126.4)	575 (22.6)	18.1	22.5	24.9
CK18, 10903	3545 (139.5)	573 (22.5)	18.4	20.7	21.9

\*Completed Vehicle

STEP IN HEIGHT FOR CK100200300 03      BASE VEHICLE @ CURB      XXXXXXXX      [=] INCHES      ANC10189.3

# FULL SIZE C/K LD PICKUPS

## Extended Cab (53) – Cab Step in Heights




MODEL	L101(WB)	H130-1	H130-2	A106-1	A147	A106-2
CK18, 10753	3745 (147.4)	568 (22.3)	575 (22.6)	18.4	19.3	24.1

\*Completed Vehicle

STEP IN HEIGHT FOR CK100200300 53      BASE VEHICLE @ CURB      xxxxxxxx      [=INCHES      ANC10189.4

# FULL SIZE C/K LD PICKUPS

## Crew Cab (43) – Cab Step in Heights




MODEL	L101 (WB)	H130-1	H130-2	A106-1	A147	A106-2
CK18, 10543	3745 (147.4)	567 (22.3)	577 (22.7)	18.5	19.2	23.7
CK18, 10743	3987 (156.9)	564 (22.2)	574 (22.5)	18.2	17.9	23.8

\*Completed Vehicle


STEP IN HEIGHT FOR CK100200300 43      BASE VEHICLE @ CURB      xxxxxxxx      [=] = INCHES      ANC10189.5

# FULL SIZE C/K LD PICKUPS

## C/K 180, Option DLF and C/K 2000, Option DEZ – Mirrors, Outside Rearview



\* CL8 CHEVY TRUCK 180 SERIES




\* CL8 GMC TRUCK 180 SERIES


ALL DIMENSIONS SHOWN FOR CHEVY  
BASE MODEL UNLESS OTHERWISE NOTED

# FULL SIZE C/K LD PICKUPS

## C/K 100, Option DLF and C/K 2000, Option DEZ – Mirrors, Outside Rearview



\* CL8 CHEVY TRUCK 100 SERIES



\* CL8 GMC TRUCK 100 SERIES

ALL DIMENSIONS SHOWN FOR CHEVY  
BASE MODEL UNLESS OTHERWISE NOTED


1000 2000 3000 SERIES TRUCK

[ ]=INCHES

ANC22057.5


# FULL SIZE C/K LD PICKUPS

## Cab Clearance Lamps, CHMSL and Rear Cab Window – Fixed and Sliding




# FULL SIZE C/K LD PICKUPS

## Rear Quarter Body Panel – Cab Pressure Valve Assembly




# FULL SIZE C/K LD PICKUPS

## Length and Width Dimension for 5' 8", 6' 6" and 8' – Pickup Box




# FULL SIZE C/K LD PICKUPS

## Seating Positions and H Points 1st Row Front View, Pickups – C/K 100/180/200/300 (03/53/43)





# FULL SIZE C/K LD PICKUPS

## Seating Positions and H Points 2nd Row Front View, Pickups – C/K 100/180/200/300 (03/53/43)



# FULL SIZE C/K LD PICKUPS

## Seating Positions and H Points Side View, Pickups – C/K 100/180/200/300 (03/53/43)




GENERAL ARRANGEMENT CHEVY CK100

[ ]=INCHES

ANC 32358.5

# FULL SIZE C/K LD PICKUPS

## C/K 100/180/200/300 (03/53) – Seat Mounting Holes Locations – Floor



C/K 100 03/53 SEAT MOUNT LOCATIONS

[ ]=INCHES

ANB51264.3


# ***FULL SIZE C/K LD PICKUPS***

---

**TBD**

# FULL SIZE C/K LD PICKUPS

## C/K 100/180 (00) – Datum Hole Location



GMT CK 100 FRAME DATUM LOCATION


XXXXXXXXXX

[ ]=INCHES

ANC30752.3

# FULL SIZE C/K LD PICKUPS

## C/K 18, 10703 – Frame Rail and Crossmember Locations



C/K 10703 2016


XXXXXXXXXX

[ ]=INCHES

ANB34864.6

# FULL SIZE C/K LD PICKUPS

## C/K 18, 10903 – Frame Rail and Crossmember Locations



C/K 10903 2016


XXXXXXXXXX

[ ]=INCHES

ANB34864.7


# FULL SIZE C/K LD PICKUPS

## C/K 18, 10753 – Frame Rail and Crossmember Locations




# FULL SIZE C/K LD PICKUPS

## C/K 18, 10743 – Frame Rail and Crossmember Locations



# FULL SIZE C/K LD PICKUPS

## C/K 18, 10543 – Frame Rail and Crossmember Locations



C/K 10543 2016


XXXXXXXXXX

[ ]=INCHES

ANB34864.17

# FULL SIZE C/K LD PICKUPS

## C/K 100,180 Series Pickup – Spare Tire Location



SPARE TIRE TRUCKS 1000 SERIES

XXXXXXXX

[ ]=INCHES


ANC39360.4

# FULL SIZE C/K LD PICKUPS

## Pickups C/K 100, 180 (03/53/43) – Platform Hitch/GCWR

2019 VEHICLE W / TRAILER RATING

ENGINE	GCWR	GVWR-RPO
2.7L(L3B)	12,000 LBS	C5U, C5H, C5W
4.3L(LV3)	12,800 LBS	C5U, C5H, C5W, C3J
5.3L(L82)	15,000 LBS	C5U, C5H, C5W, C5Y
5.3L(L82)	14,000 LBS	C3J
5.3L(L84)	15,000 LBS	C5U, C5H, C5W
5.3L(L84)	16,800 LBS	C5Y, C6A
6.2L(L87)	15,000 LBS	C5W, C5Y, C5H
6.2L(L87)	17,800 LBS	C6A
3.0L(LM2)	13,000 LBS	C5H, C5W, C5Y
3.0L(LM2)	15,000 LBS	C5Y, C5Z



C/K 100 03/43/53


XXXXXXXXXX

[ ]=INCHES

ANB84248.3

# FULL SIZE C/K LD PICKUPS

## Front Axle Tire Data Drawing – C/K 100, 180 Pickups



- VYU : SNOW PLOW
- ZB3 : CHASSIS PACKAGE SOLID SMOOTH RIDE
- ZB5 : CHASSIS PACKAGE INCREASED CAPACITY
- E63 : BODY EQUIPMENT FLEETSIDE PICKUP BOX
- Z71 : CHASSIS PACKAGE OFF ROAD
- ZW7 : CHASSIS PACKAGE PREMIUM SMOOTH RIDE

\*MINIMUM GROUND CLEARANCE TO BE CALCULATED BY USING GROSS AXLE WEIGHT AND RECOMMENDED TIRE PRESURE

1" = 1 INCHES

1000 SERIES/TRUCK FRONT AXLE/TIRE DATA

ANB46140.13


# FULL SIZE C/K LD PICKUPS

## Front Axle Tire Data Chart – C/K 100, 180 Pickups

SERIES	Tire RPOs	SLR	WHEEL/AXLE				TIRE			H148-1 Ground Clearance
			Size	Offset	W102-1 Track	W101-1 Tread Width	Size	Max Width	Max GVWR	
C10543	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	7100	232
C10753	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	7100	228
C10743	RKX,RBX,RI8	382	17x8	24	1745	2031	P255/70R17	286	7100	230
C10703	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	6800	233
C10903	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	6800	233
K10543	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	7300	233
K10753	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	7300	233
K10743	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	7300	231
K10703	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	6800	235
K10903	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	6900	234
C10543	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	7100	232
C10753	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	7100	228
C10743	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	7100	230
C10703	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	6800	233
C10903	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	6800	233
K10543	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	7300	233
K10753	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	7300	233
K10743	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	7300	231
K10703	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	6800	235
K10903	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	6900	234

# FULL SIZE C/K LD PICKUPS

## Rear Axle Tire Data Drawing – C/K 100, 180 Pickups



SECTION B-B  
ROTATED 90

- VYU = SNOW PLOW.
- Z83 = CHASSIS PACKAGE SOLID SMOOTH RIDE.
- Z85 = CHASSIS PACKAGE INCREASED CAPACITY.
- E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX.
- Z71 = CHASSIS PACKAGE OFF ROAD.

- \* MAX GROWN TIRE RADIUS ON NARROWEST RIM.
- \*\* MAX GROWN TIRE WIDTH ON WIDEST RIM  
TIRE CHAINS NOT INCLUDED.

# FULL SIZE C/K LD PICKUPS

## Rear Axle Tire Data Chart – C/K 100, 180 Pickups


SERIES	Tire RPOs	SLR	WHEEL/AXLE					TIRE			GROUND			JOUNCE		
			Size	Offset	W102-2 Track	W101-2 Max Tread Width	B	Size	F Max Width	Max GVWR	H148-2	H156	HE	C	D	E
C10543	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	7100	220	200	---	TBD	TBD	412
C10753	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	7100	220	200	---	TBD	TBD	412
C10743	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	7100	221	197	---	TBD	TBD	412
C10703	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	6800	220	200	---	TBD	TBD	412
C10903	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	6800	221	201	734	TBD	TBD	412
K10543	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	7300	220	205	---	TBD	TBD	412
K10753	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	7300	220	205	---	TBD	TBD	412
K10743	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	7300	221	202	---	TBD	TBD	412
K10703	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	6800	220	210	---	TBD	TBD	412
K10903	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	6900	220	206	733	TBD	TBD	412
C10543	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	7100	220	200	---	TBD	TBD	408
C10753	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	7100	220	200	---	TBD	TBD	408
C10743	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	7100	221	197	---	TBD	TBD	408
C10703	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	6800	220	200	---	TBD	TBD	408
C10903	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	6800	221	201	740	TBD	TBD	408
K10543	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	7300	220	205	---	TBD	TBD	408
K10753	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	7300	220	205	---	TBD	TBD	408
K10743	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	7300	221	202	---	TBD	TBD	408
K10703	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	6800	220	210	---	TBD	TBD	408
K10903	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	6900	220	206	739	TBD	TBD	408

HE - Rear 'Top of Frame' Max Curb (Base Equipment)

SLR - C/L Rear Axle at EPA (Avg. of MIN/MAX CURB (Base Equipment))

# FULL SIZE C/K LD PICKUPS

## C/K 18, 10703 – Gas Fuel Systems



24 GALLON FUEL TANK  
C/K 10703


XXXXXXXXXX

[ ]=INCHES

ANB49354.


# FULL SIZE C/K LD PICKUPS

## C/K 18, 10903 – Gas Fuel Systems




# FULL SIZE C/K LD PICKUPS

## C/K 18, 10743, 18, 10753 and C/K 18, 10543 Pickup – Gas Fuel Systems



# FULL SIZE C/K LD PICKUPS

## C/K 100, 180 (00) w/LV3 (4.3L V6) – Exhaust Systems



MODEL	L 101
CK 18,10703	3213.0 [126.4]
SHOWN CK 18,10903	3545.0 [139.5]
CK 18,10543	3745.0 [147.4]
CK 18,10743	3987.0 [156.9]
CK 18,10753	3745.0 [147.4]

EXHAUST SYSTEM LV3 (4.3L)  
NU1.NU5.NT7: CK100/00 LD


XXXXXXXXXX

[ ]=INCHES

ANF65340.9

# FULL SIZE C/K LD PICKUPS

## C/K 100, 180 (00) w/L83 & (5.3L V-8) – Exhaust Systems



MODEL	L 101
CK 18,10703	3213.0 [126.4]
CK 18,10903	3545.0 [139.5]
CK 18,10543	3745.0 [147.4]
CK 18,10743	3987.0 [156.9]
CK 18,10753	3745.0 [147.4]

SHOWN

EXHAUST SYSTEM L83 (5.3L)  
NU1.NU5.NT7: CK100/00 LD


XXXXXXXXXX

[ ]=INCHES

ANF65340.11


# FULL SIZE C/K LD PICKUPS

## C/K 100, 180 (00) w/L87 (6.2L V-8) – Exhaust Systems




# FULL SIZE C/K LD PICKUPS

## C/K 18, 10743 Pickup – Diesel Fuel/DEF Systems




# FULL SIZE C/K LD PICKUPS

## C/K 18, 10543 Pickup – Diesel Fuel/DEF Systems



# FULL SIZE C/K LD PICKUPS

## C/K 18, 10753 Pickup - Diesel Fuel/DEF Systems



22 GALLON FUEL TANK/5.3 GALLON DEF TANK

C/K 10753

XXXXXXXXXX

[ ]=INCHES

ANB49354.XX