



2026

SILVERADO EV WT



Shown with equipment from independent suppliers
not covered by the GM New Vehicle Limited Warranty
GM is not responsible for the safety or quality of
independent supplier alterations.





About This Publication

This catalog is not updated during the model year and should not be used for ordering purposes. It is intended as a source of basic information. All illustrations and specifications in this literature are based on the latest product information available at the time of publication. General Motors reserves the right to make changes at any time without notice. For further details, consult your local dealer.

Care must be taken during customer installation of equipment and wiring to ensure that all holes drilled in the body are corrosion protected, properly sealed and that vehicle wiring harnesses, piping or other components have not been displaced or damaged. Aftermarket equipment installers must be mindful of applicable Federal Motor Vehicle Safety Standards. This information can be obtained directly from the National Highway Traffic Safety Administration. Adding non-dealer accessories or making modifications to the vehicle can affect vehicle performance, aerodynamics, and overall top speed. Please return all police vehicles to factory condition and settings upon decommissioning to prevent civilians from using these new 2026 calibrations, lighting and other features intended only for police and emergency customers. Wiring connection or splice changes are to be removed before the vehicle is returned to civilian use.

These vehicles are equipped with an airbag system. The airbag system in your police vehicle includes frontal driver and front outboard passenger airbags, front seat back side impact airbags and Head-curtain airbags for all rows in outboard seating positions. Customer installed equipment such as security barriers behind the front seats should not be mounted so that the barrier ends are within the side airbag deployment zones. The sensors and other components for the airbag system must not be relocated to accommodate the installation of customer furnished equipment; please refer to the service manual for sensor and other component locations. For information concerning instrument panel top pad mounted equipment and airbag system deployment zones, see the airbag information section in this catalog and the vehicle owners manual.

A note about vehicle alterations by independent suppliers: This catalog shows pictures of vehicles that have been altered or upfitted with equipment or components supplied to Chevrolet or its dealers by independent suppliers. GM is not responsible for the safety or quality of design features, materials or workmanship of any alterations by third parties.

INDEX

- **UPDATES FOR 2026 Model Year**
- **STANDARD FEATURES**
- **OPTIONAL EQUIPMENT**
- **COLORS & CARGO LOAD LIMITS**
- **SPECIFICATIONS & EMISSIONS**
- **DIMENSIONS**
- **OUTLETS AND SENSOR LOCATIONS**
- **UPFITTER POWER AND WIRING INFORMATION**
- **FEATURE HIGHLIGHTS**
- **NO DRILL / NO CUT ZONES**
- **AIRBAG DIMENSIONS and FAQ**
- **OnStar® OPTIONS**
- **MAINTENANCE AND LIMITED WARRANTY**

UPDATES FOR 2026

NEW STANDARD FEATURES

- 4WT STANDARD RANGE (replaces 3WT STANDARD RANGE)
- 17.7" LCD ADVANCED COLOR DISPLAY (was 11.3")
- (PSC) DUAL LEVEL CHARGE CORD (was Optional)

NEW OPTIONAL FEATURES

- (RYU) NACS DC ADAPTER
- (VBP) POWER DISTRIBUTION BOX
- (5H1) TWO ADDITIONAL KEY FOBs
- (0U1) SPECIAL EXTERIOR COLOR
- (TGK) SPECIAL PAINTS, SOLID ORANGE
- (9C2) GOVERNOR, ELECTRONIC SPEED SENSOR 65mph*
- (9B9) GOVERNOR, ELECTRONIC SPEED SENSOR 70mph*
- (9D7) GOVERNOR, ELECTRONIC SPEED SENSOR 75mph*
- OnStar Connect Plus (PQI), (PQH), (PQG), (P0I), (P0H)
- BLACK NAMEPLATES, dealer installed (RIK)

DELETED OPTIONAL FEATURES

- 3WT STANDARD RANGE
- SPEED LIMIT ASSIST (ISA)
- (RYZ) NACS DC ADAPTER (Replaced by RYU)
- (SUR) TRAILER TIRE PRESSURE MONITOR (dealer-installed)
- GM FLEET EV STARTER KIT 1 (R6Q was Optional)

* Now Optional on 5WT Extended Range models as well as 4WT Standard Range and 8WT Maximum Range models.



Shown with RST wheels not available on WT.

KEY STANDARD FEATURES

SAFETY + SECURITY

- Adaptive Cruise Control¹
- Blind Zone Steering Assist¹
- Buckle to Drive¹
- Enhanced Automatic Emergency Braking¹
- Following Distance Indicator¹
- Forward Collision Alert¹
- Front Pedestrian Braking with Bicyclist Detection¹
- HD Surround Vision¹
- IntelliBeam auto high beam control¹
- Intersection Automatic Emergency Braking¹
- Lane Keep Assist with Lane Departure Warning¹
- LED Reflective Windshield Collision Alert
- Rear Cross Traffic Braking¹
- Rear Pedestrian Alert¹
- Reverse Automatic Braking¹
- Safety Alert Seat¹
- Side Bicyclist Alert¹
- Tire Pressure Monitoring System (excludes spare tire)
- Traffic Sign Recognition¹

PERFORMANCE

- Electronic 4WD Drive system with 2 motors (1 front and 1 rear) with performance torque vectoring electric drive unit.
- 4-wheel antilock disc brakes with regenerative Duralife™ brake rotors
- Dual Level Charge Cord, 120- and 240-volt capability
- At-home Level 2 (AC) charge rates up to 19.2 kW²
- DC fast charging for public charging rates up to 350 kW³
- Electronic Precision Shift with Low selection for One-Pedal Driving⁴ capability
- Driver Mode Selector
- Regen on Demand™⁵
- StabiliTrak
- Tow/Haul Mode

PRODUCTIVITY + DRIVE EXPERIENCE

- Available Wi-Fi® Hotspot⁶
- 4-way manual driver and front passenger seat
- 8-inch diagonal Driver Information Center
- 7.2 kW AC Offboarding Power (5WT, 8WT only) 10.2 kW with accessory Power Bar when equipped with 19.2 kW Charging Module capability
- 60/40 rear folding bench seat
- 120-volt power outlets, bed-mounted (4)
- 240-volt power outlet, bed-mounted
- Assist Steps, Black
- Dual-zone automatic climate control
- eTrunk™, lit, lockable and weather-proof compartment with 120-volt outlet, cargo tie-downs and drain holes
- EZ-Lift and Lower Tailgate
- Google⁷ built-in infotainment experience with 11.3-inch diagonal advanced color LED display
- Heated, power-adjustable and power-folding, black outside rearview mirrors
- LED Daytime Running Lamps
- LED Cargo Area Lighting with switch on instrument panel
- LED headlamps and taillamps
- OnStar® Connected⁸
- Power tilt/telescoping steering column
- Power windows with Express-Down on all
- Remote Keyless Entry
- Remote Start
- Available SiriusXM®⁹
- USB rear, dual, Type-C charge-only port¹⁰ (1)
- USB ports¹⁰ (4)
- Wireless Apple CarPlay¹¹/Android Auto™¹² capable

¹ Safety or driver assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle's Owner's Manual for important safety and driver assistance feature limitations and information.

² Actual charge times will vary based on battery starting state of charge, battery condition, output of charger, vehicle settings and outside temperature. See the vehicle's Owner's Manual for additional limitations.

³ Requires public DC Fast Charger. Actual charge times will vary based on battery starting state of charge, battery condition, output of charger, vehicle settings and outside temperature. See the vehicle Owner's Manual for additional limitations.

⁴ Feature may be limited when battery temperatures are extremely cold or hot or when battery is near full charge. Always use the brake pedal when you need to stop immediately. See Owner's Manual for details.

⁵ Feature may be limited when the battery temperatures are extremely cold or hot or when battery is near full charge. See Owner's Manual for details.

⁶ Service varies with conditions and location. Requires active service plan and paid AT&T data plan. See OnStar.com/BusinessSolutions for details and limitations. Availability subject to change.

⁷ Google built-in services are subject to limitations and availability may vary by vehicle, infotainment system and location. Select service plan required. Certain Google actions and functionality may require account linking. User terms and privacy statements apply. Google, Google Play, and Google Maps are trademarks of Google LLC.

⁸ Connected services vary by vehicle model and require active service plan, network compatibility, working electrical system, cell reception and GPS signal. Services enabled by connected services are subject to change. Does not include emergency or security services. See onstar.com for details and limitations.

⁹ If you decide to continue service after your trial, your selected subscription plan will automatically renew thereafter. You will be charged at then-current rates. Fees and taxes apply. To cancel, you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at siriusxm.com. Some features, including streaming content and listening recommendations, require GM connected vehicle services. All fees and programming subject to change. ©2022 SiriusXM Radio Inc. All rights reserved.

¹⁰ Not compatible with all devices.

¹¹ Vehicle user interface is a product of Apple and its terms and privacy statements apply. Requires compatible iPhone and data plan rates apply. Apple CarPlay is a trademark of Apple Inc. Siri, iPhone and Apple Music are trademarks of Apple Inc, registered in the U.S. and other countries.

¹² Vehicle user interface is a product of Google and its terms and privacy statements apply. To use Android Auto on your car display, you'll need an Android phone running Android 6 or higher, an active data plan, and the Android Auto app. Google, Android and Android Auto are trademarks of Google LLC.

STANDARD INTERIOR FEATURES

AIRBAGS²	Frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag.
AIR FILTER	Pollutant.
AIR VENTS	Rear, heating/cooling.
AIR CONDITIONING	Dual-zone automatic climate control. Low GWP Refrigerant.
ALARM	Remote panic.
ASSISTED DRIVING PACKAGE²	Includes (UGN) Enhanced Automatic Emergency Braking, (UVZ) Reverse Automatic Braking, (UFB) Rear Cross Traffic Braking, (CTB) Intersection Automatic Emergency Braking, (UKK) Rear Pedestrian Alert, (HS1) Safety Alert Seat, (UOW) Side Bicyclist Alert, (UVX) Traffic Sign Recognition, (UV2) HD Surround Vision and (KSG) Adaptive Cruise Control. Includes (UKI) Blind Zone Steering Assist and (UKM) Lane Keep Assist with Lane Departure Warning. See STANDARD SAFETY FEATURES page for all Standard Passive and Assisted Driving features.
BUCKLE TO DRIVE²	Prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings or Teen Driver menu.
CENTER CONSOLE	Floor-mounted, 4 cup holders, USB Type-C Charge/Data ports (2), Auxiliary and 120V Power Outlet.
DEFOGGER	Rear-window electric.
DOOR LOCKS	Front power. Rear child security lock, manual child lock system (rear door latch).
DRIVER INFORMATION CENTER	8" diagonal fully digital color display.
FLOOR COVERING	All-weather vinyl flooring.
INFOTAINMENT SYSTEM¹	17.7" diagonal advanced color LCD display with Google built-In (select service plan required, terms and limitations apply), including navigation capability, connected apps, personalized profiles for each driver's settings. Audio system features a 6-speaker system with Natural Voice Recognition.
KEYLESS OPEN AND START	Extended Range Remote Keyless Entry. Press brake and shift into gear to start. Vehicle may be started if the Key Fob battery is depleted or due to wireless interference, vehicle may be unlocked using the mechanical key.
LATCH SYSTEM²	Lower Anchors and Tethers for CHildren. For installing child restraints seats.
LED REFLECTIVE WINDSHIELD COLLISION ALERT	If ACC is engaged, driver action may be required when ACC cannot apply sufficient braking because your vehicle is approaching a vehicle ahead too quickly. When this condition occurs, the red collision alert symbol will flash on the windshield. Either eight beeps will sound from the front, or both sides of the Safety Alert Seat will pulse five times.
MAP POCKET	Front passenger seat back.
MIRROR	Inside rear-view manual day/night.
ONSTAR®	See onstar.com for details and limitations. Services vary by model. Service plan required.
POWER OUTLETS	All models include; (1) 12-volt in front console. (1) 120 volt on back of floor console. (1) 110-volt in the eTrunk. (4) 120-volt and (1) 240-volt bed mounted outlets included and only available on 5WT & 8WT with (KV7) Off-boarding Power.
REMOTE VEHICLE STARTER	For pre-conditioning vehicle. Key Fob activated.
SEATS	Front buckets, Driver and Front passenger 4-way manual. Rear 60/40 folding bench.
SEAT BELTS²	3-way for all positions. Front passenger presence detector. Rear passenger seat belt indicators.
SENSOR	Cabin humidity and windshield temperature.
STEERING COLUMN	Power tilt and telescopic.
STEERING WHEEL	Urethane with audio controls.
SIRIUS XM	Trial Subscription. Not included on vehicles that are ordered for Fleet Daily Rental ("FDR") use. Trial subscription is subject to the SiriusXM customer Agreement and privacy policy, visit www.siriusxm.com which includes full terms and how to cancel. All fees, content, features and availability are subject to change. Some features require GM connected vehicle services.
TIRE PRESSURE MONITORING	Auto learn, includes Tire Fill Alert (does not apply to spare tire).
THEFT-DETERRENT SYSTEM	Unauthorized entry detection.
USB PORTS	(2) Type-C Charge/Data ports located on floor console. Rear, dual, charge-only.
WINDOWS	Remote express-down, front and rear door windows.
Wi-Fi¹	Hotspot capable. Terms and limitations apply. See onstar.com or dealer for details. Not compatible with all devices. Functionality varies by model.
WIRELESS PHONE PROJECTION¹	For Apple CarPlay and Android Auto. Functionality varies by model. Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices.
WT PLUS PACKAGE	Includes (RIP) 18" high gloss Black painted aluminum wheels, (QK2) Multi-Flex tailgate, (QT5) Tailgate, gate function manual with EZ Lift, (BVE) Assist steps, (KV7) Offboarding Power, (ZL6) Trailer Integration Package, (K2O) 19.2 kW high voltage Charging Module. Not available on 4WT.

1. Functionality varies by model. Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices. Go to <https://my.CHEVROLET.com/learnAbout/bluetooth> to find out which phones are compatible with the vehicle. Full Bluetooth feature functionality varies by device, model and software version.

2. Safety or driver assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. The driver should remain attentive to traffic, surroundings, and road conditions at all times. Visibility, weather, and road conditions may affect feature performance. Read the vehicle's owner's manual for more important feature limitations and information.

STANDARD EXTERIOR FEATURES

ASSIST STEPS	Black, wheel to wheel.
BED	5 ft 11 inches.
DOOR HANDLES	Body-color
eTRUNK	Lockable weather-proof and lit compartment with 120 volt outlet, cargo tiedowns and drain holes.
GLASS	Deep-tinted, rear door and rear cab.
HEADLAMPS	LED, with LED Daytime Running Lamps.
JACK	Mechanical, with tools located in the eTrunk.
LICENSE PLATE BRACKET	Front mounting package. Will be forced on orders with ship-to states that require a front license plate.
LED CARGO AREA LIGHTING	Located in cargo bed activated with switch on instrument panel.
MIRRORS	Outside heated power-adjustable.
MIRROR CAPS	Painted Black.
PROTECTOR FILM	Paint protection.
SHUTTERS	Front upper and lower grille, active.
TAILGATE	Manual with EZ Lift. Locking. Black composite inner panel.
TAIL LAMPS	LED.
TIRES	LT265/70R18, all-season blackwall .
TIRE, SPARE	LT225/65R18, all-season blackwall.
WHEELS	18" X 8.5" (45.7 cm x 21.6 cm), high gloss Black painted aluminum.
WHEEL, SPARE	18" X 8.0" (45.7 cm x 20.3 cm), steel.
WINDOWS	Front side, solar absorbing. Rear side, solar absorbing, privacy tinting.

STANDARD MECHANICAL FEATURES

STANDARD BATTERY	4WT. Up to 510 hp and 490 lb-ft of torque in Tow/Haul Mode. (EWX)
EXTENDED RANGE BATTERY	5WT. Up to 510 hp and 580 lb-ft of torque in Tow/Haul Mode. (ETI)
MAX RANGE BATTERY	8WT. Up to 510 hp and 580 lb-ft of torque in Tow/Haul Mode. (ETN)
BRAKES	17" front and rear sliding caliper disc with DURALIFE rotors with regenerative capability. 4 wheel disc and 4-wheel 4-wheel antilock braking.
BRAKE ROTOR	FNC
CHARGING MODULE	11.5 kW high-voltage on 4WT. 19.2 kW module on 5WT and 8WT.
CHASSIS / SUSPENSION	4-wheel independent suspension with premium ride and handling. Dual Motor e4WD
DC FAST CHARGING	475V up to 220kW on 4WT (14MOD). 670V up to 300kW on 5WT (20MOD). 800V up to 350kW on 5WT (24MOD).
DUAL LEVEL CHARGE CORD	Dual-mode, portable, 120-volt (1.4 kW) and 240-volt (7.7 kW) capability, swappable NEMA 5-15 and NEMA 14-15 with SAE J1772 vehicle connection.
DUAL LEVEL CHARGE CORD	Dual-mode, portable, 120-volt (1.4 kW) and 240-volt (7.7 kW) capability, swappable NEMA 5-15 and NEMA 14-50 plugs with SAE J1772 vehicle connection.
DUAL MOTOR 4WD	Performance Torque Vectoring Dual Motor 4WD (Electronic 4WD), 2 motors (1 front & 1 rear electric drive unit).
ELECTRONIC PRECISION SHIFT	Electronic transmission range selector with Low selector for throttle off regenerative braking and one-pedal driving capability.
FRONT DRIVE UNIT	1-motor, Integrated Inverter, Park System.
REAR DRIVE UNIT	1-motor, Integrated Inverter.
HITCH VIEW AND GUIDANCE¹	When in Reverse, Hitch Guidance displays a centered guideline on the Rear Vision Camera view to help align vehicle with the trailer. When driving, it allows you to check your trailer using the Rear Vision Camera view.
OFFBOARDING POWER	7.2 kw, split phase, AC power. 10.2 kW with accessory Power Bar, when equipped with (K20) 19.2 kW high-voltage Charging Module. Not available on 4WT.
POWER INVERTER	Off power mode. 4WT only.
STABILITRAK	Stability Control System with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist.
SUSPENSION	4-wheel independent suspension with premium ride and handling.
TOW/HAUL MODE	Increases torque. See Specifications page.
TRAILER BRAKE CONTROLLER	Integrated.
TRAILER INTEGRATION PACKAGE	Includes (JL1) Trailer brake controller and (PZ8) Hitch View. Not available on 4WT.

¹ Use Hitch Guidance only to help back the vehicle to a trailer hitch or, when traveling above 12 km/h (8 mph), to briefly check the status of your trailer. Do not use for any other purpose, such as making change decisions. Before making a lane change, always check the mirrors and glance over your shoulder. Improper use could result in serious in-jury to you or others.

STANDARD SAFETY AND DRIVER ASSISTANCE FEATURES

ADAPTIVE CRUISE CONTROL¹	Adaptive Cruise Control allows you to set a cruise control speed and automatically follow a detected vehicle ahead at a driver selected following gap. If no vehicle is detected in your path, the feature works like regular cruise control. You can always over ride the feature and take control.
BLIND ZONE STEERING ASSIST¹	Blind Zone Steering Assist can alert you and provide a brief, firm turn of the steering wheel when a potential crash is detected with a moving vehicle in the lane you're entering.
ENHANCED AUTOMATIC EMERGENCY BRAKING¹	At speeds above 2mph Enhanced Automatic Emergency Braking can help you avoid or reduce the severity of a collision with a detected vehicle you're following. Radar and Camera technology are used to automatically provide hard emergency braking or enhance the driver's hard braking.
FOLLOWING DISTANCE INDICATOR¹	Following Distance Indicator displays the following time in seconds between your vehicle and a detected vehicle your following to help you maintain a safe following distance.
FORWARD COLLISION ALERT¹	Forward Collision Alert can warn you if it detects a potential collision with a detected vehicle you're following so you can take action. It can also provide a tailgating alert if you're following a vehicle much too closely
FRONT PEDESTRIAN AND BICYCLIST BRAKING¹	At speeds between 5 and 50 mph, Front Pedestrian and Bicyclist Braking can help you avoid or reduce the severity of a collision with a pedestrian or bicyclist it detects directly in front of you. It provides alerts and can automatically provide hard emergency braking or enhance the driver's hard braking. It has limited nighttime and low visibility performance.
HD SURROUND VISION CAMERA¹	With Trailer View Camera provision. HD Surround Vision provides selectable digital camera views of the area around your vehicle to help you park and avoid vehicles and objects. You can also display a guideline to show where your vehicle is heading.
INTELLIBEAM¹	At speeds above 25 mph, IntelliBeam can automatically turn the vehicle's high beams on and off according to surrounding traffic conditions.
INTERSECTION AUTOMATIC EMERGENCY BRAKING¹	Intersection Automatic Emergency Braking can help you avoid or reduce the severity of an intersection collision with a detected cross-traffic vehicle. It provides alerts and can even automatically provide hard emergency braking or enhance the driver's hard braking. Included with Standard (AS2) Assisted Driving Package.
LANE KEEP ASSIST WITH LANE DEPARTURE WARNING¹	Lane Keep Assist with Lane Departure Warning uses a brief steering wheel turn to alert you when it detects you are unintentionally drifting out of your lane lines. If needed, you may receive additional Lane Departure Warning alerts. System alerts do not occur if you're using your turn signal, or it detects you may be intentionally leaving your lane.
PEDESTRIAN SAFETY SIGNAL¹	Automated external sound generator at low speeds alerts pedestrians of vehicle presence.
REAR CROSS TRAFFIC BRAKING¹	When you're in Reverse, Rear Cross Traffic Braking alerts you and automatically provides hard emergency braking to help prevent a collision with detected vehicles crossing behind you. Included with Standard (AS2) Assisted Driving Package.
REAR PEDESTRIAN ALERT¹	When you're in Reverse, Rear Pedestrian Alert can alert you to detected pedestrians directly behind your vehicle. It has limited nighttime and low visibility performance.
REVERSE AUTOMATIC BRAKING¹	Reverse Automatic Braking alerts you and/or automatically provides hard emergency braking to help avoid collisions with detected vehicles and objects directly behind you when you're in Reverse. Included with Standard (AS2) Assisted Driving Package.
SAFETY ALERT SEAT¹	Safety Alert Seat uses left-, right- or both-side driver seat vibration pulses to help you detect and identify the direction of potential crashes. You can also switch to beeping crash avoidance alerts. Included with Standard (AS2) Assisted Driving Package.
SIDE BICYCLIST ALERT¹	Side Bicyclist Alert alerts you to a detected bicyclist that is approaching a side blind zone. Also, during a brief time after parking, the feature can alert you when a detected bicyclist is approaching so you don't open your door. Included with Standard (AS2) Assisted Driving Package.
TEEN DRIVER¹	A configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach a new driver. It also activates certain safety systems when a Teen Driver-designated Remote Key is used and mutes the radio until the front-seat occupants fasten their seat belts.
TRAFFIC SIGN RECOGNITION¹	Traffic Sign Recognition can display detected speed limit signs in your instrument cluster. The feature can also be set to notify you when you may be speeding or a new sign is detected.

1. Safety or driver assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. The driver should remain attentive to traffic, surroundings, and road conditions at all times. Visibility, weather, and road conditions may affect feature performance. Read the vehicle's owner's manual for more important feature limitations and information.

OPTIONAL INTERIOR FEATURES

5H1	ADDITIONAL KEYS - Two additional key fobs for a total of (4). Programming of key fobs is at customer's expense and not covered under warranty.
PCK	CARGO SECURITY PACKAGE - Dealer-installed. Includes (S1O) Console-Mounted Safe and (VBJ) Underseat storage.
S1O	CONSOLE-MOUNTED SAFE - Dealer-installed. Included and only available with (PCK) Cargo Security Package.
VBJ	UNDERSEAT STORAGE - Dealer-installed. Included and only available with (PCK) Cargo Security Package.
WH6	eTRUNK VERTICAL CARGO NET - Dealer-installed.
RWU	eTRUNK COLAPSIBLE CARGO ORGANIZER - Dealer-installed.
RWV	eTRUNK SLIDING TRAY - Not available with (WH6) eTrunk Vertical Cargo Net, (RWU) eTrunk Collapsible Cargo Organizer, (SA2) eTrunk foldable organizer, (WH9) eTrunk Vertical Cargo Area Divider, (RYC) All-Weather eTrunk Mat or (PDI) Stow and go Package.
RYC	ALL-WEATHER ETRUNK MAT - Dealer-installed.
RIA	ALL-WEATHER FLOOR LINERS - Dealer-installed. First row only for WT customers with vinyl floor.

OPTIONAL EXTERIOR FEATURES

SFW	BACK-UP ALARM CALIBRATION - Allows installation of an aftermarket back-up alarm by disabling rear perimeter lighting. No longer available to order.
CGN	BEDLINER, CHEVYTEC SPRAY-ON - Black (does not include spray-on liner on tailgate due to Black composite inner panel).
RIK	BLACK NAMEPLATES - Dealer Installed.
VMK	CARGO MANGEMENT SYSTEM RAILS - Dealer Installed. Included with (PDE) Bed Utility Package or (PDI) Stow and Go Package.
TGK	PAINTS, SOLID, ORANGE - All normally body colored non-sheet metal parts will be black including front fascia, spoiler, door handles and shark fin antenna. May require extended lead time. Requires a Fleet or Government order type. Requires (01U) Special Exterior Color.
VBP	POWER DISTRIBUTION BOX - Dealer Installed.
VGC	PROTECTOR FILM - Paint protector film.
01U	SPECIAL EXTERIOR COLOR - All normally body colored non-sheet metal parts will be black including front fascia, spoiler, door handles and shark fin antenna. May require extended lead time. There is a \$450 charge associated with this option. GM requires a minimum of 55 orders before being sent to the plant.
PDI	STOW AND GO PACKAGE - Dealer-installed. Includes (VMK) Cargo Management System Rails, LPO, (VBJ) Under-seat storage, LPO and (WH9) Cargo Area Divider-Vertical, LPO. Not available with (PDE) Bed Utility Package, LPO or (PCK) Cargo Security Package.
PCR	UTILITY WALL PACKAGE - Dealer-installed. Includes (S4K) Utility Wall Strap Kit, LPO, (RVY) Bedside Utility Wall, LPO and (5WI) Utility Wall Latch Kit (2-pack).
SDT	UTILITY WALL TRAILER HITCH HOLDER - Dealer Installed. Requires (PCR) Utility Wall Package.
SEU	WHEELS - 22" Gloss black wheels with machine face - Dealer-installed. Includes (PJ6) transit wheels.


OPTIONAL MECHANICAL FEATURES

VK3	LICENSE PLATE BRACKET - Front mounting package. Will be shipped to orders with with ship-to states that require front license plate.
5AV	GM ENERGY PowerShift CHARGER - Residential bidirectional EV charger; up to 19.2kW of charging, 80-amp, requiring a hardwired connection, with 25' length cord included. Installation not included, professional install required for warranty. Not available with (5CH) GM PowerUp2 Charger.
5CH	GM ENERGY PowerUp 2 (J1772) CHARGER - Residential EV charger; up to 11.5kW of charging, 40-amp (48-amp max), requiring a hardwired connection, with 25' length cord included. Installation not included, professional install required for warranty. Not available with (5AV) GM PowerShift Charger.
RYH	GM NACS LEVEL 2 ADAPTER - Residential AC adapter for use on NACS Level 2 chargers, including wall and mobile connectors. Intended for J1772 native inlet vehicle.
RYU	NACS DC ADAPTER - DCFC adapter for public use on NACS fast charging stations, including Tesla Supercharger, IONNA, EVgo and others. Intended for J1772 native inlet vehicle.
9C2	65 MPH GOVERNOR - Electronic speed sensor set to 65 MPH (104.6 KPH) Provides electronic software to limit maximum road speed. Cruise control limited to 65 MPH (104.6 KPH). Available on 4WT and 8WT, not available on 5WT Extended Range model
9B9	70 MPH GOVERNOR - Electronic speed sensor set to 70 MPH (112.7 KPH) Provides electronic software to limit maximum road speed Cruise control limited to 70 MPH (112.7 KPH). Available on 5WT and 8WT, not available on 5WT Extended Range model.
9D7	70 MPH GOVERNOR - Electronic speed sensor set to 75 MPH (120.7 KPH) Provides electronic software to limit maximum road speed Cruise control limited to 75 MPH (120.7 KPH). Available on 8WT and 8WT, not available on 5WT Extended Range model.

OPTIONAL SHIP THRU

SQB	SHIP THRU - Produced in Factory Zero, Hamtramck and shipped to Knapheide Truck Equipment, Flint, MI. Returned to Factory Zero, Hamtramck for shipping to final destination. Not available with CGN Chevytec spray -on bedliner.
SQC	SHIP THRU - Produced in Factory Zero, Hamtramck and shipped to Adrian Steel, Toledo, OH. Returned to Factory Zero, Hamtramck for shipping to final destination.
SQD	SHIP THRU - Produced in Factory Zero, Hamtramck and shipped to Reading Truck Equipment, Pontiac, MI. Returned to Factory Zero, Hamtramck for shipping to final destination.
SQF	SHIP THRU - Produced in Factory Zero, Hamtramck and shipped to Canfield Equipment Service, Warren, MI. Returned to FactoryZero, Hamtramck for shipping to final destination.
SQH	SHIP THRU - For Orders with (CGN) Spray-on Bedliner, Produced in Factory Zero, Hamtramck and shipped to Holman, Roanoke, IN. Returned to Factory Zero, Hamtramck for shipping to final destination.
SQK	SHIP THRU - For Orders with (CGN) Spray-on Bedliner, Produced in Factory Zero, Hamtramck and shipped to Knapheide Truck Equipment, Flint, MI. Returned to Factory Zero, Hamtramck for shipping to final destination.
SQM	SHIP THRU - For Orders with (CGN) Spray-on Bedliner, Produced in Factory Zero, Hamtramck and shipped to Adrian Steel, Toledo, OH. Returned to Factory Zero, Hamtramck for shipping to final destination.
SQN	SHIP THRU - For Orders with (CGN) Spray-on Bedliner, Produced in Factory Zero, Hamtramck and shipped to Reading Truck Equipment, Pontiac, MI. Returned to Ft. Wayne Assembly for shipping to final destination.
TKK	SHIP THRU - Produced in Factory Zero, Hamtramck and shipped to Holman, Roanoke, IN. Returned to Ft. Wayne Assembly for shipping to final destination.
TVY	SHIP THRU - Produced and shipped to Anchorage VDC then to TK Services and returned to Anchorage VDC for shipping to final destination. Available only to orders with a final Ship-To Code for State of Alaska Dealers.
TW4	SHIP THRU - Produced in Factory Zero, Hamtramck and shipped to Kerr Industries, Livonia, MI. Returned to Factory Zero, Hamtramck for shipping to final destination. Not available with CGN Chevytec spray -on bedliner.

AVAILABLE EXTERIOR COLORS ACTUAL COLORS MAY VARY



Summit White
(WA-8624)



Black (WA-8555)




Slate
Gray
Metallic
(WA-633D)

AVAILABLE INTERIOR COLOR ACTUAL COLOR MAY VARY



Jet Black
Vinyl


CARGO LOAD LIMITS



Tie Downs

4 each side (8 Total)

Rated at 500lbs (226.8kg) each





Cargo Volume 57.3 cu. ft. (1622.7 liters)

E-Trunk

400lbs (204 kg) Capacity Total

4 Hooks for optional convenience net (2)

4 Tie Downs Rated at 110lbs (50kg) each (1)



SPECIFICATIONS

MODEL CT35843 4WD SHORT BED CREW CAB	4WT (14 MOD) STANDARD RANGE	5WT (20 MOD) EXTENDED RANGE	8WT (24 MOD) MAXIMUM RANGE
EPA Estimated Total Range on a Full Charge ¹ (mi/km) All Wheel Drive	286/460	424/682	493/793
EPA Fuel Economy City (MPGe)	75	78	75
EPA Fuel Economy Highway (MPGe)	61	63	61
EPA Fuel Economy Combined City/Highway (MPGe)	68	70	68

Note: EPA-ESTIMATED ratings are official, not estimate based on GM testing. MPGe calculated using 1 gallon of gasoline=33.7 kWh.

VEHICLE WEIGHT (lbs/kg)

Seating capacity (F/R)	2/3	2/3	2/3
GVWR ² (Gross Vehicle Weight Rating)	9,990 ³ /4491 ³	9,990 ³ /4531 ³	9,990 ³ /4531 ³
GCWR ⁴ (Gross Combination Weight Ratings)	16,600/7530	21,400/9707	19,700/8936
Maximum Payload ⁵	2,350/1066	1,800/816	1,400/635
Base curb weight	7,403/3358	8,102/3675	8,464/3839
Maximum Trailering Capacity ⁶	8,500/3856	12,500/5670	10,500/4763

PASSENGER COMPARTMENT VOLUME (cu.ft. / liters)

Passenger Volume	129.8/3636
eTrunk Volume	10.8/305.9
Glove Box Volume	0.24/6.82
Upper Passenger Bin Volume	0.02/0.45
Under Seat Storage Volume	0.72/20.4

FRONT COMPARTMENT (in/mm)

Head room	41.87/1063
Shoulder room	64.9/1649
Hip room	61.95/1574
Leg room	44.85/1139

REAR COMPARTMENT (in/mm)

Head room	39.7/1009
Shoulder room	63.8/1621
Overhang (front)	36.2/919
Overhang (rear)	51.2/1300
Hip room	61.4/1560
Leg room	44.4/1126

EXTERIOR (in/mm)

Wheelbase	145.7/3701
Overall length	233.1/5921
Body width (with mirrors folded)	85.3/2166
Body width (with mirrors)	94.3/2395
Track width (front)	68.7/(1745)
Track width (rear)	68.7/(1745)
Overall height ⁷	78.05/1982
Front bumper to back bumper	233.1/5921
Inside length of box at floor	70.1/1780.6
Tailgate/bed height	34.5/876.3
Bed width at top rail	57.6/1464
Inside width, between wheel housings	49.4/1255
Turning Diameter, ft./m	44/13.4
Ground clearance ⁷	8.06/205
Overhang (front)	36.2/919
Overhang (rear)	51.2/1301
Front Suspension Travel	9.19/233
Rear Suspension Travel	59.4/239

*Published dimensions indicated are at Base Curb Weight.

EMISSIONS - MUST BE SPECIFIED

FE9	Emissions - Federal requirements. Not available with FDR/FBC/FLS/FNR/FRC/FGO/TSC/TSR/TSM order types. You must order (YF5) California State emissions requirements or (NE1) emissions with (NC7) Override emissions.
NF6	Emissions System - Zero emissions vehicle (ZEV). Standard for all BLAZER EVs.
NE1	Emissions - Massachusetts, New York, Oregon, Vermont and Washington State. Not available for Delaware or District of Columbia.
YF5	Emissions - California state requirements.
NB8	Emissions override - California (allows a dealer in states that require California emissions - California, Colorado, Maryland, Massachusetts, New Jersey, New York, Oregon, Rhode Island, Vermont or Washington state - to order Federal emissions for a vehicle that will be registered in a state that has Federal emissions requirements). Do not use for vehicles that will be registered in California, Colorado, Maryland, Massachusetts, New Jersey, New York, Oregon, Rhode Island, Vermont or Washington.
NB9	Emissions override - State-specific. For dealers ordering vehicles in (YF5) or (NE1) emission states - Massachusetts, New York, Oregon, Vermont and Washington state. Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Massachusetts, New York, Oregon, Vermont and Washington state dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.
NC7	Emissions override - Federal. For vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Arizona, Connecticut, Idaho, New Jersey, Nevada, New Hampshire, Pennsylvania, Rhode Island and Utah. Only available in the following states AZ/CT/ID/NJ/NV/NH/PA/RI/UT. Requires (YF5) California state emissions requirements or (NE1) emissions states Massachusetts, New York, Oregon, Vermont and Washington state emissions requirements.

1. Work Truck Trim EPA-estimated range on a full charge Actual range may vary based on several factors, including temperature, terrain, battery age, loading, and how you use and maintain your vehicle.

2. Gross Vehicle Weight Rating (GVWR). When properly equipped, includes vehicle, passengers, cargo and equipment.

3. GVWR lowered to 9,650 lbs/4377 kg when equipped with optional (SEU) 22" Gloss black wheels with machine face.

4. Maximum Gross Combined Weight Rating (GCWR). When properly equipped; includes weight of the vehicle and trailering combination, including the weight of driver, passengers, fuel, optional equipment and cargo in the vehicle and trailer

5. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb.

6. Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow.

7. Published dimension indicated is from ground and without optional equipment or accessories. Additional accessories or equipment ordered at the customer's request can result in a minor change in this dimension.

CHARGING SPECIFICATIONS

DC FAST CHARGING ¹	4WT STANDARD RANGE	5WT EXTENDED RANGE	8WT MAXIMUM RANGE
Max. Charge rate	475 volt, up to 220 kW	670 volt, up to 300 kW	800 volt, up to 350 kW
Horsepower in Tow/Haul Mode	Up to 510 hp	Up to 510 hp	Up to 510 hp
Torque in Tow/Haul Mode	Up to 490 lb-ft	Up to 580 lb-ft	Up to 580 lb-ft
Low-80% time to charge	40 minutes	42 minutes	46 minutes
10 min. range added	74 miles	111 miles	124 miles

LEVEL 2 AC CHARGING ¹	4WT STANDARD RANGE	5WT EXTENDED RANGE ²	8WT MAXIMUM RANGE
Max. Charging rate	19.2 kW	19.2 kW	19.2 kW
0-100% time to charge	12.4 hours	10.5 hours	12.6 hours
Range added/hour	22 mi/hour	41 mi/hour	39 mi/hour

NOTE: A vehicle cover, which can reduce sun loading on the vehicle and improve high voltage battery life, is available from your dealer.

DRIVE BATTERY

Type	Rechargeable energy storage system with 12-module pack
Mass (lb / kg)	
Useful Energy	
Warranty ³	8 years / 100,000 miles of battery and electric components coverage

SERVICE BATTERY


Type	AGM Flooded LN1
Reserve Capacity	140 minutes
Volts	12 V
Amp hour rating	80 ah
Cold cranking amps	730 a

NOTE: If available, use the AGM setting when charging.

PROPULSION SYSTEM

Drive Type	eAWD with performance torque vectoring
Motor - Permanent Magnetic Drive	2 motors

NOTE: Propulsion power may be reduced in extremely cold temperatures, or if the high voltage battery is too cold. The message BATTERY TO COLD, PLUG IN TO WARM will display. If the message displays, a Level 2 charger is required to heat the battery to a minimum temperature to enable propulsion or charging.




This vehicle is equipped with high voltage battery thermal detection, mitigation, and notification software. If the high voltage battery overheats, it may create a risk of a vehicle fire and may result in damage to property, serious injury, or death. If the high voltage battery overheats, an audible alarm may sound, a message may display on the Driver Information Center (DIC), and OnStar may be called. To alert others outside your vehicle, the horn may sound, and the lights may flash.





- Actual times will vary based on battery starting state of charge, battery condition, output of charger, vehicle settings and outside temperature. See owner's manual for additional limitations.
- With optional XKT Package which includes (K20) 19.2 kW Charging Module.
- Limited warranty, 8 years / 100,000 miles, whichever comes first. See dealer for details. See owner's manual for additional limitations.

EXTERIOR DIMENSIONS




APPROXIMATE BATTERY LOCATION


(shown in millimeters)



POWER & USB OUTLETS




ACTIVE SAFETY RADARS & CAMERAS




UPFITTER POWER PROVISIONS

FUSE BOX, CARD READER





12 V Battery, UHEC, GROUND POST



Connector Part Information

Harness Type: Wiring Harness Auxiliary Junction Block
OEM Connector: 7282-5574-10
Service Connector: Service by Harness - See Part Catalog
Description: 8-Way M 2.8 YESC Series, Sealed(D-GY)



X79A Configurable/Accessory Provision Supply Connector (VBP)


Pin	Size	Color	Circuit	Function	Terminal Type ID
1	2	YE	10731	Upfitter Accessory 1 Supply Voltage	I
2	2	BU	10732	Upfitter Accessory 2 Supply Voltage	I
3	2	GY	10733	Upfitter Accessory 3 Supply Voltage	I
4	2	RD	10734	Upfitter Accessory 4 Supply Voltage	I
5	2	WH	10735	Upfitter Accessory 5 Supply Voltage	I
6	2	BN	11025	Upfitter Accessory 6 Supply Voltage	I
7 - 8	—	—	—	Not Occupied	—

UPFITTER POWER PROVISIONS

UPFITTER POWER PROVISIONS

Upfitter power provisions can be obtained by installing a fuse kit in the primary battery mounted electrical center Battery Distribution Unit (BDU) and adding a fuse tap kit to the RH Interior Electrical Center (IEC). Updates to the BDU to enable the use of the fused battery power provisions for upfitters is recommended.. The kit (P/N 84669070) will enable the installation of the fuse as outlined in UI Bulletin #200.

12V Battery - LN4 AGM Battery. SAE 730 CC. 80 AH, 140 RC.





UPFITTER POWER PROVISIONS

IGNITION POWER PROVISIONS


As an interim solution for obtaining a RUN mode power source a terminated wire lead will need to add a fuse tap kit like the one shown below to the unused fuse location in the RH IP fuse block. This fuse tapper will be inserted into the empty F22DR slot shown in the top view of the fuse block. Once the fuse tap has been inserted install a 10a or smaller fuse into both open slots of the tap.

It is recommended that the crimp connector be removed and solderd connection with shrink tube to the pigtail wire. See UI Bulletin #200 for detailed instructions.




Fuse Block is located inside the glove compartment.

UPFITTER POWER PROVISIONS




UPFITTER POWER PROVISIONS

110V AC Accessory Power Receptacles



Inverter Module Power, Ground and Serial Data



OPTIONAL FEATURE HIGHLIGHT


PCR

BEDSIDE UTILITY WALL PACKAGE



Dealer Installed. Includes (S4K) Utility Wall Strap Kit, (RVY) Bedside Utility Wall Strap Kit, (RVY) Bedside Utility Wall and (5WI) Utility Wall Latch Kit (2-pack).

NO DRILL - NO CUT ZONES



HV Battery, Cables, Modules, Drive Units (orange)

12V Wiring (green)


Brake Lines (red)

HVAC Plumbing (pink)


WARNING

- DO NOT CUT ANY ORANGE COLORED HIGH VOLTAGE CABLES
- DO NOT DRILL ABOVE HV BATTERY
- DO NOT MODIFY HVAC PLUMBING

INFLATED FRONTAL AIRBAG DIMENSIONS




VIEW FROM DRIVERS SEAT




VIEW FROM PASSENGER SEAT

STEERING WHEEL DRIVER AIRBAG

FRONT OUTBOARD PASSENGER AIRBAG



VIEW FROM DRIVER
SIDE OF VEHICLE



VIEW FROM PASSENGER
SIDE OF VEHICLE

Sitting too close to an airbag when it deploys can increase the risk of serious injury or death. Always properly wear your seat belt. See Owner's Manual for more information.

INFLATED SIDE AIRBAG DIMENSIONS


SEAT MOUNTED
SIDE AIRBAG



ROOF RAIL
MOUNTED
SIDE AIRBAG



ROOF-RAIL MOUNTED HEAD-CURTAIN AIRBAG DEPLOYMENT ZONES - PASSENGER SIDE SHOWN, DRIVER SIDE SIMILAR



Sitting too close to an airbag when it deploys can increase the risk of serious injury or death. Always properly wear your seat belt. See Owner's Manual for more information.

AIRBAGS FAQ

Q: Can equipment such as radar devices, video cameras, and radio trees be mounted in a specialty vehicle equipped with a right front passenger frontal airbag?

A: Yes, but care must be taken to properly mount the equipment outside of the airbag "deployment zone."

Q: What is the airbag "deployment zone"?

A: The term "deployment zone" describes the space an airbag takes up when fully inflated. Airbags need room to work properly, and anything in the "deployment zone" – such as improperly mounted equipment – can greatly affect the performance of the airbag.

Q: How can I identify the airbag "deployment zone" in my vehicle?

A: See Airbag Deployment Diagrams for more information. The diagrams provide the approximate dimensions of the "deployment zones" for your specialty vehicle. Before doing any service work, including the installation of any equipment, consult the appropriate service manual.

Q: Is it possible to shield equipment so it does not interfere with airbag deployment?

A: While shielding may protect certain equipment from being damaged or dislodged, it may also negatively affect how an airbag inflates. Therefore, we do not recommend the placement of any equipment in the deployment zone, even if shielded.

See "Adding Equipment to the Airbag-Equipped Vehicle" in the owner manual for more information.

Customer-Installed Equipment

Before installing equipment, read the following.

- Airbags inflate with great force, faster than the blink of an eye. No objects, such as shotguns, should be placed over or near the airbag covers. Equipment mounted too close to an inflating airbag could prevent the airbag from operating properly to protect the occupants or could be forced into an occupant or break and become a dangerous projectile, causing severe injury or even death. To help prevent injury and to allow the airbag to perform as it was designed, do not mount equipment inside the airbag deployment zones.
- Do not attach anything to the steering wheel hub or mount any equipment within the deployment zone for the driver airbag.
- Do not mount equipment on the passenger side of the instrument panel top pad deployment zone. Equipment should not be mounted on or around the passenger airbag opening because of a deploying airbag. To allow the airbag to perform as it was designed, do not mount equipment inside the airbag deployment zone.
- Do not mount a security barrier such that the ends of the barrier or brackets are within the roof-rail airbag deployment zones.
- Avoid installing wiring for roof-rail emergency lighting or radio antennas that may restrict the proper deployment of the roof-rail airbags.
- GM approved service procedures must be followed to remove and reinstall the instrument panel to the pad to ensure proper airbag deployment.

ONSTAR OPTIONS

P0U¹	ONSTAR PROTECT - Includes up to 12 Months of OnStar Protect. Emergency Advisors and Security Services.
P0J¹	ONSTAR PROTECT - Includes up to 24 Months of OnStar Protect. Emergency Advisors and Security Services.
P0K¹	ONSTAR PROTECT - Includes up to 36 Months of OnStar Protect. Emergency Advisors and Security Services.
P0L¹	ONSTAR PROTECT - Includes up to 48 Months of OnStar Protect. Emergency Advisors and Security Services.
P0Q¹	ONSTAR PROTECT - Includes up to 60 Months of OnStar Protect. Emergency Advisors and Security Services.
P0V²	ONSTAR TELEMATICS - Includes up to 12 Months of OnStar Telematics. Fleet operations and remote vehicle management.
P0W²	ONSTAR TELEMATICS - Includes up to 24 Months of OnStar Telematics. Fleet operations and remote vehicle management.
P0X²	ONSTAR TELEMATICS - Includes up to 36 Months of OnStar Telematics. Fleet operations and remote vehicle management.
P0Y²	ONSTAR TELEMATICS - Includes up to 48 Months of OnStar Telematics. Fleet operations and remote vehicle management.
P0Z²	ONSTAR TELEMATICS - Includes up to 60 Months of OnStar Telematics. Fleet operations and remote vehicle management.
R8G³	ONSTAR ONE FLEET - Includes up to 12 months of OnStar One Fleet. Includes safety, telematics, Wi-Fi hotspot, and streaming services.
RFH³	ONSTAR ONE FLEET - Includes up to 24 months of OnStar One Fleet. Includes safety, telematics, Wi-Fi hotspot, and streaming services.
R8P³	ONSTAR ONE FLEET - Includes up to 36 months of OnStar One Fleet. Includes safety, telematics, Wi-Fi hotspot, and streaming services.
R8Z³	ONSTAR ONE FLEET - Includes up to 48 months of OnStar One Fleet. Includes safety, telematics, Wi-Fi hotspot, and streaming services.
R8W³	ONSTAR ONE FLEET - Includes up to 60 months of OnStar One Fleet. Includes safety, telematics, Wi-Fi hotspot, and streaming services.
P0H⁴	ONSTAR CONNECT PLUS - Includes up to 12 months of OnStar Connect Plus. In-vehicle entertainment and productivity through access to a suite of apps in your center display including media streaming, navigation, voice assistance, and Wi-Fi hotspot.
P0I⁴	ONSTAR CONNECT PLUS - Includes up to 24 months of OnStar Connect Plus. In-vehicle entertainment and productivity through access to a suite of apps in your center display including media streaming, navigation, voice assistance, and Wi-Fi hotspot.
PQG⁴	ONSTAR CONNECT PLUS - Includes up to 36 months of OnStar Connect Plus. In-vehicle entertainment and productivity through access to a suite of apps in your center display including media streaming, navigation, voice assistance, and Wi-Fi hotspot.
PQH⁴	ONSTAR CONNECT PLUS - Includes up to 48 months of OnStar Connect Plus. In-vehicle entertainment and productivity through access to a suite of apps in your center display including media streaming, navigation, voice assistance, and Wi-Fi hotspot.
PQI⁴	ONSTAR CONNECT PLUS - Includes up to 60 months of OnStar Connect Plus. In-vehicle entertainment and productivity through access to a suite of apps in your center display including media streaming, navigation, voice assistance, and Wi-Fi hotspot.
PQL⁵	ONSTAR VIDEO TELEMATICS WITH HARDWARE - Includes hardware and up to 12 months of OnStar Video Telematics. Requires additional paid Telematics plan and is subject to terms. Lytx Surfsight AI-14 camera hardware unit is included in price of Video Telematics with Hard-ware plan. Installation of camera hardware is not included.
PQM⁵	ONSTAR VIDEO TELEMATICS WITH HARDWARE - Includes hardware and up to 24 months of OnStar Video Telematics. Requires additional paid Telematics plan and is subject to terms. Lytx Surfsight AI-14 camera hardware unit is included in price of Video Telematics with Hard-ware plan. Installation of camera hardware is not included.
PQP⁵	ONSTAR VIDEO TELEMATICS WITH HARDWARE - Includes hardware and up to 36 months of OnStar Video Telematics. Requires additional paid Telematics plan and is subject to terms. Lytx Surfsight AI-14 camera hardware unit is included in price of Video Telematics with Hard-ware plan. Installation of camera hardware is not included.
PQQ⁵	ONSTAR VIDEO TELEMATICS WITH HARDWARE - Includes hardware and up to 48 months of OnStar Video Telematics. Requires additional paid Telematics plan and is subject to terms. Lytx Surfsight AI-14 camera hardware unit is included in price of Video Telematics with Hard-ware plan. Installation of camera hardware is not included.
PQT⁵	ONSTAR VIDEO TELEMATICS WITH HARDWARE - Includes hardware and up to 60 months of OnStar Video Telematics. Requires additional paid Telematics plan and is subject to terms. Lytx Surfsight AI-14 camera hardware unit is included in price of Video Telematics with Hard-ware plan. Installation of camera hardware is not included.

- Working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See gmfleet.com/software/onstar for details and limitations. Non-transferable and non-refundable. Requires (UE1) OnStar. Requires one of the following US Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with other OnStar Protect plans, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or Virgin Islands.
- OnStar Telematics does not include emergency or security services. Eligible customers must sign up for an account at gmfleet.com/software/onstar. Active connected vehicle services, working electrical system, cell reception and GPS signal required. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See gmfleet.com/software/onstar for details and limitations. Non-transferable and non-refundable. Requires (UE1) OnStar. Requires one of the following US Fleet or Government order types: FDR, FLS, FNR, FRC, FBC, FGO or FEF. Not available with other OnStar Telematics plans, R8G, RFH, R8P, R8W, or R8Z. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.
- Working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. Requires eligible vehicle. Streaming services vary with conditions and location. Terms apply. See gmfleet.com/software/onstar for additional details and limitations. Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following US Fleet or Government order types: FLS, FNR, FRC, FBC, FEF. Not available with other OnStar One Fleet plans, P0U, P0J, P0K, P0L, P0Q, P0V, P0W, P0X, P0Y, P0Z, P0H, P0I, PQG, PQH or PQI. Not available with a ship-to of Guam, the Virgin Islands.
- OnStar Connect Plus does not include emergency or security services. Requires eligible vehicle. Streaming services vary with conditions and location. HD Streaming services are subject to terms and limitations. Availability may vary by vehicle, infotainment system, location and active service plan. Hulu service requires subscription. U.S. only. Terms apply. Hulu and Hulu logo are registered trademarks of Hulu, LLC. See gmfleet.com/software/onstar for additional details and limitations. Non-transferable and non-refundable. Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot Capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with other OnStar Connect Plus plans, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.
- Terms apply. See gmfleet.com/software/onstar for additional details and limitations. Non-transferable and non-refundable. Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with other OnStar Video Telematics with Hardware plans, PQL, PQM, PQP, PQT, or PQQ. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.

MAINTAINACE / LIMITED WARRANTY

SCHEDULED MAINTENANCE	One visit within first year of vehicle delivery ¹
BUMPER-TO BUMPER LIMITED WARRANTY	3 years/36,000 miles ² Bumper-to-Bumper Limited Warranty with no deductible.
ELECTRIC VEHICLE PROPULSION LIMITED WARRANTY	8 Years / 100,000 Miles ²
TIRES⁴	3 years/36,000 miles ² ; coverage prorated after first 12,000 miles
ROADSIDE ASSISTANCE AND COURTESY TRANSPORTATION	Qualified Fleet Customers: 5 years/100,000 miles ³
RUST-THROUGH	6 years/100,000 miles ²
CORROSION	3 years/36,000 miles ²
WHEEL ALIGNMENT AND BALANCE	Up to 7,500 miles ⁵

1. Includes first required maintenance visit as stated in vehicle maintenance schedule. Maintenance visit consists of oil change, tire rotation and Multi-Point Vehicle Inspection.

Does not include air filters. See participating dealer for other restrictions and complete details.

2. Whichever comes first. See dealer for limited warranty details.

3. Tires also covered under the Bumper-to-Bumper Warranty but are prorated based upon mileage. See dealer for warranty details.

4. If the vehicle has a warrantable failure, see your Owner's Manual for full details on the Courtesy Transportation program.

5. Customer maintenance item after 7,500 miles.

UPFITTER INTEGRATION LINKS

GM upfitter Integration Technical Bulletins are intended for use by professional technicians, NOT a do-it-yourselfer. They are written to inform these technicians of conditions that may occur on some vehicles, or to provide information that could assist in the proper service and/or modification of a vehicle. These properly trained technicians have the equipment, tools, safety instructions and know-how to do a job properly and safely. If a condition is described, DO NOT assume that the bulletin applies to your vehicle or that your vehicle will have that condition. Contact GM Upfitter Integration or information on whether the information is applicable to your vehicle.

GM LINKS QUICK LINKS

GM FLEET GUIDE - <https://www.gmfleet.com/resources/guides-and-manuals>

CHEVROLET COMMERCIAL VEHICLES - Versatility meets performance, efficiency, and technology in every Chevrolet commercial vehicle. With a proven lineup of dependable trucks and vans.

<https://www.chevrolet.com/commercial>

ONLINE ORDER GUIDES - Online Order / Reference Guide is intended solely for reference purposes only. Certain models, options or equipment may be available only to customers who qualify as fleet or commercial customers.

<https://www.gmfleetorderguide.com/map>

GM ACCESSIBILITY - Get information about vehicles that suit the individual requirements of special-needs drivers, and programs to make them more affordable.

<https://www.gmfleet.com>

OWNER SERVICE MANUALS - For Manuals and CD ROMS: Factory Repair Manuals, Owner Manuals, ETMs, Wiring Diagrams, Body Repair Manuals, Collision Books, TSBs.

https://experience.gm.com/certified-service?evar25=xbhub_globalnav_service

SVM LOCATOR - General Motors Special Vehicle Manufacturers provide quality upfit products that enhance GM trucks and vans. SVMs are selected on the merit of their upfit/conversion, financial stability, and adherence to the governmental and trade association requirements.

http://www.gmfleet.com/fleet/finddealer/svmlocator_landing.jsp

GM UPFITTER INTEGRATION - QUICK LINKS (NON-GM LINKS)

The following links will launch you to an independent website outside of General Motors, which has its own privacy policies;

INTERNATIONAL FLEET SALES - International Fleet Sales (IFS) is the authorized export distributor of General Motors vehicles, parts and service.

<http://www.internationalfleetsales.com/>

AC DELCO TECHCONNECT - Comprehensive coverage, product quality, competitive prices, and industry-leading training make the AC Delco All Makes, All Models product line a true winner and a must-have for Independent Service Centers.

<https://www.acdelcotds.com/subscriptions>

FIRST RESPONDERS - Here you will find information to assist First Responders in learning about vehicles and/or systems that may affect how they perform in an emergency situation.

<https://www.gmstc.com/index.php/first-responders>

TRAINING - Here you will find information on how to obtain GM Technical Training for Dealers, Fleet Customers and Non GM dealers. <https://www.gmupfitter.com/wp-content/uploads/2023/09/Training.pdf>

NATIONAL TRUCK EQUIPMENT ASSOCIATION (NTEA) – TECHNICAL RESOURCES - How to obtain supportive information such as an FMVSS Guide, Weight Calculators and OEM Chassis Considerations Guide and more.

<https://www.ntea.com/technicalresources>



GM reserves the right to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models, and availability. Specifications, dimensions, measurements, ratings, and other numbers in this catalog and other printed materials provided at the dealership or affixed to vehicles are approximates based upon design and engineering drawings and prototypes and laboratory tests. Your vehicle may differ due to variations in manufacture and equipment. Since some information may have been updated since the time of printing, please check with your GM dealer for complete details. Some of the equipment shown or described throughout this publication may be available at extra cost, and/or is supplied by an independent supplier.

Copyright 2025 General Motors. All rights reserved. All text, images, graphics, and other materials in this publication are subject to the copyright and other intellectual property rights of General Motors. These materials may not be reproduced, distributed, or modified without the express written permission of General Motors. The marks appearing in this publication including, but not limited to: GM and the GM logo; Chevrolet and their respective logos, emblems, slogans, and vehicle model names and body designs; and other marks such as GM FLEET and Commercial are trademarks and/or service marks of General Motors, its subsidiaries, affiliates, or licensors.

For more detailed information, contact your District Sales Manager or see <https://www.gmfleet.com/resources/guides-and-manuals>